

INFO ONLY
RADIO FIX AND HOLDING DATA RECORD

NAME: ADETE **STATE:** GA **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 345406.73N/0851931.71W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	ILS OR LOC RWY 14			KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 20			K9A5	LAFAYETTE	GA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 **DATE OF REVISION:** 04/27/2017

REASON FOR REVISION:
ADDED ILS OR LOC RWY 14 AT KDNN TO FIX USE.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 10/20/2016	OFFICE: AJV-5423	NAME: PETER GETZ (HEIDI SNIDER)
APPROVED BY:	DATE:	OFFICE: AJV-5420	NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION: NFDC
FPO: EST
ARTCC: ZTL
ATC FACILITY: CHA APP CON, ZME
OTHER:

INFO ONLY

RADIO FIX AND HOLDING DATA RECORD

NAME: CHOO CHOO VORTAC

STATE: TN

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 345740.59N/0850912.13W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	CHOO CHOO	GQO	VORTAC	H						45000

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SE	GQO	VORTAC	152.00	332.00	R	1	3100 10000	4 9

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	345750.90N/0851512.50W	1586	6C
1	310	AAO	344400.00N/0850109.00W	1985	4E

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 20	KCHA	CHATTANOOGA	TN (US)
1	ILS RWY 20 (CAT II)	KCHA	CHATTANOOGA	TN (US)

REMARKS:

PRECIPITIOUS TERRAIN EVALUATION COMPLETED.
PAT 1 NAVAID MAGVAR: 1E/1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BIRMINGHAM			KBHM	BIRMINGHAM	AL (US)
DP	CHATTANOOGA			KCHA	CHATTANOOGA	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
DP	NASHVILLE			KBNA	NASHVILLE	TN (US)
EN ROUTE	V5					(US)
EN ROUTE	V67					SD (US)
EN ROUTE	J118					TN (US)
EN ROUTE	V115					TN (US)
EN ROUTE	V209					TN (US)
EN ROUTE	V243					TN (US)
EN ROUTE	V333					TN (US)
EN ROUTE	V54					TN (US)
IAP	ILS OR LOC RWY 14			KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 20			K9A5	LAFAYETTE	GA (US)
IAP	ILS OR LOC RWY 2			KCHA	CHATTANOOGA	TN (US)
IAP	ILS OR LOC RWY 20		1	KCHA	CHATTANOOGA	TN (US)
IAP	ILS RWY 20 (CAT II)		1	KCHA	CHATTANOOGA	TN (US)
IAP	RNAV (GPS) RWY 15			KCHA	CHATTANOOGA	TN (US)
IAP	RNAV (GPS) RWY 20			KCHA	CHATTANOOGA	TN (US)
IAP	RNAV (GPS) RWY 33			KCHA	CHATTANOOGA	TN (US)
IAP	VOR RWY 33			KCHA	CHATTANOOGA	TN (US)
IAP	RNAV (GPS) RWY 4			KAPT	JASPER	TN (US)
IAP	ILS OR LOC RWY 4			KSRB	SPARTA	TN (US)
IAP	NDB RWY 4			KSRB	SPARTA	TN (US)
STAR	ROME			KATL	ATLANTA	GA (US)
STAR	LUGOH			KMEM	MEMPHIS	TN (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 13

DATE OF REVISION: 09/10/2020

REASON FOR REVISION:

HOLDING RESTRICTIONS: REMOVED UNPLANNED HOLDING.
FIX USE: ADDED KSRB NDB RWY 4 AND ILS OR LOC RWY 4.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: BARRY SMITH

APPROVED BY:

DATE:

OFFICE: AVJ-A420

NAME: MARLON ROBINSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZTL
ATC FACILITY:
OTHER:

INFO ONLY

RADIO FIX AND HOLDING DATA RECORD

NAME: COMAR

STATE: AL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 345435.37N/0853809.10W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	CHOO CHOO	GQO	VORTAC	H	261.76	262.76	24.00	24.00		4000	17500
2	ROME	RMG	VORTAC	H	329.38	330.38	51.56	51.56		4000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
RMG	VORTAC	R-329	52	4000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

CHOO CHOO (FAC 1) AND ROME (FAC 2) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V54	1, 2				(US)
IAP	ILS OR LOC RWY 14			KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 20			K9A5	LAFAYETTE	GA (US)
IAP	ILS OR LOC RWY 20	1, 2		KCHA	CHATTANOOGA	TN (US)
IAP	ILS RWY 20 (CAT II)	1, 2		KCHA	CHATTANOOGA	TN (US)
IAP	RNAV (GPS) RWY 20			KCHA	CHATTANOOGA	TN (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 04/27/2017

REASON FOR REVISION:

ADDED ILS OR LOC RWY 14 AT KDNN TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 10/20/2016

OFFICE: AJV-5423

NAME: PETER GETZ (HEIDI SNIDER)

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZME
ATC FACILITY: CHA APP CON, ZTL
OTHER:

INFO ONLY

RADIO FIX AND HOLDING DATA RECORD

NAME: ROME VORTAC STATE: GA COUNTRY: US ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 340945.23N/0850709.87W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA FEET	MAA
1	ROME	RMG	VORTAC	H						45000

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	RMG	VORTAC	169.00	349.00	L	1		3000 17500	4 16
2	NW	RMG	VORTAC	313.00	133.00	R		15	5000 41000	18 28

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (13-022431)	340752.87N/0851152.80W	1385	5E
1	310	TOWER (13-000100)	341359.00N/0851402.00W	1761	5E
2	200	AAO	341919.00N/0851725.00W	1901	4E

REASON FOR NONSTANDARD HOLDING:

PAT 1 COMPATIBILITY WITH PROCEDURE TURNS.

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 1	KRMG	ROME	GA (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
PAT 3 - 15 NM LEG LENGTH REQUESTED BY ATC.
MAGVAR 1E/1965

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HUNTSVILLE			KHSV	HUNTSVILLE	AL (US)
DP	CHATTANOOGA			KCHA	CHATTANOOGA	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
DP	NASHVILLE			KBNA	NASHVILLE	TN (US)
EN ROUTE	J66					(US)
EN ROUTE	V154					(US)
EN ROUTE	V333					(US)
EN ROUTE	V415					(US)
EN ROUTE	V417					(US)
IAP	HI-ILS OR LOC RWY 10			KMGM	MONTGOMERY	AL (US)
IAP	HI-TACAN-A			KMGM	MONTGOMERY	AL (US)
IAP	ILS OR LOC RWY 26L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 26R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 8L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 8R			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (SA CAT I & II) (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (CAT II) (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8L (CAT II & III) (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 26R (SA CAT I & II)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 27L (CAT II)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 27L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 8L (CAT II & III)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 8L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 31			KFFC	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 8			KFTY	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 21L			KPDK	ATLANTA	GA (US)
IAP	ILS OR LOC/DME RWY 31			KPUJ	ATLANTA	GA (US)

IAP	RNAV (GPS) RWY 13		KPUJ	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27		KRYY	ATLANTA	GA (US)
IAP	VOR/DME RWY 9		KRYY	ATLANTA	GA (US)
IAP	RNAV (GPS) RWY 17		KCZL	CALHOUN	GA (US)
IAP	RNAV (GPS) RWY 35		KCZL	CALHOUN	GA (US)
IAP	ILS OR LOC RWY 35		KCTJ	CARROLLTON	GA (US)
IAP	RNAV (GPS) RWY 19		KVPC	CARTERSVILLE	GA (US)
IAP	VOR-A		KVPC	CARTERSVILLE	GA (US)
IAP	ILS OR LOC RWY 14	1	KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 34		KJZP	JASPER	GA (US)
IAP	ILS OR LOC RWY 1	1	KRMG	ROME	GA (US)
IAP	RNAV (GPS) RWY 19		KRMG	ROME	GA (US)
STAR	LA GRANGE		KATL	ATLANTA	GA (US)
STAR	ROME	2	KATL	ATLANTA	GA (US)
STAR	DIFFI		KFTY	ATLANTA	GA (US)
STAR	DIFFI		KPDK	ATLANTA	GA (US)
STAR	DIFFI		KPUJ	ATLANTA	GA (US)
STAR	DIFFI		KRYY	ATLANTA	GA (US)
STAR	DIFFI		KCNI	CANTON	GA (US)
STAR	DIFFI		KVPC	CARTERSVILLE	GA (US)
STAR	DIFFI		KGVL	GAINESVILLE	GA (US)
STAR	DIFFI		KLZU	LAWRENCEVILLE	GA (US)
STAR	DIFFI		KMGE	MARIETTA	GA (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 29

DATE OF REVISION: 09/10/2020

REASON FOR REVISION:

1. HOLDING PATTERN 2 DELETED: N RMG VORTAC 187.90 CRS INBOUND, L (REQUESTED BY ATC), 1 MIN LEG LENGTH, 3000/17500, 4/16.
2. FIX USE: DELETED K4A4 IAP VOR-A AND KPDK IAP VOR/DME-D - PROCEDURES CANCELLED.
3. FIX USE: KATL ILS PRM RWY 26R (SA CAT I) (SCP) AND ILS PRM RWY 26R (SA CAT II) (SCP) COMBINED INTO ILS PRM RWY 26R (SA CAT I & II) (SCP).
4. FIX USE: KATL ILS PRM RWY 8L (CAT II) (SCP) AND ILS PRM RWY 8L (CAT III) (SCP) COMBINED INTO ILS PRM RWY 8L (CAT II & III) (SCP).
5. FIX USE: KATL ILS RWY 26R (SA CAT I) AND ILS RWY 26R (SA CAT II) COMBINED INTO ILS RWY 26R (SA CAT I & II).
6. FIX USE: KATL ILS RWY 8L (CAT II) AND ILS RWY 8L (CAT III) COMBINED INTO ILS RWY 8L (CAT II & III).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: ANDREA CHANEY

APPROVED BY:

DATE:

OFFICE: AJV-A430

NAME: GEORGE DAVIS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZTL
ATC FACILITY:
OTHER:

INFO ONLY

RADIO FIX AND HOLDING DATA RECORD

NAME: ROLTE **STATE:** GA **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 345232.87N/0850225.98W **TYPE:** WP, RADAR, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DALTON	I-DNN	LOC		320.46	317.46		13.00	2900	5100
2	ROME	RMG	VORTAC	H	004.21	005.21		42.90	2900	5100
3	CHOO CHOO	GQO	VORTAC	H	131.57	132.57	7.56	7.56	2900	5100

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
RMG	VORTAC	R-004	43	2500	17500

HOLDING: **HOLDING TYPE OF ACTION:** ESTABLISH

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING ALTITUDES DME	MIN	MAX	TEMPLATES MIN	MAX
1	NW		WP	320.37	140.37	R		4	3800	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (13-004191)	344911.44N/0850030.59W	1752	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

DALTON (FAC 1) AND ROME (FAC 2) USED TO ESTABLISH FIX COORDINATES
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 14	1, 2, 3		KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 14		1	KDNN	DALTON	GA (US)
IAP	RNAV (GPS) RWY 32		1	KDNN	DALTON	GA (US)

REQUIRED CHARTING: IAP, CONTROLLER

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 04/27/2017

REASON FOR REVISION:

1. UPDATED FIX COORDINATES, FIX MOVED 35.01FT SOUTHEAST ON CENTERLINE.
2. UPDATED FIX USE, ADDED RNAV(GPS)RWY 14 AND RNAV(GPS) RWY 32 AT KDNN AND FORMATTING.
3. ADDED ESV DATA.
4. UPDATED FIX MAKE-UP FAC 1, MAG/TRUE BRG FROM 320.45/317.45TO 320.46/317.46 AND ADDED DIST FROM FAC IN NM.
5. UPDATED FAC 2 AND 3, ADDED DISTANCE FROM FAC IN NM.
6. ADDED HOLDING PATTERN 1 AND CONTROLLING OBSTRUCTION DATA.
7. ADDED HOLDING RESTRICTION.
8. ADDED PRECIPITOUS TERRAIN EVALUATION AND FIX ESTABLISHMENT REMARK.
9. ADDED WP AND RADAR TO FIX TYPE.
10. UPDATED FAC 2 MAG/TRUE BRG FROM 004.20/005.20 TO 004.21/005.21.
11. UPDATED FAC 3 MAG/TRUE BRG FROM 131.60/132.60 TO 131.57/132.57

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 10/07/2016	OFFICE: AJV-5423	NAME: PETER GETZ (HEIDI SNIDER)
APPROVED BY:	DATE:	OFFICE: AJV-5420	NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION: NFDC
FPO: EST
ARTCC: ZTL
ATC FACILITY: CHA APP CON
OTHER: