

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 01/27/2022	APWS Task ID: 59660481E0DB42AD80068878B9183C11	APWS Project ID: FA5435746B9F4F6BBC2D27858F36A562
Procedure: RNAV (GPS) RWY 18RAMDT 1D		Enroute: NO	Specialist: Tucker, Andre		Agreement Number:
Airport ID: KFWS			Airport City: FORT WORTH		State: TX
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<p>Procedure Comments: REQUEST TABLE-TOP REVIEW IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.</p> <p>CRC REMAINDER CHANGED FROM 1E103B53 TO 9859D3F9</p> <p>ASSIGNED MAG/VAR: KFWS: OLD 7E - NEW 3E RWY RENUMBER FROM 17R-35L TO 18R-36L</p> <p>PENDING DATA USED FOR KFWS 1-27-22.</p> <p>CONTACT JOHN BORDY 405-954-0980.</p>					



9.21.2021
BD

FORT WORTH, TEXAS

AL-6917 (FAA)

20366



WAAS CH 62899 W17A	APP CRS 173°	Rwy Idg TDZE Apt Elev 6002 700 700
--	------------------------	---

RNAV (GPS) RWY 17R **FORT WORTH SPINKS (FWS)**

⚠ Baro-VNAV NA when using Fort Worth Meacham altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 39°C (102°F). Circling NA west of Rwy 17R-35L. DME/DME RNP-0.3 NA. Helicopter visibility reduction below 3/4 SM NA. When local altimeter setting not received, use Fort Worth Meacham altimeter setting and increase all DA 37 feet and all MDA 40 feet, increase LPV all Cats visibility, LNAV/VNAV all Cats visibility and LNAV Cats C/D visibility 1/8 mile.

MISSED APPROACH:
Climb to 1600 then climbing right turn to 3100 direct SLUGG and hold.

ATIS 120.025	REGIONAL APP CON 135.975 379.9	SPINKS TOWER ★ 124.625 (CTAF) 0	GND CON 119.475	UNICOM 122.7
------------------------	--	---	---------------------------	------------------------

FORT WORTH, TEXAS
Amdt 1B 24JUL14

32°34'N-97°18'W

FORT WORTH SPINKS (FWS) **RNAV (GPS) RWY 17R**

SC-2, 09 SEP 2021 to 07 OCT 2021

SC-2, 09 SEP 2021 to 07 OCT 2021