

Print

Project Name: ODO - NEW CIRCLING CRITERIA APPLIED - P-NOTAMS

Project Reason: NEW CIRCLING CRITERIA APPLIED. NEW CONTROLLING OBSTACLES: CAT A/B TOWER (48-010099) 1B 315506.36N/1022205.88W 3144 FT MSL + 300 = 3460 MDA/456 HAA. CAT C/D TOWER (48-011335) 1B 315350.37N/1022015.51W 3285 FT MSL + 300 = 3600 MDA/596 HAA. RADII 1.35, 1.92, 3.02, 3.96. Order 8260.3, chapter 2, New Circling Criteria Applied.

Last Updated By: Francis Moore

Last Updated At: 2021-06-14 17:43:23.27203

1/1184

Status: Draft

!FDC X/XXXX ODO IAP ODESSA-SCHLEMEYER FLD, ODESSA, TX. RNAV (GPS) RWY 29, ORIG-A... CIRCLING CAT C MDA 3600/HAA 596. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE MIDLAND INTL AIR AND SPACE PORT ALTIMETER SETTING AND INCREASE ALL DAS 41 FEET AND ALL MDAS 60 FEET AND INCREASE LNAV CATS C AND D VISIBILITY 1/8 SM, CIRCLING CAT C VISIBILITY 1/4 SM. THIS IS RNAV (GPS) RWY 29, ORIG-B. 2106141743-PERM

Digitally signed by
DAVID TEFFETELLER
Jun 28, 2021

QUALITY
45
CHECKED