

Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 09/09/2021	APWS Task ID: 66FC379376254A18B5A57122E04CE7C9	APWS Project ID: 7D5D51D381F54154A2A8EC2246BB0557
Procedure: RNAV (GPS) RWY 18 AMDT 0C		Enroute: NO	Specialist: Copeland, Guy		Agreement Number:
Airport ID: 13K			Airport City: EUREKA		State: KS
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
<p>Procedure Comments: P-NOTAM This Cancels FDC 0/7347</p> <p>Order 8260.3, chapter 2, New Circling Criteria Applied</p> <p>Contact Dave Teffeteller at 202-267-5177</p>					

QUALITY
26
CHECKED



QUALITY
45
CHECKED

APP CRS	Rwy Idg	3504
185°	TDZE	1206
	Apt Elev	1206


RNAV (GPS) RWY 18
LT WILLIAM M MILLIKEN (13K)

RNP APCH: ▽ NA Obtain local altimeter on CTAF; when not received, use Wichita altimeter setting. Circling NA to Rwy 8 and 26.	MISSED APPROACH: Climbing to 3200 direct KANEY and hold.
--	--

AWOS-3 120.975	KANSAS CITY CENTER 120.2 323.2	UNICOM 122.8 (CTAF) 1
-------------------	-----------------------------------	--------------------------



CATEGORY	A	B	C	D
LNVA MDA	1720-1 514 (600-1)	1720-1½ 514 (600-1½)	1720-1½ 514 (600-1½)	NA
CIRCLING	1720-1 514 (600-1)	1720-1½ 514 (600-1½)	1720-1½ 514 (600-1½)	NA
WICHITA DWIGHT D. EISENHOWER NATIONAL ALTIMETER SETTING MINIMUMS				
LNVA MDA	1860-1 654 (700-1)	1860-1¾ 654 (700-1¾)	1860-1¾ 654 (700-1¾)	NA
CIRCLING	1860-1 654 (700-1)	1860-1¾ 654 (700-1¾)	1860-1¾ 654 (700-1¾)	NA



NC-2, 13 AUG 2020 to 10 SEP 2020

NC-2, 13 AUG 2020 to 10 SEP 2020

K13K
LT WILLIAM M MILLIKEN
EUREKA, KS
100K CIRC
RNAV (GPS) RWY 18, ORIG-C
CIRCLING ONLY IAW CIRC ICON INITIATIVE

