

NAME: BEEPS	STATE: NY	COUNTRY: US	ICAO REGION CODE: K6
LATITUDE/LONGITUDE: 424913.26N/0765904.84W		TYPE: WP, DME	
AIRSPACE DOCKET: 20-AEA-10	FIX TYPE OF ACTION: MODIFY		

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	GENESEO	GEE	VOR/DME	L	100.21	091.21	33.04	33.04		4000	17500

HOLDING: HOLDING TYPE OF ACTION: CANCEL

REMARKS:
CHART WAYPOINT ONLY ON EN ROUTE HIGH CHART.

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	SID XEROX	1		KROC	ROCHESTER	NY (US)
EN ROUTE	Q140					(US)
EN ROUTE	V31	1				(US)
EN ROUTE	V34	1				(US)
EN ROUTE	V84	1				(US)
IAP	RNAV (GPS) RWY 10			KB16	WEEDSPORT	NY (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 13 DATE OF REVISION: 06/17/2021

1. ADDED AIRSPACE DOCKET: 20-AEA-10 - REMOVAL OF V14 AIRWAY.
2. REMOVED INT FROM FIX TYPE - ULW, FAC2 REMOVED.
3. REMOVED FACILITY: ULW - VOR OUT OF SERVICE PERMANENTLY.
4. REMOVED ESV - ULW VOR OUT OF SERVICE PERMANENTLY.
5. REMOVED ALL MENTION OF HOLDING PATTERN - FAC2 REMOVED.
6. REMOVED V14 FROM FIX USE - GGT VOR MON.
7. ADDED RNAV (GPS) RWY 10 AT KB16 AND SID XEROX AT KROC TO FIX USE.
8. ADDED IAP AND DP IN REQUIRED CHARTING.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A422	NAME: WILLIAM HANBY
APPROVED BY:	DATE:	OFFICE: AJV-A420	NAME: MARLON ROBINSON
	SIGNATURE:	<i>Digitally signed by JOHN BORDY</i>	
DISTRIBUTION:	NFDC FPO: EST ARTCC: ZOB, ZNY ATC FACILITY: ROC APP CON OTHER:	Mar 12, 2021	

QUALITY
30
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: BOCKS

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424815.75N/0762030.56W

TYPE: INT, DME

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SYRACUSE	SYR	VORTAC	H	206.85	195.85	22.20	22.20		3100	17500
2	GEORGETOWN	GGT	VORTAC	L	283.50	272.50	22.77	22.77		4000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

SYRACUSE (FAC 1) AND GEORGETOWN (FAC 2) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V14	1, 2				(US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 09/10/2020

REASON FOR REVISION:

ADDED AIRSPACE DOCKET: 19-AEA-1.
ADDED SYRACUSE (SYR) VORTAC DIS FROM FAC 22.20 NM TO FAC 1.
ADDED GEORGETOWN (GGT) VORTAC DIS FROM FAC 22.77 NM TO FAC 2.
ADDED REMARK - SYRACUSE (FAC 1) AND GEORGETOWN (FAC 2) USED TO ESTABLISH FIX COORDINATES.
UPDATED FIX USE TYPE, ADDED FACS 1 AND 2.
UPDATED FIX USE, REMOVED V423.
DELETED MAGNETIC VARIATION REMARK - NO LONGER NEEDED.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: NYC

ARTCC: ZBW

ATC FACILITY: NYC APP CON

OTHER: AEA-530

Mar 12, 2021

QUALITY
30
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: BROOD

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424606.76N/0751935.10W

TYPE: WP

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

RETAINED CONTROLLER LOW AND ENROUTE LOW ON REQUIRED CHARTING AS WP PER ATC REQUEST.

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: #20-AEA-10 - REMOVAL OF V14 AIRWAY.
2. REMOVED FIX TYPE DME AND INT. ADDED FIX TYPE WP - GGT VORTAC DECOM AND ATC REQUEST.
3. REMOVED FAC 1 GGT VORTAC AND FAC2 RKA VOR/DME - GGT VOR MON AND NO GROUND BASED FIX USE REMAINS.
4. REMOVED IAP FROM REQUIRED CHARTING - KOIC IAPS NO LONGER UTILIZE THIS FIX.
5. REMOVED FROM FIX USE V14 AND KOIC IAPS VOR/DME AND RNAV RWY 19.
6. RETAINED CONTROLLER LOW AND ENROUTE LOW ON REQUIRED CHARTING AS WP PER ATC REQUEST - V14 REMOVED, NO GROUND BASED FIX USE REMAINS.
7. ADDED REMARK RETAINED CONTROLLER LOW AND ENROUTE LOW ON REQUIRED CHARTING AS WP PER ATC REQUEST.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZBW

ATC FACILITY: RME RAPCON

OTHER:

Mar 12, 2021



RADIO FIX AND HOLDING DATA RECORD

NAME: CASIL

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424440.67N/0743454.40W

TYPE: WP

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

REMARKS:

CHART WP ON CONTROLLER LOW AND ENROUTE LOW - PER ATC REQUEST.

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: 20-AEA-10 - REMOVAL OF V14 AIRWAY.
2. ADDED WP TO FIX TYPE AND REMOVED INT - ATC REQUEST AND NO GROUND BASED FIX USE REMAINS.
3. REMOVED FAC 1 ALB VORTAC AND FAC2 DNY VOR/DME IN FIX MAKE-UP FACILITIES - NO GROUND BASED FIX USE REMAINS.
4. REMOVED ALL MENTION OF HOLDING PATTERN - NO FIX USE REMAINS.
5. UPDATED FIX USE, REMOVED V14 - NEC ACR.
6. ADDED REMARK: CHART WP ON CONTROLLER LOW AND ENROUTE LOW - PER ATC REQUEST.
7. ADDED CONTROLLER LOW TO REQUIRED CHARTING - PER ATC REQUEST.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

Mar 12, 2021

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZBW
ATC FACILITY:
OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: CEDOR **STATE:** NY **COUNTRY:** US **ICAO REGION CODE:** K6
LATITUDE/LONGITUDE: 424446.16N/0741830.14W **TYPE:** WP, INT, DME
AIRSPACE DOCKET: 20-AEA-10 **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	ALBANY	ALB	VORTAC	L	283.00	270.00	22.33	22.33		3600	17500
2	DELANCEY	DNY	VOR/DME	L	051.00	040.00	44.61	44.61		7000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DNY	VOR/DME	R-051	45	7000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

ALBANY (FAC 1) AND DELANCEY (FAC 2) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ALBANY			KALB	ALBANY	NY (US)
IAP	RNAV (GPS) RWY 10			KSCH	SCHENECTADY	NY (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 **DATE OF REVISION:** 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: #20-AEA-10 - V14 SEGMENT CANCELLATION.
2. REMOVED V14 FROM FIX USE - NEC ACR.
3. CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING.
4. INCREASED MRA FOR FAC 2 FROM 3600 TO 7000 UPDATED MINIMUM ALTITUDE FOR ESV FROM 3600 TO 7000 - FLIGHT INSPECTION RESTRICTION.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** WILLIAM HANBY
APPROVED BY: **DATE:** **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

SIGNATURE: *Digitally signed by*

DISTRIBUTION: NFDC **JOHN BORDY**
 FPO: EST Mar 12, 2021
 ARTCC: ZBW
 ATC FACILITY: ALB APP CON
 OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: COBIA

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424442.49N/0744833.14W

TYPE: INT

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	GEORGETOWN	GGT	VORTAC	L	104.00	093.00				4000	17500
2	UTICA	UCA	VORTAC	L	149.00	137.00				4000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

MAG VAR: GGT 11 DEG W, UCA 12 DEG W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE (US)
EN ROUTE	V14					

REQUIRED CHARTING: CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/18/1994

REASON FOR REVISION:

NAD 83 UPDATE. COORDINATES.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

Mar 12, 2021

DISTRIBUTION:

NFDC
FPO: NYC
ARTCC: ZBW
ATC FACILITY:
OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: GENESEO VOR/DME STATE: NY COUNTRY: US ICAO REGION CODE: K6
 LATITUDE/LONGITUDE: 425003.83N/0774357.90W TYPE:
 AIRSPACE DOCKET: 20-AEA-10 FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA FEET	MAA
1	GENESEO	GEE	VOR/DME	L						17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SE	GEE	VOR/DME	143.05	323.05	R	1		4000	17500	4	16
2	SE	GEE	VOR/DME	153.46	333.46	L	1		4000	17500	4	16
3	W	GEE	VOR/DME	262.71	082.71	R	1		3000	17500	4	16
4	SE	WP	WP	153.46	333.46	L		4	4000	17500	5	17
5	SE	GEE	VOR/DME	143.39	323.39	R	1		4000	6000	4	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (36-001234)	424343.00N/0773504.00W	2075	5E
2	200	AAO	424124.00N/0773733.00W	2113	4E
3	200	AAO	424648.00N/0773942.00W	1526	4E
4	200	AAO	424057.00N/0773715.00W	2139	4E
5	200	TOWER (36-001234)	424343.00N/0773504.00W	2075	5E

REASON FOR NONSTANDARD HOLDING:

PAT 2 TRAFFIC SEPARATION
 PAT 4 TRAFFIC SEPARATION

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAGVAR: 9W (1965).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BUFFALO			KBUF	BUFFALO	NY (US)
DP	XEROX			KROC	ROCHESTER	NY (US)
EN ROUTE	V147					(US)
EN ROUTE	V252					(US)
EN ROUTE	V84					(US)
IAP	ILS OR LOC RWY 28			KGVQ	BATAVIA	NY (US)
IAP	RNAV (GPS) RWY 10			KGVQ	BATAVIA	NY (US)
IAP	RNAV (GPS) RWY 28			KGVQ	BATAVIA	NY (US)
IAP	VOR/DME-A			KGVQ	BATAVIA	NY (US)
IAP	ILS OR LOC RWY 23			KBUF	BUFFALO	NY (US)
IAP	ILS OR LOC RWY 32			KBUF	BUFFALO	NY (US)
IAP	RNAV (GPS) RWY 13			KIUA	CANANDAIGUA	NY (US)
IAP	VOR-A		3	KIUA	CANANDAIGUA	NY (US)
IAP	RNAV (GPS) RWY 28			K5G0	LE ROY	NY (US)
IAP	VOR-A		5	K5G0	LE ROY	NY (US)
IAP	ILS OR LOC RWY 22		2	KROC	ROCHESTER	NY (US)
IAP	ILS OR LOC RWY 28 (ALT MA)		1	KROC	ROCHESTER	NY (US)
IAP	ILS OR LOC RWY 4 (ALT MA)		2	KROC	ROCHESTER	NY (US)
IAP	ILS RWY 4 (CAT II) (ALT MA)		2	KROC	ROCHESTER	NY (US)
IAP	ILS RWY 4 (SA CAT I) (ALT MA)		2	KROC	ROCHESTER	NY (US)
IAP	RNAV (GPS) RWY 10			KROC	ROCHESTER	NY (US)
IAP	RNAV (GPS) RWY 22		4	KROC	ROCHESTER	NY (US)
IAP	RNAV (GPS) RWY 4			KROC	ROCHESTER	NY (US)
IAP	VOR RWY 4		2	KROC	ROCHESTER	NY (US)
STAR	FLOSI (RNAV)			KEWR	NEWARK	NJ (US)
STAR	SHAFF			KEWR	NEWARK	NJ (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 17

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. CHANGED AIRSPACE DOCKET FROM #19-AEA-11 TO #20-AEA-10 - V14 SEGMENT CANCELLATION.
2. REMOVED V14 FROM FIX USE - GGT VOR MON.
3. REMOVED ALL MENTION OF UNPLANNED HOLDING - IAW MEMO: IMPLEMENTATION OF FAA ORDER 8260.19I - FLIGHT PROCEDURES AND AIRSPACE, DATED JUNE 29, 2020, ATTACHMENT 3, PARA 1-1-5.C.(8).



INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

Digitally signed by

SIGNATURE:

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZOB

ATC FACILITY: BUF APP CON

OTHER: ROC APP CON

Mar 12, 2021



RADIO FIX AND HOLDING DATA RECORD

NAME: REAVE

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424459.87N/0745441.95W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	UTICA	UCA	VORTAC	L	158.00	146.00	20.00	20.00		5000	17500
2	GEORGETOWN	GGT	VORTAC	L	104.00	093.00				5000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

MAG VAR: GGT 11 DEG W, UCA 12 DEG W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE (US)
EN ROUTE	V14					

REQUIRED CHARTING: CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 11/05/1999

REASON FOR REVISION:

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE: *Digitally signed by*

JOHN BORDY

Mar 12, 2021

DISTRIBUTION:

NFDC
FPO: NYC
ARTCC: ZBW
ATC FACILITY:
OTHER:

QUALITY
30
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: SHERB **STATE:** NY **COUNTRY:** US **ICAO REGION CODE:** K6
LATITUDE/LONGITUDE: 424637.91N/0753155.05W **TYPE:** DME
AIRSPACE DOCKET: 20-AEA-10 **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	ROCKDALE	RKA	VOR/DME	L	336.28	325.28	22.71	22.71		2200	17500

HOLDING: **HOLDING TYPE OF ACTION:** CANCEL

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V433	1				(US)
EN ROUTE	V483	1				(US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5 **DATE OF REVISION:** 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: #20-AEA-10 - V14 SEGMENT CANCELLATION.
2. REMOVED INT FROM FIX TYPE - GGT VORTAC DECOM.
3. REMOVED GEORGETOWN (GGT) VORTAC FROM FAC 2 - GGT VOR MON.
4. CANCELLED HOLDING PATTERN AND REMOVED ALL MENTION OF HOLDING PATTERN - GGT VORTAC DECOM.
6. UPDATED FIX USE, REMOVED V14 - GGT VOR MON.
7. CHANGED V433-V483 TO V433 AND V483 IN FIX USE - EACH AIRWAY HAS IT'S OWN LINE - UPDATED DOCUMENTATION.
7. ADDED FAC 1 TO V433 AND V483 - CORRECTED DOCUMENTATION.
8. CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING.
9. ADDED 22.71 NM IN FIX MAKE-UP FACILITY DIST FROM FAC - CURRENT VALUE.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** WILLIAM HANBY
APPROVED BY: **DATE:** **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

SIGNATURE: *Digitally signed by*
JOHN BORDY

DISTRIBUTION: NFDC
 FPO: EST
 ARTCC: ZBW
 ATC FACILITY: SYR APP CON
 OTHER:

Mar 12, 2021

QUALITY
 30
 CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: SCIPO

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424829.07N/0762845.68W

TYPE: WP, DME

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SYRACUSE	SYR	VORTAC	H	220.88	209.88	24.36	24.36		3500	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	SYRACUSE	1		KSYR	SYRACUSE	NY (US)
EN ROUTE	V35	1				(US)
IAP	RNAV (GPS) RWY 28			KB16	WEEDSPORT	NY (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: 20-AEA-10.
2. REMOVED INT FROM FIX TYPE AND ADDED WP - GGT VORTAC DECOM.
3. REMOVED GEORGETOWN (GGT) VORTAC FROM FAC 2 - VOR MON
4. REMOVED REMARK - SYRACUSE (FAC 1) AND GEORGETOWN (FAC 2) USED TO ESTABLISH FIX COORDINATES - GGT VOR MON, NOW ONLY ONE FAC.
5. UPDATED FIX USE, REMOVED V14, REMOVED FAC 2 FROM V35 AND ADDED FAC 1 TO SYRACUSE DP - GGT VOR MON.
6. CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE: *Digitally signed by*

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZNY

ATC FACILITY: SYR APP CON

OTHER:

Mar 12, 2021

QUALITY
30
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: UMAGY **STATE:** NY **COUNTRY:** US **ICAO REGION CODE:** K6
LATITUDE/LONGITUDE: 424928.77N/0771121.52W **TYPE:** WP, DME
AIRSPACE DOCKET: 20-AEA-10 **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	GENESEO	GEE	VOR/DME	L	100.21	091.21	24.00	24.00		4000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E		WP	103.21	283.21	R	4	4000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	424715.00N/0771315.00W	1375	2C
1	310	AAO	424715.00N/0772148.00W	1913	4E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (GPS) RWY 13	KIUA	CANANDAIGUA	NY (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V84	1				(US)
IAP	RNAV (GPS) RWY 13		1	KIUA	CANANDAIGUA	NY (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: #20-AEA-10 - V14 SEGMENT CANCELLATION.
2. REMOVED V14 FROM FIX USE - GGT VOR MON.
3. UPDATED AIRPORT ID FROM KD38 TO KIUA.
4. CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC
 FPO: EST
 ARTCC: ZOB
 ATC FACILITY: ROC APP CON
 OTHER:

Mar 12, 2021



RADIO FIX AND HOLDING DATA RECORD

NAME: VESPE

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 424751.64N/0760631.73W

TYPE: DME

AIRSPACE DOCKET: 20-AEA-10

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SYRACUSE	SYR	VORTAC	H	180.00	169.00	22.17	22.17		3600	17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V29	1				(US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: #20-AEA-10 - V14 AIRWAY SEGMENT CANCELLATION.
2. REMOVED INT FROM FIX TYPE - REMOVED GGT FROM FAC 2, VOR MON DECOM.
3. REMOVED GEORGETOWN (GGT) VORTAC FROM FIX MAKE-UP FACILITIES - VOR MON.
3. REMOVED "SYRACUSE (FAC 1) AND GEORGETOWN (FAC 2) USED TO ESTABLISH FIX COORDINATES" IN REMARKS - GGT VOR MON.
4. FIX USE: REMOVED V14 AND REMOVED FAC 2 FROM V29 - GGT VOR MON.
5. DELETED ALL MENTION OF HOLDING PATTERN - NO LONGER USED.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: WILLIAM HANBY

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZBW

ATC FACILITY: NYC APP CON, BOS ATCT

OTHER: AEA-530

Mar 12, 2021

QUALITY
30
CHECKED