

Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 10/06/2022	APWS Task ID: 6B8270F9E8064CAFAC4CC46FBACB4AA8	APWS Project ID: 52E34789D94040C4991273164003E284
Procedure: ILS OR LOC RWY 26L AMDT 0E		Enroute: NO	Specialist: Brooks, Charles		Agreement Number:
Airport ID: KSUS			Airport City: ST LOUIS		State: MO
Facility ID: FZU	Facility Type: ILS	Flight Inspection Remark Type:			
<div>Procedure Comments: P-NOTAM</div> <div>CIRCLING RADII INCREASE.</div> <div>CONTACT JASON KRETSCHMER, AJV-A421, 405-954-4019</div> <div><div>Digitally signed by <b>JASON KRETSCHMER</b> Aug 22, 2022</div><div><div>QUALITY 47 CHECKED</div><div>QUALITY 9 CHECKED</div></div></div>					

ST. LOUIS, MISSOURI

AL-5400 (FAA)

20310

LOC I-FZU <b>111.1</b>	APP CRS <b>259°</b>	Rwy Idg TDZE Apt Elev	<b>7004</b> <b>462</b> <b>463</b>
---------------------------	------------------------	-----------------------------	---

**OLD**

# ILS or LOC RWY 26L

## SPIRIT OF ST LOUIS (SUS)


⚠ When local altimeter setting not received, use St Louis Lambert Intl altimeter setting and increase all DA to 719 and all MDA 60 feet, increase S-LOC Cat C and D visibility 1/8 mile. For inop MALS, increase S-LOC 26L Cats C/D visibility to 1 1/8 miles. For inop MALS when using St Louis Lambert Intl altimeter setting, increase S-LOC 26L Cats C/D visibility to 2 miles. \*RVR 1800 authorized with the use of FD or AP or HUD to DA (NA when using St Louis Lambert Intl altimeter setting).

MALS



MISSED APPROACH:  
Climb to 2400 then right turn direct FTZ VORTAC and hold.

ATIS <b>134.8</b>	ST. LOUIS APP CON <b>126.5 254.3</b>	SPIRIT TOWER* <b>124.75 (CTAF) 0 257.2</b>	GND CON <b>121.7</b>	CLNC DEL <b>133.1</b>	ST. LOUIS CLNC DEL <b>121.7</b> (when tower closed)	UNICOM <b>122.95</b>
----------------------	---	---	-------------------------	--------------------------	---	-------------------------



ELEV 463 D TDZE 462

HIRL Rwy 8R-26L	1
MIRL Rwy 8L-26R	1
FAF to MAP 4.2 NM	
Knots	60 90 120 150 180
Min:Sec	4:12 2:48 2:06 1:41 1:24

	2400	FTZ	FZ LOM EAVES INT	One Minute Holding Pattern
	1883		1900	2000
CATEGORY	A	B	C	D
S-ILS 26L *	662/24 200 (200-1/2)			
S-LOC 26L	1140/24 678 (700-1/2)		1140-1 1/2 678 (700-1/2)	
CIRCLING	1140-1 677 (700-1)		1140-2 677 (700-2) 1140-2 1/4 677 (700-2 1/4)	

ST. LOUIS, MISSOURI

Orig-D 29MAR18


38°40'N-90°39'W

SPIRIT OF ST LOUIS (SUS)

ILS or LOC RWY 26L

NC-3, 21 APR 2022 to 19 MAY 2022





KSUS  
SPIRIT OF ST LOUIS  
ILS OR LOC RWY 26L  
ORIG E  
1:100,000  
CIRCLING  
THIS MAP CREATED FOR  
CIRCLING ICON INITIATIVE