

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
IGILE	ONE	IGILE1.IGILE	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

VFR SEGMENT: VFR CLIMB TO ONMEW, CROSS ONMEW AT OR ABOVE 580.

IFR SEGMENT: FROM ONMEW, TRACK 016.00 TO CROSS IGILE AT OR ABOVE 3000.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

**NOTE:** GPS REQUIRED.

**NOTE:** RNAV 1.

**NOTE:** PILOT MUST ENSURE CDI SENSITIVITY IS SET TO 0.3 NM. CDI MAY BE RESET TO 1.0 NM AFTER IGILE.

**NOTE:** USE OF MONHEGAN ISLAND HELIPORT REQUIRES PERMISSION OF THE OWNER; USE OF THIS PROCEDURE REQUIRES SPECIFIC AUTHORIZATION BY FAA FLIGHT STANDARDS.

**NOTE:** USE ROCKLAND ALTIMETER SETTING.

**TAKEOFF MINIMUMS:**

**TAKEOFF OBSTACLES NOTES:**

**CONTROLLING OBSTACLES:**

IDF ALTITUDE CONTROLLING OBSTACLE: 269 FT MSL TREE 434617.82N/0691816.97W.

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: 16W EPOCH YR: 2010

CHART: TOP ALTITUDE: 3000.

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
MONHEGAN ISLAND	ME78	MONHEGAN ISLAND	ME

**COMMUNICATIONS:**

KNOX COUNTY RGNL AWOS.

PORTLAND APP CON.

**FIXES AND/OR NAVAIDS:**



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
IGILE	ONE	IGILE1.IGILE	NONE		

**REMARKS:**  
RASS PRESSURE PATTERNS THE SAME.  
IGILE SFC ELE 170.00, KRKD 55.4  
RA=60.96  
KRKD IS ON WMSCR.  
ME78 DOES NOT HAVE A LOCAL ALTIMETER.

AVERAGE SHIP HEIGHT 238 FT.

MVA AT ONMEW IS 2600.

**FLIGHT INSPECTED BY**

KEVIN RIESE

*Digitally signed by*

**JON DENTON**

Dec 14, 2020

**OFFICE**

FICO

**DATE**

12/9/2020

**DEVELOPED BY**

TYLER MITCHELL

*Digitally signed by*

**TYLER D MITCHELL**

Sep 09, 2020

*Digitally signed by*

**JON DENTON**

Dec 14, 2020

**OFFICE**

AJV-A432

**DATE**

06/15/2020

**APPROVED BY**

**OFFICE**

AFS-400

**DATE**

**TITLE**

**REQUIRED EFFECTIVE DATE**

**COORDINATED WITH:**

**A4A** ☐ **ALPA** ☐ **AOPA** ☐ **APA** ☐ **HAI** ☒ **NBAA** ☐ **OTHER:**PORTLAND APP CON, ZBW, LIFEFLIGHT OF MAINE, AMGR.

**CHANGES - REASONS:**

ORIGINAL PROCEDURE.

QUALITY  
24  
CHECKED

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>							<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
IGILE							ONE	IGILE1.IGILE	NONE		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>		
ME78	434551.60N/0691852.30W	N	-	-	-	-			VFR SEGMENT		
580 MSL	-	-	-	-	-	-					
ONMEW	434629.53N/0691856.99W	Y	FB	IF	-	-	AT/ABOVE 580		IFR SEGMENT		
IGILE	435129.56N/0691856.99W	Y	FB	TF	360.00	5.00	AT/ABOVE 3000				

QUALITY  
24  
CHECKED