

Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 08/12/2021	APWS Task ID: 795CECA6E3384603B0D180ACAFF035A4	APWS Project ID: 5A3195AA314344A193A8CB73ADCB85C
Procedure: LOC/DME RWY 10 AMDT 1B		Enroute: NO	Specialist: 4<<=>?@AB:76<C>		Agreement Number:
Airport ID: C29	Airport Name: MIDDLETON MUNI - MOREY FIELD	Airport City: MIDDLETON			State: WI
Facility ID:	Facility Type:	Flight Inspection Remark Type:			

Procedure Comments:
P-NOTAM


ACTIVE DATA USED


CIRCLING ICON - EXPANDED CIRCLING AREA BASED ON PREVIOUSLY FLIGHT CHECKED CIRCLING AREA ON RNAV (GPS) RWY 11 AMDT 2 PUBLISHED 12/5/2019.

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020 SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

CONTACT JASON KRETSCHMER 405-954-4019

Digitally signed by
JASON KRETSCHMER
Jun 23, 2021


10/19 BBLUE



LOC/DME I-CFQ
110.35
Chan **40** (Y)

APP CRS
101°

Rwy Idg **4001**
TDZE **928**
Apt Elev **928**


OLD

LOC/DME RWY 10
MIDDLETON MUNI - MOREY FIELD (C29)

Helicopter visibility reduction below ¾ SM NA. Use Dane County Rgnl-Truax Field altimeter setting, when not received use Baraboo Wisconsin Dells altimeter setting and increase all MDA 60 feet, and increase S-10 Cat C visibility ¼ mile. Circling NA to Rwy's 1 and 19.

MISSED APPROACH: Climb to 1700 then climbing left turn to 3600 via heading 010° and MSN VORTAC R-282 to IMMES Int/MSN 9.2 DME and hold, continue climb-in-hold to 3600.

AWOS-3 118.675	MSN ASOS 124.65 278.3	MADISON APP CON★ 135.45 343.7	GCO 121.725	UNICOM 123.0 (CTAF) 0
--------------------------	---------------------------------	-----------------------------------------	-----------------------	----------------------------------------



One Minute Holding Pattern

CERTO I-CFQ [6.5]

2800 ← 281° 101° → 2800

VGSI and descent angles not coincident (VGSI Angle 4.00/TCH 31).

3.06° TCH 31

5.7 NM

1700 3600 IMMES MSN [9.2] HDG 010° MSN R-282

101° 5.7 NM from FAF

4001 X 100

1780 X 120

28

CATEGORY	A	B	C	D
S-10	1580-1	652 (700-1)	1580-1¼ 652 (700-1¼)	NA
CIRCLING	1580-1 652 (700-1)	1600-1 672 (700-1)	1600-2 672 (700-2)	NA

ELEV 928 TDZE 928

MIRL Rwy 10-28 0

REIL Rwy's 10 and 28 0

Map is from RNAV GPS RWY 11 AMDT 2, showing expanded circling area and controlling obstacles.

LNAV CERTO to KC29:RWY10:AER AAO (1340)
AAO 1

Circling CAT B TRANSMISSION_LINE (1254)
55-085799

Circling CAT A TRAMWAY (1229)
TREE 4

Circling CAT C TREE (1329)
TREE 5

KC29
MIDDLETON MUNI-MOREY
FIELD
MIDDLETON, WI
100K MAP
RNAV (GPS) RWY 10
AMDT 2

