

RADIO FIX AND HOLDING DATA RECORD

NAME: AWLEE

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 375751.97N/0854031.76W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LOUISVILLE	I-RLI	LOC/DME		170.40	165.40	13.84	13.86		4000	5000
2	LOUISVILLE	IIU	VORTAC	H	208.18	209.18		9.54		4000	5000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

LOUISVILLE (FAC 1) AND LOUISVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.
I-RLI DME COORDINATES: 381117.22N/0854453.37W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 35L	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

CHANGED I-RLI DME COORDINATES FROM 381117.19N/0854453.51W TO 381117.22N/0854453.37W IN REMARKS.
REMOVED KSDF MBELL (RNAV) AND MAUDD (RNAV) STARS FROM FIX USE.
REMOVED STAR FROM REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RALPH DUMAR

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: BNETT

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380304.00N/0854857.63W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

FIX USE: DELETED DAMEN (RNAV) STAR AND FRIZN (RNAV) STAR.

REQUIRED CHARTING: REMOVED STAR.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 02/24/2016	OFFICE: AJV-5442	NAME: JEFF ANDERSON (JACOB MAXFIELD)
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZID

ATC FACILITY: SDF APP CON, SDF TOWER

OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: BRBON

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 375009.94N/0853800.33W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	LOUISVILLE	I-RLI	LOC/DME		170.40	165.40	21.79	21.81	5000	6000
2	FORT KNOX	FTK	VOR/DME	T	105.71	104.71		16.67	2700	17500
3	LOUISVILLE	IIU	VORTAC	H	188.43	189.43	16.24	16.24	2700	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-RLI	LOC/DME	BRG-170	22	5000	6000
FTK	VOR/DME	R-106	17	12700	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	S	IIU	VORTAC	188.43	008.43	R	1		4000	6000	5	6
2	S		WP	188.43	008.43	R		4	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (21-001503)	374304.00N/0854231.00W	1249	5E
2	200	TOWER (21-001503)	374304.00N/0854231.00W	1249	5E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

LOUISVILLE (FAC 1) AND LOUISVILLE (FAC 3) USED TO ESTABLISH FIX COORDINATES.
 I-RLI DME COORDINATES: 381117.19N/0854453.51W
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V513	1, 3				(US)
IAP	ILS OR LOC RWY 35L	1, 2, 3	1	KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1, 2, 3	1	KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1, 2, 3	1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L		2	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
STAR	DAMEN (RNAV)			KSDF	LOUISVILLE	KY (US)
STAR	DLAMP (RNAV)			KSDF	LOUISVILLE	KY (US)
STAR	FRIZN (RNAV)			KSDF	LOUISVILLE	KY (US)
STAR	LEDDL (RNAV)			KSDF	LOUISVILLE	KY (US)
STAR	MBELL (RNAV)			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

REMOVED FIX USE KSDF ILS OR LOC RWY 35R (SA CAT I, CAT II & III), RNAV (GPS) Y RWY 35R, RNAV (RNP) Z RWY 35R.
 ADDED FIX USE LEDDL (RNAV) STAR FOR KSDF.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: RAYMOND JOHNSON

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A423

NAME: MICHAEL GARRITY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: CATEK

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380057.47N/0854624.58W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP, CONTROLLER

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 07/26/2012

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 08/16/2011	OFFICE: AJV-352	NAME: BRIAN SHAFFER
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZID

ATC FACILITY: SDF TOWER

OTHER: SDF AIRPORT MANAGER

RADIO FIX AND HOLDING DATA RECORD

NAME: CRDNL

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380346.33N/0854228.35W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LOUISVILLE	I-RLI	LOC/DME		170.40	165.40	7.75	7.76	47163	2400	5000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-RLI DME COORDINATES: 381117.22N/0854453.37W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 35L	1		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1		KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

CHANGED FIX COORDINATES FROM 380346.35N/0854228.27W TO 380346.33N/0854228.35W TO NEW PFAF LOCATION.
CHANGED I-RLI DME COORDINATES FROM 381117.19N/0854453.51W TO 381117.22N/0854453.37W IN REMARKS.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RALPH DUMAR

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: DAMEN

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 381024.14N/0860513.01W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	LOUISVILLE	IIU	VORTAC	H	279.01	280.01	24.48	24.48		4000	17500
2	MYSTIC	MYS	VOR	L	025.00	024.00		18.33		2700	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W		WP	279.01	099.01	L		4	4000	6000	5	6
2	W	IIU	VORTAC	279.01	099.01	L	1		4000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-002484)	381501.09N/0861606.35W	1133	4D
2	200	TOWER (18-002484)	381501.09N/0861606.35W	1133	4D

REASON FOR NONSTANDARD HOLDING:

PAT 1 LOUISVILLE VORTAC (IIU) RESTRICTIONS: VOR: UNUSABLE 275° - 330° DME BYD 30.0NM BLO 4000 AND TACAN: UNUSABLE 225° - 275° BLO 5000'

PAT 2 LOUISVILLE VORTAC (IIU) RESTRICTIONS: VOR: UNUSABLE 275° - 330° DME BYD 30.0NM BLO 4000 AND TACAN: UNUSABLE 225° - 275° BLO 5000'

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

LOUISVILLE (FAC 1) AND MYSTIC (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V512	1, 2				(US)
IAP	ILS OR LOC RWY 17R	2	2	KSDF	LOUISVILLE	KY (US)
IAP	ILS OR LOC RWY 35L	1, 2	2	KSDF	LOUISVILLE	KY (US)
IAP	ILS OR LOC RWY 35L	1, 2	2	KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1, 2	2	KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1, 2	2	KSDF	LOUISVILLE	KY (US)
IAP	LOC RWY 29	1, 2	2	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 17R		1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 29		1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L		1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 17R	2	1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 29		1	KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L		1	KSDF	LOUISVILLE	KY (US)
STAR	DAMEN (RNAV)			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 12

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

1. UPDATE FIX USE: ADDED IAPS AT KSDF - LOC RWY 29 FAC 1 AND 2 AND PAT 2; RNAV (RNP) Z RWY 29, PAT 1; RNAV (RNP) Z RWY 17R, PAT 1; RNAV (GPS) Y 17R, PAT 1; ILS OR LOC 17R, FAC 1 AND 2 AND PAT 2; ILS OR RWY 35L, ILS RWY 35L (SA CATI) AND ILS RWY 35L (CAT II & III) AND ALL USE FAC 1 AND 2, AND PAT 2. CHANGED - RNAV (GPS) RWY 29 TO RNAV (GPS) Y RWY 29.

2. ADDED HOLDING PATTERN 2 FOR INSTRUMENT PROCEDURE HOLDING: NON-STANDARD TURNS (LT), MIN HOLDING 4000, MAX 6000, MIN PAT TEMPLATE 5 AND MAX 6, AIRSPEED 200; CONTROLLING OBSTACLE: 1133 MSL TOWER (18-002484) (4D), LAT/LONG: 381501.09N/0861606.35W.

3. ADDED REASON FOR NON-STANDARD HOLDING FOR PAT1 AND PAT 2: LOUISVILLE VORTAC (IIU) RESTRICTIONS: VOR: UNUSABLE 275° - 330° DME BYD 30.0NM BLO 4000 AND TACAN: UNUSABLE 225° 275° BLO 5000'

4. CHANGED HOLDING PATTERN 1 INBOUND COURSE FROM 99.00 TO 99.01, HOLDING TURNS FROM RIGHT TO LEFT, MINIMUM HOLDING ALTITUDE FROM 3000 FEET TO 4000 AND CONTROLLING OBSTACLE: 1133 MSL TOWER (18-002484) (4D), LAT/LONG: 381501.09N/0861606.35W.

5. UPDATED FIX MAKE-UP FACILITIES: FAC 1 MRA FROM 10000 FEET TO 4000 FEET.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: ANDRE MARSH**APPROVED BY:****DATE:** 07/11/2024**OFFICE:** AJV-A420**NAME:** DAVID DANNER**SIGNATURE:**

RADIO FIX AND HOLDING DATA RECORD

NAME: DICAP

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380111.12N/0854355.32W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 07/26/2012

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 08/09/2011	OFFICE: AJV-352	NAME: BRIAN SHAFFER
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY
SIGNATURE:			

DISTRIBUTION:

NFDC
 FPO: EST
 ARTCC: ZID
 ATC FACILITY: SDF TOWER
 OTHER: SDF AIRPORT MANAGER

RADIO FIX AND HOLDING DATA RECORD

NAME: DIGRR **STATE:** KY **COUNTRY:** US **ICAO REGION CODE:** K5

LATITUDE/LONGITUDE: 380201.63N/0855140.86W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

HOLDING: **HOLDING TYPE OF ACTION:**

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 07/26/2012

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 12/07/2011	OFFICE: AJV-352	NAME: BRIAN SHAFFER
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION: NFDC
FPO: EST
ARTCC: ZID
ATC FACILITY: SDF TOWER
OTHER: SDF AIRPORT MANAGER

RADIO FIX AND HOLDING DATA RECORD

NAME: GETTA

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380534.87N/0853520.40W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
STAR	JAKTZ (RNAV)			KCMH	COLUMBUS	OH (US)
STAR	JAKTZ (RNAV)			KLCK	COLUMBUS	OH (US)
STAR	JAKTZ (RNAV)			KOSU	COLUMBUS	OH (US)

REQUIRED CHARTING: STAR, EN ROUTE HIGH, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

REMOVED FIX USE RNAV (RNP) Z RWY 35L, RNAV (RNP) Z RWY 35R FOR KSDF.

REMOVED IAP FROM REQUIRED CHARTING.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A423	NAME: PHILLIP BRANDENBURG
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY
	SIGNATURE:		

RADIO FIX AND HOLDING DATA RECORD

NAME: HALVO
STATE: KY
COUNTRY: US
ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380229.55N/0853735.88W
TYPE: WP

AIRSPACE DOCKET:
FIX TYPE OF ACTION: CANCEL

HOLDING:
HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG
DATE OF REVISION: 07/26/2012

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 08/16/2011	OFFICE: AJV-352	NAME: BRIAN SHAFFER
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: EST
ARTCC: ZID
ATC FACILITY: SDF TOWER
OTHER: SDF AIRPORT MANAGER

RADIO FIX AND HOLDING DATA RECORD

NAME: KNNOX

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380053.13N/0854131.40W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LOUISVILLE	I-RLI	LOC/DME		170.40	165.40	10.72	10.74		3000	4000
2	LOUISVILLE	IIU	VORTAC	H	224.65	225.65		7.60		3000	4000

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

LOUISVILLE (FAC 1) AND LOUISVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 35L	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 07/11/2024

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RALPH DUMAR

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: RDBRD

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 375426.53N/0853924.36W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LOUISVILLE	I-RLI	LOC/DME		170.40	165.40	17.37	17.39		5000	6000
2	LOUISVILLE	IIU	VORTAC	H	196.77	197.77		12.34		5000	6000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

LOUISVILLE (FAC 1) AND LOUISVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.
I-RLI DME COORDINATES: 381117.22N/0854453.37W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 35L	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (CAT II & III)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	ILS RWY 35L (SA CAT I)	1, 2		KSDF	LOUISVILLE	KY (US)
IAP	RNAV (GPS) Y RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

CHANGED I-RLI DME COORDINATES FROM 381117.19N/0854453.51W TO 381117.22N/0854453.37W IN REMARKS.
REMOVED KSDF MBELL (RNAV) AND MAUDD (RNAV) STARS FROM FIX USE.
REMOVED STAR FROM REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RALPH DUMAR

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: STUGZ

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380553.50N/0854942.56W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

FIX USE: DELETED DAMEN (RNAV) STAR AND FRIZN (RNAV) STAR.

REQUIRED CHARTING: REMOVED STAR.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 02/26/2016	OFFICE: AJV-5442	NAME: JEFF ANDERSON (JACOB MAXFIELD)
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZID

ATC FACILITY: SDF APP CON, SDF TOWER

OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: TUPAY

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 380828.91N/0853619.41W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 35L			KSDF	LOUISVILLE	KY (US)
IAP	RNAV (RNP) Z RWY 35R			KSDF	LOUISVILLE	KY (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

FIX USE: DELETED DLAMP (RNAV) STAR.

REQUIRED CHARTING: REMOVED STAR.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 03/01/2016	OFFICE: AJV-5442	NAME: JEFF ANDERSON (JACOB MAXFIELD)
APPROVED BY:	DATE: 07/11/2024	OFFICE: AJV-A423	NAME: MICHAEL GARRITY

SIGNATURE:

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZID

ATC FACILITY: SDF APP CON

OTHER: