

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/05/2023	APWS Task ID: 83ABB02097694614AEA64FEEDABCCE12	APWS Project ID: 526E9428F12145DDB8052D8B3ABA0750
Procedure: RNAV (GPS) RWY 28 ORIG		Enroute: NO	Specialist: Dumar, Ralph		Agreement Number:
Airport ID: Y83			Airport City: SANDUSKY		State: MI
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments:</div> <div>KY83: PENDING DATA USED FOR AIRPORT AND RUNWAYS. FLT CHK: REQUEST NIGHT EVAL.</div> <div>REMARKS: NEW PROCEDURE. 20:1 PENETRATIONS EXIST AND ARE LIGHTED PER FPT. CONTACT RAKE MCGRAW (405) 954-8711.</div> <div>07/07/23: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 10/13/22. 1. ADDED NOTE 'PROCEDURE NA AT NIGHT' - UNSAT NIGHT EVALUATION.</div> <div><div>QUALITY 41 CHECKED</div><div>QUALITY 34 CHECKED</div></div>					

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/05/2023	APWS Task ID: 83ABB02097694614AEA64FEEDABCCE12	APWS Project ID: 526E9428F12145DDB8052D8B3ABA0750
Procedure: RNAV (GPS) RWY 28 ORIG		Enroute: NO	Specialist: Dumar, Ralph		Agreement Number:
Airport ID: Y83			Airport City: SANDUSKY		State: MI
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments:</div> <div>KY83: PENDING DATA USED FOR AIRPORT AND RUNWAYS. FLT CHK: REQUEST NIGHT EVAL.</div> <div>REMARKS: NEW PROCEDURE. 20:1 PENETRATIONS EXIST AND ARE LIGHTED PER FPT. CONTACT RAKE MCGRAW (405) 954-8711.</div> <div><div>QUALITY 41 CHECKED</div><div>QUALITY 34 CHECKED</div></div>					


FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 28 ORIG			AIRPORT NAME: SANDUSKY CITY		AIRPORT ID: KY83	SPECIAL CONTROL NO: BG-06-179-23	
FAC ID: KY8328		CITY: SANDUSKY			ST: MI	ORIG CHART DATE: 10/05/2023	
DFL TYPE: PROC/S	THIRD PARTY: <input type="checkbox"/> YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 83ABB02097694614AEA64FEEDABCCE12		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					<input type="checkbox"/> FLT CK REQ <input type="checkbox"/> NFCR <input type="checkbox"/> REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 06/22/2023		CREW #: VN499	N #: N68	INSTRUMENT PROCEDURE STATUS: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT		ARINC CODING: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT	
FLIGHT INSPECTOR SIGNATURE: brian p carson @ 06/28/2023 22:42			PRINTED NAME: CARSON, BRIAN PETER			NOTAM INITIATED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
FLIGHT INSPECTOR REMARKS: Power lines on departure end - Recommend spherical visibility markers. Multiple runway and runway end lights inoperative. Non-standard runway lighting for new IFR service.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

WAAS CH 93944 W28A	APP CRS 277°	Rwy Idg TDZE 777 Apt Elev 777	3499 777 777
--	------------------------	---	---

RNAV (GPS) RWY 28
SANDUSKY CITY (Y83)

RNP APCH - GPS.	MISSED APPROACH: Climb to 2500 direct HOTLN and hold.
NA Circling NA to Rwy 18 and 36. Circling NA north of Rwy 10-28. Baro-VNAV NA. Rwy 28 helicopter visibility reduction below 1 SM NA. Use Bad Axe altimeter setting. Procedure NA at night.	

BAX AWOS-3 118.6	UNICOM 122.8 (CTAF) 0
----------------------------	--




2500 ↑		HOTLN 		
CATEGORY	A	B	C	D
LPV DA	1077-1 300 (300-1)			NA
LNAV/ VNAV DA	1077-1 300 (300-1)			NA
LNAV MDA	1260-1	483 (500-1)	1260-1 ³ / ₈ 483 (500-1 ³ / ₈)	NA
CIRCLING	1260-1 483 (500-1)	1340-1 563 (600-1)	1680-2 ³ / ₄ 903 (1000-2 ³ / ₄)	NA


ELEV 777

TDZE 777

REIL Rwy 10

MIRL Rwy 10-28 0







TAA SI 007 CW 187
TOWER (1423)
26-001038

TAA SI 187 CW 007
TOWER (1263)
26-003127


KY83
Sandusky City
Sandusky, MI
RNAV (GPS) RWY 28, ORIG
1:650,000

NOTE: REFER TO CURRENT CANADIAN
CHARTS AND FLIGHT INFORMATION
PUBLICATIONS FOR INFORMATION
WITHIN CANADIAN AIRSPACE





KY83
Sandusky City
Sandusky, MI
RNAV (GPS) RWY 28, ORIG
1:100,000





Federal Aviation Administration

Initial Development Notification for AIRNAV Pending Records

To: Scott Jerden, Manager Aeronautical Data Team, AJV-A31

From: Bev Bordy, Manager Instrument Flight Procedures Projects Team, AJV-A4

Subject: **ACTION:** Request for Pending Records **KY83__SANDUSKY CITY, , MI US**

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed will be revised effective concurrent with the publication of the procedure(s) listed below. Estimated Chart Date: 6/15/2023

Current/Assigned MV W 7 1985 New MV W 8 2025

ECD	Airport ID	Procedure Name	AMDT #	Task Report Type Selections	
6/15/2023	KY83	RNAV (GPS) RWY 10 ORIG		MAGVAR	WAAS NEW
6/15/2023	KY83	RNAV (GPS) RWY 28 ORIG		MAGVAR	WAAS NEW
6/15/2023	KY83	TAKEOFF MINIMUMS AND OBSTACLE DP ORIG		MAGVAR	

NAVAID ID / RWY	Type / Old No.	Use / New RWY/Note
RWY	27	28
RWY	9	10

Converting airport from VFR to IFR.
Runway renumbering from 9/27 to 10/28, concurrent with publication of procedures listed above.

IF you have any questions please notify: Rake.McGraw@faa.gov

Processed Tuesday, November 1, 2022