

[Print](#)

Project Name: FOD - VOR/DME RWY 30 NEW CIRCLING AREA

Project Reason: CIRCLING CONTROLLING OBSTACLES: CAT A/B: 1254 TANK (19-000637) 423310.00N/0941051.00W (1A) (1254 MSL + 300 ROC = 1554 (1560 MDA), CAT C: 1380 TOWER (19-001086) 423004.00N/0940955.00W (5D) (1380 MSL + 300 ROC + 50 AC = 1730 (1740 MDA), CAT D: 1764 TOWER (19-000551) 422942.70N/0941233.90W (3C) (1764 MSL + 300 ROC = 2064 (2080 MDA). RADII: 1.30, 1.85, 2.90, 3.80. UPDATED BU ALSTG NOTE. UPDATED ALTERNATE MINIMUMS. ORDER 8260.3, CHAPTER 2, NEW CIRCLING CRITERIA APPLIED.

Last Updated By: Steven Dougherty

Last Updated At: 2020-12-10 20:14:15.436324

Status: Verified **1/0783**



!FDC X/XXXX FOD IAP FORT DODGE RGNL, FORT DODGE, IA. VOR/DME RWY 30, AMDT 11A... CIRCLING CAT C MDA 1740/HAA 584, CAT D MDA 2080/HAA 924, VISIBILITY CAT D 3. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WEBSTER CITY ALTIMETER SETTING: INCREASE ALL MDAS 60 FEET AND CIRCLING CAT C VISIBILITY 1/4 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 1000-3, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS VOR/DME RWY 30, AMDT 11B. 2012102014-PERM

*Digitally signed by*  
**JASON KRETSCHMER**  
Mar 26, 2021