

[Print](#)

Project Name: JAS R18/R36

Project Reason: 2022-ASW-10647-OE, TOWER, 305408.79N/0935950.42W, 482MSL/255AGL, (1A). RAISES CAT C CIRCLING ALL PROCEDURES 20 FEET. ADDED EQUIPMENT REQUIREMENTS NOTE: RNP APCH - GPS, UPDATED HELICOPTER VISIBILITY NOTE, DELETED NOTE: DME/DME RNP-0.3 NA, CHANGED "VIA" TO "ON" IN PROCEDURE NA FOR ARRIVAL NOTE. UPDATED BARO-VNAV NA NOTE. UPDATED BACKUP ALTIMETER NOTE. R18: ADDED VGSI NON-COINCIDENT NOTE. UPDATED CHANGES TO VISIBILITIES,

Last Updated By: Rose Boone-Walt

Last Updated At: 2023-08-08 12:40:16.645582

Status: Verified **3/0837**

!FDC X/XXXX JAS IAP JASPER COUNTY/BELL FLD, JASPER, TX. RNAV (GPS) RWY 18, ORIG-A... CIRCLING CAT C MDA 800/HAA 587. PBN REQUIREMENTS NOTE: RNP APCH - GPS. DELETE NOTE: DME/DME RNP-0.3 NA. CHANGE NOTE TO READ: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.5/TCH 40.7). CHANGE NOTE TO READ: PROCEDURE NA FOR ARRIVAL AT LFK VORTAC ON AIRWAY RADIALS 082 CW 141. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. LPV VISIBILITY 1 SM ALL CATS. LNAV/VNAV VISIBILITY 1 3/8 SM ALL CATS. LNAV VISIBILITY CAT C 1 3/8 SM. VDP 1.20 NM TO RWY 18. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DE RIDDER ALTIMETER SETTING AND INCREASE LPV DA TO 654 FEET AND ALL VISIBILITIES 3/8 SM. INCREASE LNAV/VNAV DA TO 817 FEET AND ALL VISIBILITIES 3/8 SM. INCREASE ALL MDAS 100 FEET AND LNAV VISIBILITY CAT C 3/8 SM, AND CIRCLING VISIBILITY CAT C 1/2 SM. THIS IS RNAV (GPS) RWY 18, ORIG-B. 2308081240-PERM

Digitally signed by
JASON KRETSCHMER
Oct 02, 2023

