

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name DSNEE (RNAV)	Number FIVE	STAR Computer Code DSNEE.DSNEE5	Superseded Number FOUR	Dated 07/19/2018	Effective Date				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
NEEDLES	EED.DSNEE5	EED VORTAC	EED VORTAC						
			ONLY	218.36	30.21	17000	5200		
			FOVOL	218.10	39.21	17000	5900		
			DRTHI	246.54	31.67	17000	8000		
			CHURO	247.57	06.43	13000	8000		AT/ABOVE FL240
			BRCKK	247.61	10.82	13000	7500		AT/ABOVE FL210
			ROADE	247.25	10.73	13000	12000		BETWEEN 17000 AND FL190
			PHIYA	248.59	11.31	10700			BETWEEN 12000 AND 14000
			DSNEE	248.47	23.48	8000	6000		AT 8000
EMLLD	EMLLD.DSNEE5	EMLLD	EMLLD						
			LITNG	264.04	38.66	17000	5600		
			WTTCH	263.65	37.01	17000	6100		AT/ABOVE FL300
			DRTHI	260.95	27.86	17000	8000		
			CHURO	247.57	06.43	13000	8000		AT/ABOVE FL240
			BRCKK	247.61	10.82	13000	7500		AT/ABOVE FL210
			ROADE	247.25	10.73	13000	12000		BETWEEN 17000 AND FL190
			PHIYA	248.59	11.31	10700			BETWEEN 12000 AND 14000
			DSNEE	248.47	23.48	8000	6000		AT 8000
FEYLA	FEYLA.DSNEE5	FEYLA	FEYLA						
			LRSON	212.06	29.59	17000	6800		AT/ABOVE FL280
			GITRR	212.45	16.51	17000	7100		AT/ABOVE FL250
			DUUNN	205.01	14.57	13000	8200		AT/ABOVE FL200
			CARZZ	209.93	13.90	13000	10600		AT/ABOVE 15000
			AASPN	209.69	05.67	10800			AT 14000
			KADYN	196.98	06.73	10800			AT/BELOW 13000
			EROCK	190.05	11.49	9000			AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	5300		AT/BELOW 11000



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name DSNEE (RNAV)		Number FIVE		STAR Computer Code DSNEE.DSNEE5	Superseded Number FOUR			Dated 07/19/2018	Effective Date
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			DSNEE	215.73	10.77	8000	5300		AT 8000
HIMDU	HIMDU.DSNEE5	HIMDU	HIMDU						
			WEELL	241.31	15.10	17000	5200		
			WURMO	241.32	19.66	17000	6300		
			THERS	240.67	13.64	17000	6500		
			FOVOL	241.06	32.10	17000	6600		
			DRTHI	246.54	31.67	17000	8000		
			CHURO	247.57	06.43	13000	8000		AT/ABOVE FL240
			BRCKK	247.61	10.82	13000	7500		AT/ABOVE FL210
			ROADE	247.25	10.73	13000	12000		BETWEEN 17000 AND FL190
			PHIYA	248.59	11.31	10700			BETWEEN 12000 AND 14000
			DSNEE	248.47	23.48	8000	6000		AT 8000
LRSON	LRSON.DSNEE5	LRSON	LRSON						AT/ABOVE FL280
			GITRR	212.45	16.51	17000	7100		AT/ABOVE FL250
			DUUNN	205.01	14.57	13000	8200		AT/ABOVE FL200
			CARZZ	209.93	13.90	13000	10600		AT/ABOVE 15000
			AASPN	209.69	05.67	10800			AT 14000
			KADYN	196.98	06.73	10800			AT/BELOW 13000
			EROCK	190.05	11.49	9000			AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	5300		AT/BELOW 11000
			DSNEE	215.73	10.77	8000	5300		AT 8000
MARUE	MARUE.DSNEE5	MARUE	MARUE						
			SCROW	238.81	24.13	17000	8700		
			FJAYY	238.64	21.66	17000	8700		
			LRSON	238.85	29.08	17000	6800		AT/ABOVE FL280
			GITRR	212.45	16.51	17000	7100		AT/ABOVE FL250
			DUUNN	205.01	14.57	13000	8200		AT/ABOVE FL200
			CARZZ	209.93	13.90	13000	10600		AT/ABOVE 15000

QUALITY
16
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name DSNEE (RNAV)			Number FIVE	STAR Computer Code DSNEE.DSNEE5	Superseded Number FOUR			Dated 07/19/2018	Effective Date
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			AASPN	209.69	05.67	10800			AT 14000
			KADYN	196.98	06.73	10800			AT/BELOW 13000
			EROCK	190.05	11.49	9000			AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	5300		AT/BELOW 11000
			DSNEE	215.73	10.77	8000	5300		AT 8000
NATEE	NATEE.DSNEE5	NATEE	NATEE						
			FEYLA	213.79	35.00	17000	10500		
			LRSON	212.06	29.59	17000	6800		AT/ABOVE FL280
			GITRR	212.45	16.51	17000	7100		AT/ABOVE FL250
			DUUNN	205.01	14.57	13000	8200		AT/ABOVE FL200
			CARZZ	209.93	13.90	13000	10600		AT/ABOVE 15000
			AASPN	209.69	05.67	10800			AT 14000
			KADYN	196.98	06.73	10800			AT/BELOW 13000
			EROCK	190.05	11.49	9000			AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	5300		AT/BELOW 11000
			DSNEE	215.73	10.77	8000	5300		AT 8000

ARRIVAL ROUTE DESCRIPTION:

LANDING KLGB RWY 12: FROM DSNEE ON TRACK 235.97/9.49 TO CROSS MCKYE AT OR ABOVE 7200, THEN ON TRACK 236.32/2.49 TO CROSS MOUSS AT OR ABOVE 6500, THEN ON TRACK 236.47/9.47 TO CROSS GOOFY AT 4000, THEN ON TRACK 236.60/4.00 TO CROSS PIBBB AT 4000, THEN ON TRACK 256.31/6.26 TO LUVCI, THEN ON TRACK 269.25/8.83 TO CROSS QGATE AT OR ABOVE 3000, THEN ON TRACK 331.52/3.34 TO CROSS BREKE AT 3000. EXPECT RNAV (RNP) RWY 12 APPROACH.

LANDING KLGB RWY 26R, 30: FROM DSNEE ON TRACK 235.97/9.49 TO CROSS MCKYE AT OR ABOVE 7200, THEN ON TRACK 236.32/2.49 TO CROSS MOUSS AT OR ABOVE 6500, THEN ON TRACK 236.47/9.47 TO CROSS GOOFY AT 4000, THEN ON TRACK 236.26/4.00 TO CROSS MIDDS AT 4000, THEN ON TRACK 236.26. EXPECT ILS OR RNAV (RNP) RWY 30 APPROACH, OR RNAV (RNP) RWY 26R APPROACH.

LANDING KSNA: FROM DSNEE ON TRACK 235.24/3.12 TO JWARD, THEN ON HEADING 260.00 OR AS ASSIGNED BY ATC. EXPECT VECTORS TO ILS OR RNAV (RNP) RWY 20R FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED

NOTE: RNAV 1

NOTE: DME/DME/IRU OR GPS REQUIRED

NOTE: TURBOJET AND TURBOPROP AIRCRAFT ONLY

NOTE: PROCEDURE IS ONLY FOR USE WHEN SNA IS LANDING SOUTH.

NOTE: LANDING LGB EXPECT RUNWAY 30 UNLESS OTHERWISE ASSIGNED BY ATC.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	FIVE	DSNEE.DSNEE5	FOUR	07/19/2018	

NOTE: LANDING SNA EXPECT RUNWAY 20R UNLESS OTHERWISE ASSIGNED BY ATC.

NOTE: EXPECT LOCAL AREA ALTIMETER REACHING FL 230.

NOTE: FEYLA TRANSITION RESTRICTED TO LAS DEPARTURES ONLY.

NOTE: LRSON TRANSITION ATC ASSIGNED ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT LITNG: E, LT, 264.04 INBOUND, 10 NM LEGS.

CHART HOLDING AT MDLER: NE, RT, 218.87 INBOUND, 10 NM LEGS.

CHART HOLDING AT SCROW: NE, LT, 238.81 INBOUND, 10 NM LEGS.

CHART HOLDING AT SLI VORTAC: SE, LT, 300.00 INBOUND, 4 NM LEGS.

CHART: MDLER

COMMUNICATIONS:

SOCAL APP CON

LONG BEACH /DAUGHERTY FIELD ATIS

JOHN WAYNE AIRPORT-ORANGE COUNTY ATIS

AIRPORTS SERVED:

LONG BEACH /DAUGHERTY FIELD/, LONG BEACH, CA (KLGB)

JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA (KSNA)

LOST COMMUNICATIONS PROCEDURE:

IN THE EVENT OF LOST COMMUNICATION LANDING LGB RUNWAY 26R/30: AFTER MIDDS PROCEED ON THE RNAV (RNP) RWY 30 OR ILS RWY 30 APPROACH. LANDING LGB RUNWAY 12:

AFTER BREKE PROCEED ON THE RNAV (RNP) RWY 12 APPROACH, IF UNABLE APPROACH, AFTER MIDDS/BREKE CLIMB TO 4000 DIRECT SLI VORTAC AND HOLD.

LANDING SNA RUNWAY 20R: AFTER DSNEE PROCEED ON THE RNAV (RNP) RWY 20R APPROACH, IF UNABLE APPROACH, AFTER DSNEE MAINTAIN 6000 DIRECT SLI VORTAC AND HOLD.

REMARKS:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

REFERENCE MAGNETIC VARIATION = KLGB 14E/1980

CHART AT BREKE TERMINUS: KLGB LDG RWY 12

CHART AT MIDDS TERMINUS: KLGB LDG RWY 26R/30

CHART AT JWARD TERMINUS: LDG KSNA



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	FIVE	DSNEE.DSNEE5	FOUR	07/19/2018	
<u>FLIGHT INSPECTED BY:</u>					
DONALD MCGOUGH		FICO	12/23/2020	<i>Digitally signed by</i> DAVID DANNER	
Name		Organization	Date	Jun 16, 2021	Signature
<u>DEVELOPED BY:</u>					
JOSEPH ZEDER		AJV-A440	11/25/2020	<i>Digitally signed by</i> DAVID DANNER	
Name		Organization	Date	Jun 16, 2021	Signature
<u>APPROVED BY:</u>					
PATRICK MULQUEEN, MANAGER		AJV-A440		<i>Digitally signed by</i> DAVID DANNER	
Name		Organization	Date	Jun 16, 2021	Signature

CHANGES:

1. DELETE CROSSING ALTITUDE RESTRICTION AT JWARD.
2. MOCAS UPDATED.
3. CHARTED TERMINUS AT BREKE, MIDDS AND JWARD.
4. DELETED RECOMMENDED NAVAID.

REASONS:

1. INDUSTRY REQUEST.
2. DTED UPDATE IN TARGETS.
3. IAW 8260.19I 4-5-2h (2)
4. RECOMMENDED NAVAID NO LONGER REQUIRED.

06/15/2021: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 11/25/2020.


1. ADDITIONAL FLIGHT DATA: DELETED DO NOT CHART MOCAS.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.


Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	FIVE	DSNEE.DSNEE5	FOUR	07/19/2018	
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	FIVE	DSNEE.DSNEE5	FOUR	07/19/2018	
Graphic Depiction 2					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)	Number FIVE	STAR Computer Code DSNEE.DSNEE5	Superseded Number FOUR	Dated 07/19/2018	Effective Date				
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
EED VORTAC	344557.62N / 1142826.77W	Y		IF					EED.DSNEE5
ONLYY	342725.33N / 1145722.47W	Y	FB	TF	232.36	30.21			
FOVOL	340312.00N / 1153437.00W	Y	FB	TF	232.10	39.21			
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	260.54	31.67			
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL240	AT 280K	
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL210		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	12000B14000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.47	23.48	AT 8000	AT 220K	
En Route Transition									
EMLLD	334528.80N / 1140846.00W	Y		IF					EMLLD.DSNEE5
LITNG	335045.32N / 1145443.84W	Y	FB	TF	278.04	38.66			
WTTCH	335533.39N / 1153848.40W	Y	FB	TF	277.65	37.01	AT/ABOVE FL300		
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	274.95	27.86			
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL240	AT 280K	
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL210		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	12000B14000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.47	23.48	AT 8000	AT 220K	
En Route Transition									
FEYLA	351336.52N / 1155404.77W	Y		IF					FEYLA.DSNEE5
LRSON	345259.88N / 1161958.65W	Y	FB	TF	226.06	29.59	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
DUUNN	343014.36N / 1164535.29W	Y	FB	TF	219.01	14.57	AT/ABOVE FL200		
CARZZ	342012.15N / 1165713.91W	Y	FB	TF	223.93	13.90	AT/ABOVE 15000		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	223.69	05.67	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		

QUALITY
16
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)		Number FIVE		STAR Computer Code DSNEE.DSNEE5		Superseded Number FOUR		Dated 07/19/2018	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000		
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
En Route Transition									
HIMDU	342406.00N / 1140051.00W	Y		IF					HIMDU.DSNEE5
WEELL	342014.60N / 1141829.50W	Y	FB	TF	255.31	15.10			
WURMO	341513.00N / 1144126.00W	Y	FB	TF	255.32	19.66			
THERS	341135.14N / 1145717.65W	Y	FB	TF	254.67	13.64			
FOVOL	340312.00N / 1153437.00W	Y	FB	TF	255.06	32.10			
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	260.54	31.67			
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL240	AT 280K	
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL210		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	12000B14000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.47	23.48	AT 8000	AT 220K	
En Route Transition									
LRSON	345259.88N / 1161958.65W	Y		IF			AT/ABOVE FL280		LRSON.DSNEE5
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
DUUNN	343014.36N / 1164535.29W	Y	FB	TF	219.01	14.57	AT/ABOVE FL200		
CARZZ	342012.15N / 1165713.91W	Y	FB	TF	223.93	13.90	AT/ABOVE 15000		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	223.69	05.67	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000		
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
En Route Transition									
MARUE	351523.00N / 1145255.00W	Y		IF					MARUE.DSNEE5

QUALITY
16
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)		Number FIVE		STAR Computer Code DSNEE.DSNEE5		Superseded Number FOUR		Dated 07/19/2018	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
SCROW	350811.11N / 1152101.56W	Y	FB	TF	252.81	24.13			
FJAYY	350140.02N / 1154611.86W	Y	FB	TF	252.64	21.66			
LRSON	345259.88N / 1161958.65W	Y	FB	TF	252.85	29.08	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
DUUNN	343014.36N / 1164535.29W	Y	FB	TF	219.01	14.57	AT/ABOVE FL200		
CARZZ	342012.15N / 1165713.91W	Y	FB	TF	223.93	13.90	AT/ABOVE 15000		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	223.69	05.67	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000		
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
En Route Transition									
NATEE	353714.00N / 1152226.00W	Y		IF					NATEE.DSNEE5
FEYLA	351336.52N / 1155404.77W	Y	FB	TF	227.79	35.00			
LRSON	345259.88N / 1161958.65W	Y	FB	TF	226.06	29.59	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
DUUNN	343014.36N / 1164535.29W	Y	FB	TF	219.01	14.57	AT/ABOVE FL200		
CARZZ	342012.15N / 1165713.91W	Y	FB	TF	223.93	13.90	AT/ABOVE 15000		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	223.69	05.67	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000		
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
Common Route									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	DSNEE.DSNEE5
JWARD	334759.00N / 1173020.00W	Y	FO	TF	249.24	03.12			
KSNA				VM	274.00				

QUALITY
16
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)	Number FIVE	STAR Computer Code DSNEE.DSNEE5	Superseded Number FOUR	Dated 07/19/2018	Effective Date
------------------------------	----------------	------------------------------------	---------------------------	---------------------	----------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Runway Transition									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	
MCKYE	334549.59N / 1173731.98W	Y	FB	TF	249.97	09.49	AT/ABOVE 7200		
MOUSS	334459.22N / 1174020.47W	Y	FB	TF	250.32	02.49	AT/ABOVE 6500		
GOOFY	334148.56N / 1175102.13W	Y	FB	TF	250.47	09.47	AT 4000		
PIBBB	334028.61N / 1175533.38W	Y	FB	TF	250.60	04.00	AT 4000		
LUVCI	334030.41N / 1180303.68W	Y	FB	TF	270.31	06.26			
QGATE	334231.68N / 1181322.02W	Y	FB	TF	283.25	08.83	AT/ABOVE 3000		
BREKE	334546.07N / 1181422.11W	Y	FB	TF	345.52	03.34	AT 3000		

KLGB:RWY 12

Runway Transition									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	
MCKYE	334549.59N / 1173731.98W	Y	FB	TF	249.97	09.49	AT/ABOVE 7200		
MOUSS	334459.22N / 1174020.47W	Y	FB	TF	250.32	02.49	AT/ABOVE 6500		
GOOFY	334148.56N / 1175102.13W	Y	FB	TF	250.47	09.47	AT 4000		
MIDDS	334027.26N / 1175532.80W	Y	FO	TF	250.26	04.00	AT 4000		
KLGB:RWY 26R RWY 30				FM	250.26				

