

RADIO FIX AND HOLDING DATA RECORD

NAME: ATLANTA VORTAC **STATE:** GA **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 333744.68N/0842606.23W **TYPE:**

AIRSPACE DOCKET: 19-ASO-18 **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	ATLANTA	ATL	VORTAC	H						45000

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
MAGVAR 5W/2015.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BIRMINGHAM			KBHM	BIRMINGHAM	AL (US)
DP	ATLANTA			KATL	ATLANTA	GA (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
EN ROUTE	J14					(US)
EN ROUTE	J239					(US)
EN ROUTE	J89					(US)
EN ROUTE	J91					(US)
EN ROUTE	Q118					(US)
EN ROUTE	Q79					(US)
EN ROUTE	Q89					(US)
EN ROUTE	V97					(US)
IAP	ILS OR LOC RWY 08L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 08R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 09L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 09R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 10			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 26L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 26R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27L			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27R			KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 28			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 08L (CAT II - III)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 08L (SA CAT I)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 08L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 08R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 09L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 09R (CAT II - III)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 09R (SA CAT I)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 09R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 10 (CAT II - III)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 10 (SA CAT I)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 10 (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (SA CAT I - II)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (CAT II)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (SA CAT I)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27L (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 27R (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 28 (SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 28 (CAT II)(SCP)			KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 28 (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 08L (CAT II - III)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 08L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 09R (CAT II - III)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 09R (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 10 (CAT II - III)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 10 (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 26R (SA CAT I - II)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 27L (CAT II)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 27L (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 28 (CAT II)			KATL	ATLANTA	GA (US)
IAP	ILS RWY 28 (SA CAT I)			KATL	ATLANTA	GA (US)
IAP	VOR/DME RWY 10			KCVG	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 31			KFFC	ATLANTA	GA (US)
IAP	NDB RWY 31			KFFC	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 08			KFTY	ATLANTA	GA (US)

IAP	ILS OR LOC RWY 21L	KPDK	ATLANTA	GA (US)
IAP	ILS OR LOC/DME RWY 31	KPUJ	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 27	KRYY	ATLANTA	GA (US)
STAR	LA GRANGE	KATL	ATLANTA	GA (US)
STAR	ROME	KATL	ATLANTA	GA (US)
STAR	SINCA	KATL	ATLANTA	GA (US)
STAR	WHINZ	KATL	ATLANTA	GA (US)
STAR	DIFFI	KFTY	ATLANTA	GA (US)
STAR	DIFFI	KPDK	ATLANTA	GA (US)
STAR	DIFFI	KPUJ	ATLANTA	GA (US)
STAR	DIFFI	KRYY	ATLANTA	GA (US)
STAR	DIFFI	KCNI	CANTON	GA (US)
STAR	DIFFI	KVPC	CARTERSVILLE	GA (US)
STAR	DIFFI	KGVL	GAINESVILLE	GA (US)
STAR	DIFFI	KLZU	LAWRENCEVILLE	GA (US)
STAR	DIFFI	KMGE	MARIETTA	GA (US)
STAR	CHPTR	KVUJ	ALBEMARLE	NC (US)
STAR	UNARM	KVUJ	ALBEMARLE	NC (US)
STAR	CHPTR	KCLT	CHARLOTTE	NC (US)
STAR	UNARM	KCLT	CHARLOTTE	NC (US)
STAR	CHPTR	KJQF	CONCORD	NC (US)
STAR	UNARM	KJQF	CONCORD	NC (US)
STAR	CHPTR	KAKH	GASTONIA	NC (US)
STAR	UNARM	KAKH	GASTONIA	NC (US)
STAR	CHPTR	KIPJ	LINCOLNTON	NC (US)
STAR	UNARM	KIPJ	LINCOLNTON	NC (US)
STAR	CHPTR	KEQY	MONROE	NC (US)
STAR	UNARM	KEQY	MONROE	NC (US)
STAR	CHPTR	KRUQ	SALISBURY	NC (US)
STAR	UNARM	KRUQ	SALISBURY	NC (US)
STAR	CHPTR	KEHO	SHELBY	NC (US)
STAR	UNARM	KEHO	SHELBY	NC (US)
STAR	CHPTR	KAFF	WADESBORO	NC (US)
STAR	UNARM	KAFF	WADESBORO	NC (US)
STAR	CHPTR	KN52	WAXHAW	NC (US)
STAR	UNARM	KN52	WAXHAW	NC (US)
STAR	CHPTR	KDCM	CHESTER	SC (US)
STAR	UNARM	KDCM	CHESTER	SC (US)
STAR	CHPTR	KLKR	LANCASTER	SC (US)
STAR	UNARM	KLKR	LANCASTER	SC (US)
STAR	CHPTR	KUZA	ROCK HILL	SC (US)
STAR	UNARM	KUZA	ROCK HILL	SC (US)

REQUIRED CHARTING: DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 21

DATE OF REVISION: 12/31/2020

REASON FOR REVISION:

1. FIX USE: REMOVED DP NASHVILLE AT KBNA.
2. FIX USE: REMOVED VOR-A AT KFTY.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

APPROVED BY: **DATE:** **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

SIGNATURE:

DISTRIBUTION: **NFDC**
FPO: ATL
ARTCC: ZTL
ATC FACILITY:
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: DALAS STATE: GA COUNTRY: US ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 335708.10N/0845052.88W TYPE: WP, INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	ROME	RMG	VORTAC	H	131.88	132.88	18.49	18.49	3600	17500
2	LAGRANGE	LGC	VORTAC	H	017.28	018.28		56.99	3600	17500
3	ATLANTA	ATL	VORTAC	H	318.26	313.26	28.33	28.30	3600	17500
4	GADSDEN	GAD	VOR/DME	L	089.00	091.00	61.68	61.68	5000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
LGC	VORTAC	R-017	57	3600	15300

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NW	RMG	VORTAC	311.88	131.88	L	1	3600 6000	5 7

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (13-001596)	335511.37N/0844736.78W	1501	5E

REASON FOR NONSTANDARD HOLDING:

PAT 1 PER ATC

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

LAGRANGE (FAC 2) AND ATLANTA (FAC 3) USED TO ESTABLISH FIX COORDINATES
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ADDED GAD VOR/DME FROM 11-07-19 VERSION: GAD UNUSABLE AT DALAS - ATC REQUESTS V325 CARAN TO DALAS REMAIN CHARTED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V325	2, 4				(US)
EN ROUTE	V333	1, 2, 3				(US)
IAP	ILS OR LOC RWY 26L	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 26R	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 26R (SA CAT I & II)	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (SA CAT I & II) (CP)	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26L (CP)	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 26R (CP)	1, 2	1	KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 8	1, 2	1	KFTY	ATLANTA	GA (US)
IAP	RNAV (RNP) RWY 3R			KPDK	ATLANTA	GA (US)
IAP	RNAV (RNP) Z RWY 21L			KPDK	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 31	1	1	KPUJ	ATLANTA	GA (US)
STAR	ROME	1, 2, 3		KATL	ATLANTA	GA (US)

REQUIRED CHARTING: STAR, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 24 DATE OF REVISION: 04/22/2021

REASON FOR REVISION:

REMOVED ATL VORTAC PAT 2 FROM HOLDING.
 CHANGED PAT MAX TEMPLATED FROM 6 TO 7 IN HOLDING.
 ADDED KATL ALL VARIANTS OF ILS OR LOC RWY 26L/26R AND ILS PRM RWY 26L/26R TO FIX USE.
 UPDATED USE TITLE, FAC, AND PAT FOR ILS OR LOC/DME RWY 31 IN FIX USE.
 UPDATED ATL VORTAC DME FROM 28.30 TO 28.33 IN FIX MAKE-UP FACILITIES.
 CHANGED DME/DIST FROM FAC FROM 18.48 TO 18.49 FOR RMG IN FIX MAKE UP FACILITIES.
 ADDED GAD VOR/DME TO FIX MAKE UP AND STATEMENT IN REMARKS. - GAD VOR/DME UNUSABLE BUT REMAINS CHARTED.
 ADDED LGC VORTAC/GAD VDME FACS TO V325 IN FIX USE FOR CHARTING PURPOSES.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: ANDRE TUCKER**APPROVED BY:****DATE:****OFFICE:** AJV-A420**NAME:** MARLON ROBINSON**SIGNATURE:****DISTRIBUTION:****NFDC****FPO:** ATL**ARTCC:** ZTL**ATC FACILITY:** ATL APP CON**OTHER:** FTY ATCT

RADIO FIX AND HOLDING DATA RECORD

NAME: PEACHTREE VOR/DME STATE: GA COUNTRY: US ICAO REGION CODE: K7
 LATITUDE/LONGITUDE: 335232.27N/0841755.73W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA FEET	MAA
1	PEACHTREE	PDK	VOR/DME	L						17500

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E	PDK	VOR/DME	107.00	287.00	L	1	4000 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (13-000409)	334827.00N/0842027.00W	2049	2C

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 27			KRYV	ATLANTA	GA (US)
IAP	COPTER VOR 284		1	KMGE	MARIETTA	GA (US)

REQUIRED CHARTING: MILITARY IAP, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9

DATE OF REVISION: 04/22/2021

REASON FOR REVISION:

REMOVED PAT 2, PAT 3 AND ASSOCIATED OBJECTS.
 REMOVED KLZU ILS OR LOC RWY 25, ILS OR LOC RWY 25 (ALT MISS), AND RNAV (GPS) RWY 7 FROM FIX USE.
 REMOVED KPDK ILS OR LOC RWY 21L, RNAV (GPS) Y RWY 21L FROM FIX USE.
 REMOVED KATL ILS OR LOC RWY 10 (ALT MISS), ILS OR LOC RWY 26L, ILS OR LOC RWY 26R (ALT MISS), ILS OR LOC RWY 27L, ILS OR LOC RWY 27R, ILS OR LOC RWY 28 (ALT MISS), ILS OR LOC RWY 8L (ALT MISS), ILS OR LOC RWY 8R (ALT MISS), ILS PRM RWY 10 (CAT II - III) (SCP) (ALT MISS), ILS PRM RWY 10 (SA CAT I)(SCP) (ALT MISS), ILS PRM RWY 10 (SCP) (ALT MISS), ILS PRM RWY 26L (SCP) (ALT MISS), ILS PRM RWY 26R (SA CAT I - II) (SCP) (ALT MISS), ILS PRM RWY 26R (SCP) (ALT MISS), ILS PRM RWY 27L (CAT II) (SCP), ILS PRM RWY 27L (SA CAT I) (SCP), ILS PRM RWY 27L (SCP), ILS PRM RWY 27R (SCP), ILS PRM RWY 28 (CAT II) (SCP) (ALT MISS), ILS PRM RWY 28 (SA CAT I) (SCP) (ALT MISS), ILS PRM RWY 28 (SCP) (ALT MISS), ILS PRM RWY 8L (CAT II - III) (SCP) (ALT MISS), ILS PRM RWY 8L (SA CAT I)(SCP) (ALT MISS), ILS PRM RWY 8L (SCP) (ALT MISS), ILS PRM RWY 8R (SCP) (ALT MISS), ILS RWY 10 (CAT II - III) (ALT MISS), ILS RWY 10 (SA CAT I) (ALT MISS), ILS RWY 26R (SA CAT I - II) (ALT MISS), ILS RWY 27L (CAT II), ILS RWY 27L (SA CAT I), ILS RWY 28 (CAT II) (ALT MISS), ILS RWY 28 (SA CAT I) (ALT MISS), ILS RWY 8L (CAT II - III) (ALT MISS), ILS RWY 8L (SA CAT I) (ALT MISS) FROM FIX USE.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A422	NAME: ANTHONY CAPPABIANCO
APPROVED BY:	DATE:	OFFICE: AJV-A420	NAME: MARLON ROBINSON

SIGNATURE:

DISTRIBUTION:

NFDC
 FPO: ATL
 ARTCC: ZTL
 ATC FACILITY: ATL APP CON
 OTHER: FTY ATCT

RADIO FIX AND HOLDING DATA RECORD

NAME: TROYS

STATE: GA

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 335246.30N/0842606.26W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	ROME	RMG	VORTAC	H	115.22	116.22	38.11	41.00	3500	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	N		WP	005.00	185.00	R		4	3500	14000	5	11
2	NW	RMG	VORTAC	115.22	115.22	L	1		3500	3500	6	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (13-000064)	335819.20N/0843008.34W	1589	1A
2	200	ANTENNA (13-081759)	335837.36N/0843441.53W	1866	1B

REASON FOR NONSTANDARD HOLDING:

PAT 2 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 8L	1	2	KATL	ATLANTA	GA (US)
IAP	ILS OR LOC RWY 8R	1	2	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 08L (SCP)	1	2	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8L (CAT II-III) (SCP)	1	2	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8L (SA CAT I) (SCP)	1	2	KATL	ATLANTA	GA (US)
IAP	ILS PRM RWY 8R (SCP)	1	2	KATL	ATLANTA	GA (US)
IAP	ILS RWY 8L (CAT II-III)	1	2	KATL	ATLANTA	GA (US)
IAP	ILS RWY 8L (SA CAT I)	1	2	KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) PRM RWY 26L (SCP)			KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) PRM RWY 8R (SCP)			KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) PRM Y RWY 26R (SCP)			KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) PRM Y RWY 8L (SCP)			KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) RWY 26L	1		KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) RWY 8R	1		KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) Y RWY 26R	1		KATL	ATLANTA	GA (US)
IAP	RNAV (GPS) Y RWY 8L	1		KATL	ATLANTA	GA (US)
IAP	RNAV (RNP) Z RWY 26R	1		KATL	ATLANTA	GA (US)
IAP	RNAV (RNP) Z RWY 8L	1		KATL	ATLANTA	GA (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 04/22/2021

REASON FOR REVISION:

1. UPDATED FIX TYPE, REMOVED INT, ADDED RADAR.
2. UPDATED FIX MAKE-UP FACILITIES, REMOVED ATL VORTAC - VOR-MON FACILITY DECOMMISSIONING.
3. REMOVED ATL HOLDING PATTERN AS ASSOCIATED OBSTRUCTION.
4. ADDED HOLDING PATTERN AND ASSOCIATED OBSTRUCTION AT RMG.
5. UPDATED FIX USE, REMOVED ILS OR LOC RWY 26L, ILS PRM RWY 26L, ILS OR LOC RWY 26R, ILS RWY 26R (SA CAT I-II), ILS PRM RWY 26R (SCP), ILS PRM RWY 26R (SA CAT I-II) @ KATL.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: HEIDI SNIDER**APPROVED BY:****DATE:****OFFICE:** AJV-A420**NAME:** MARLON ROBINSON**SIGNATURE:****DISTRIBUTION:**

NFDC
FPO: ATL
ARTCC: ZTL
ATC FACILITY: ATL APP CON
OTHER: