

[Print](#)

Project Name: KJBR NEW CIRCLING RADII APPLIED

Project Reason: New circling areas evaluated. Controlling obstacles: CAT A/B ANTENNA (05-081330) 354821.99N/0903854.71W 423 (1A) + ROC 300 = MDA 740 CAT C TOWER (05-000863) 354835.83N/0904102.54W 503 (1A) + ROC 300 = MDA 820 CAT D TOWER (05-001176) 354929.00N/0903354.00W 715 (5D) + ROC 300 + AC 50 = MDA 1080, VIS 2 3/4. RADII: CAT A 1.30, CAT B 1.81, CAT C 2.85, CAT D 3.73. Order 8260.3, chapter 2, New Circling Criteria Applied.

Last Updated By: James Lafferty

Last Updated At: 2020-11-20 15:13:16.333323

0/4249

Status: Draft

!FDC X/XXXX JBR IAP JONESBORO MUNI, JONESBORO, AR. RNAV (GPS) RWY 5, AMDT 1B... CIRCLING CAT C MDA 820/HAA 558, CAT D MDA 1080/HAA 818, VIS CAT D 2 3/4. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WALNUT RIDGE ALTIMETER SETTING: INCREASE LPV DA TO 593 FEET AND VISIBILITY 1/8 SM, AND LNAV/VNAV DA TO 669 FEET; INCREASE ALL MDAS 60 FEET AND VISIBILITY LNAV CATS C/D AND CIRCLING CAT C 1/4 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 900-2 3/4 - NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 5, AMDT 1C. 2011201513-PERM

Digitally signed by
DAVID TEFFETELLER
Nov 23, 2020

