

Flight Procedures Cover Page	Task Action: Amendment	Task Type: IAP	Estimated Chart Date: 03/26/2020	APWS Task ID: AC5E36D64B4F49FF8ADF84846D79AD19	APWS Request ID: 15BFD2733FEA45A7A02ACD330B5657E7
Procedure: VOR RWY 6 AMDT 2B		Enroute: NO	Specialist: Combs, Patrick		Agreement Number:
Airport ID: KOWB	Airport Name: OWENSBORO-DAVIESS COUNTY RGNL		Airport City: OWENSBORO		State: KY
Facility ID: OWB	Facility Type: VOR_DME	Flight Inspection Remark Type:			
<p><b>Procedure Comments:</b>          PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCTOBER 3, 2018, SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.</p> <p>ACTIVE AIRPORT DATA USED FOR KOWB.</p> <p>CONTACT: WARDELL HENNING: 405-954-9954</p> <p>1/21/2020: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON: 11/27/2019          1. DELETED ASTERIK FROM MINIMUM ALTITUDE ON LINE 4 IN PROFILE.          2. CHANGED PLANVIEW NOTE FROM "PROCEDURE NA FOR ARRIVAL ON PXV VORTAC AIRWAY RADIALS 081 CW 151" TO "PROCEDURE NA FOR ARRIVAL ON PXV VORTAC AIRWAY RADIALS 081 CW 141".</p> <p>1/27/2020: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON: 11/27/2019          1. CHANGED CHART NOTE: FROM "RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 NOT AUTHORIZED" TO "RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED".</p>					

*Digitally signed by*  
**WARDELL HENNING**  
 Jan 29, 2020



VOR/DME OWB

108.6

Chan 23

APP CRS

048°

Rwy Idg

5000

TDZE

405

Apt Elev

407

OLD

VOR RWY 6

OWENSBORO-DAVISS COUNTY RGNL (OWB)

▼

Rwy 6 helicopter visibility reduction below ¼ SM NA. When local altimeter setting not received, use Evansville altimeter setting and increase all MDA 60 feet; increase Circling Cat A and D visibility ¼ mile; CECAG fix minimums S-6 and Circling C and D visibility ¼ mile. VDP NA with Evansville altimeter setting.

MISSED APPROACH:

Climb to 1500 then climbing right turn to 2500 direct OWB VOR/DME and hold.

AWOS-3PT	EVANSVILLE APP CON ★	OWENSBORO TOWER ★	GND CON	UNICOM
119.025	124.025 290.9	120.7 (CTAF) 251.15	121.7	122.95

The map shows the Owensboro, Kentucky area with various flight paths and navigation aids. Key features include:

- POCKET CITY** 113.3 PXV Chan 80
- CECAG OWB** 3
- OWENSBORO** 108.6 OWB Chan 23
- CENTRAL CITY** 109.8 CCT Chan 35
- APALO** PXV 43.1
- MSA OWB 25 NM** 2600
- OWENSBORO TOWER** 120.7 (CTAF) 251.15
- AWOS-3PT** 119.025
- EVANSVILLE APP CON** 124.025 290.9
- GND CON** 121.7
- UNICOM** 122.95

Remain within 10 NM

OWB VOR/DME

1500

2500

OWB

2100

228°

048°

2.82°

TCH 45

\*1180

\*1240 when using Evansville altimeter setting.

CATEGORY	A	B	C	D
S-6	1180-1 775 (800-1)	1180-1¼ 775 (800-1¼)	1180-2½	775 (800-2½)
CIRCLING	1180-1 773 (800-1)	1180-1¼ 773 (800-1¼)	1180-2½	773 (800-2½)

CECAG FIX MINIMUMS

S-6	820-1	415 (500-1)	820-1½	415 (500-1½)
CIRCLING	860-1 453 (500-1)	880-1 473 (500-1)	1120-2 713 (800-2)	1140-2¼ 733 (800-2¼)

OWB VOR/DME

048° to

MIRL Rwy 6-24

HIRL Rwy 18-36

REIL Rwy 6, 18, and 24

OWENSBORO, KENTUCKY

OWENSBORO-DAVISS COUNTY RGNL (OWB)

Amdt 2A 29MAR18

37°44'N-87°10'W

VOR RWY 6



NM  
FT 2 4 6 8 20000 40000 60000

PROC: VOR RWY 6, AMDT 2B  
CITY/STATE: OWENSBORO, KY  
APT NAME/ID: OWENSBORO-DAVIESS COUNTY RGNL (KOWB)  
1:100K

11. CIRCLING CAT A: 558 TANK (21-000945)  
12. CIRCLING CAT B: 805 TOWER (21-000009)  
13. CIRCLING CAT C / D: 829 TOWER (21-000014)

