

# RADIO FIX AND HOLDING DATA RECORD

NAME: CFFFC

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 352302.42N/1205358.00W

TYPE: CNF

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE  
IAP  
IAP

USE TITLE  
ILS RWY 11  
LOC RWY 11

FAC

PAT

AIRPORT IDENT  
KSBP  
KSBP

CITY  
SAN LUIS OBISPO  
SAN LUIS OBISPO

STATE  
CA (US)  
CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 05/31/2012

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 11/30/2011

OFFICE: AJV-354

NAME: ADOLFO URRUTIA

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: WST  
ARTCC: ZLA  
ATC FACILITY: SBA APP CON, SBP TOWER  
OTHER:

QUALITY  
12  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: CREPE

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 352150.92N/1205151.87W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SAN LUIS OBISPO	I-SBP	LOC		289.76	304.76		13.94	4000	4700
2	PASO ROBLES	PRB	VORTAC	L	196.25	212.25	21.82	21.82	4000	17500
3	MORRO BAY	MQO	VORTAC	VL	306.50	322.50	8.45	8.45	4000	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

## PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	I-SBP	LOC	289.76	109.76	R		1	4000	4700	5	6
2	W		WP	275.00	095.00	R		4	4000	6000	5	6

## CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	352039.00N/1204712.00W	1555	4B
2	200	AAO	352036.00N/1204712.00W	1546	4E

## PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	200	100

## HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

## REMARKS:

SAN LUIS OBISPO (FAC 1) AND PASO ROBLES (FAC 2) USED TO ESTABLISH FIX COORDINATES.  
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 11			KSBP	SAN LUIS OBISPO	CA (US)
DP	CREPE			KSBP	SAN LUIS OBISPO	CA (US)
IAP	ILS OR LOC RWY 11	1, 2, 3	1	KSBP	SAN LUIS OBISPO	CA (US)
IAP	RNAV (GPS) RWY 11			KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 11

DATE OF REVISION: 03/21/2024

## REASON FOR REVISION:

UPDATED PAT 1 CONTROLLING OBSTACLE TO AAO 1555 352039.00N/1204712.00W 4B.  
ADDED PRECIPITOUS TERRAIN ADDITIONS: PAT 1, SPEED 200, ADDITION 100.  
ADDED HOLDING RESTRICTIONS: HOLDING LIMITED TO ESTABLISHED PATTERN.  
DELETED ILS RWY 11 AND LOC RWY 11 FROM FIX USE AT KSBP.  
ADDED ILS OR LOC RWY 11 TO FIX USE AT KSBP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: DEREK LARUE

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

QUALITY  
12  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: DOBRA OM

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 351755.43N/1204456.21W

TYPE: INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DOBRA	SB	OM								4700
2	SAN LUIS OBISPO	I-SBP	LOC		289.76	304.76		7.05	42829	1180	4700
3	MORRO BAY	MQO	VORTAC	VL	354.61	010.61		2.83		2400	4700

HOLDING:

HOLDING TYPE OF ACTION:

## REMARKS:

DOBRA (FAC 1) AND SAN LUIS OBISPO (FAC 2) USED TO ESTABLISH FIX COORDINATES.  
COORDINATES REFLECT LOCATION ON LOC/AZ CENTERLINE ABEAM THE DOBRA OM.  
ACTUAL FACILITY LOCATION IS 351750.18N/1204500.64W.  
NAME CHANGED FROM DOBRA TO DOBRA OM.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	LOC RWY 11	1, 2, 3		KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 05/31/2012

## REASON FOR REVISION:

UPDATED FIX USE.  
UPDATED FIX COORDINATES, FIX MOVED 9.61 FEET.  
ADDED FAC 1.  
ADDED DIST FROM FAC IN FAC 2 AND 3.  
RENAMED FIX FROM DOBRA TO DOBRA OM.  
ADDED REMARK: SAN LUIS OBISPO (FAC 2) AND DOBRA (FAC 1) USED TO ESTABLISH FIX COORDINATES.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 11/30/2011

OFFICE: AJV-354

NAME: ADOLFO URRUTIA (DAVID JENNER)

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: WST  
ARTCC: ZLA  
ATC FACILITY: SBA APP CON, SBP TOWER  
OTHER:

QUALITY  
12  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: FRAMS

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 352201.94N/1205621.92W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	MORRO BAY	MQO	VORTAC	VL	292.00	308.00	11.20	11.20	4000	17500
2	PASO ROBLES	PRB	VORTAC	L	204.00	220.00		23.84	4000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E	MQO	VORTAC	292.00	292.00	R	1		4000	10000	5	10

## CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	351554.00N/1204954.00W	1657	4E

## HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

## REMARKS:

MORRO BAY (FAC 1) AND PASO ROBLES (FAC 2) USED TO ESTABLISH FIX COORDINATES.  
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BUFLT	1, 2		KSMX	SANTA MARIA	CA (US)
EN ROUTE	V27	1, 2	1			(US)
IAP	ILS OR LOC RWY 11	1, 2		KSBP	SAN LUIS OBISPO	CA (US)
IAP	VOR OR TACAN-A	1, 2	1	KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: DP, IAP, AREA, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 03/21/2024

## REASON FOR REVISION:

ADDED HOLDING RESTRICTIONS: HOLDING LIMITED TO ESTABLISHED PATTERN.  
DELETED ILS RWY 11 AND LOC RWY 11 FROM FIX USE AT KSBP.  
ADDED ILS OR LOC RWY 11 TO FIX USE AT KSBP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: DEREK LARUE

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

QUALITY  
12  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: HASBY

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 351606.79N/1204145.06W

TYPE: INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SAN LUIS OBISPO	I-SBP	LOC		289.76	304.76		3.88		1080	4700
2	MORRO BAY	MQO	VORTAC	VL	056.66	072.66		3.28		1080	4700

HOLDING:

HOLDING TYPE OF ACTION:

## REMARKS:

SAN LUIS OBISPO (FAC 1) AND MORRO BAY (FAC 2) USED TO ESTABLISH FIX COORDINATES.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	LOC RWY 11	1, 2		KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 05/31/2012

## REASON FOR REVISION:

UPDATED FIX USE.  
UPDATED FIX COORDINATES, FIX MOVED 0.51 NM (3072.00 FT) NORTHWEST.  
ADDED DIST FROM FAC IN FAC 1 AND 2.  
UPDATED FAC 1 MAG/TRUE BRG FROM 289.78/304.78 TO 289.76/304.76.  
LOWERED FAC 2 MAA TO 4700FT.  
ADDED REMARK: SAN LUIS OBISPO (FAC 1) AND MORRO BAY (FAC 2) USED TO ESTABLISH FIX COORDINATES.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 11/30/2011

OFFICE: AJV-354

NAME: ADOLFO URRUTIA (DAVID JENNER)

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: WST  
ARTCC: ZLA  
ATC FACILITY: SBA APP CON, SBP TOWER  
OTHER:

QUALITY  
12  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: MORRO BAY VORTAC

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 351508.12N/1204534.44W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	MORRO BAY	MQO	VORTAC	VL							17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	MQO	VORTAC	292.00	112.00	R	1		3300	14000	4	10
2	SE	MQO	VORTAC	126.43	306.43	L	1		3300	14000	4	10
3	N	MQO	VORTAC	358.42	178.42	R	1		4000	17500	4	16
4	NW	MQO	VORTAC	319.01	139.01	R	1		5000	17500	6	16
5	NW	WP	WP	319.01	139.01	R		5	5000	17500	6	17

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	351320.75N/1204735.00W	2019	2A
2	200	AAO	351300.00N/1204633.00W	2012	4B
2	310	AAO	351706.00N/1203445.00W	2950	4B
3	200	AAO	352337.00N/1204228.00W	2961	5E
4	200	AAO	351320.75N/1204735.00W	2019	2A
5	200	AAO	351320.75N/1204735.00W	2019	2A

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
2	200	90
2	310	150

REASON FOR NONSTANDARD HOLDING:

PAT 2 WARNING AREA AVOIDANCE

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
2	ILS OR LOC RWY 11	KSBP	SAN LUIS OBISPO	CA (US)
2	TAKE-OFF MINIMUMS	KSBP	SAN LUIS OBISPO	CA (US)

REMARKS:

HOLDING PATTERN 1 AND 2 MAX ALTITUDE RESTRICTED DUE TO W-532.

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

PAT 1 AND 3 FOR ATC USE.

ASSIGNED FACILITY MAGVAR 16 EAST.

PAT 2 310 CONTROLLING OBST LOCATED 10479 FT INTO THE SECONDARY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	OILDALE			KBFL	BAKERSFIELD	CA (US)
DP	VANDENBERG			KVBG	LOMPOC	CA (US)
DP	COAST			KOAK	OAKLAND	CA (US)
DP	AVILA			KSBP	SAN LUIS OBISPO	CA (US)
DP	CREPE			KSBP	SAN LUIS OBISPO	CA (US)
DP	TAKE-OFF MINIMUMS		2	KSBP	SAN LUIS OBISPO	CA (US)
DP	WYNNR			KSBP	SAN LUIS OBISPO	CA (US)
DP	GAUCH (RNAV)			KSBA	SANTA BARBARA	CA (US)
DP	SANTA BARBARA			KSBA	SANTA BARBARA	CA (US)
DP	BUELT			KSMX	SANTA MARIA	CA (US)
DP	TAKE-OFF MINIMUMS			KSMX	SANTA MARIA	CA (US)
EN ROUTE	T257					(US)
EN ROUTE	T261					(US)
EN ROUTE	T329					(US)
EN ROUTE	V-113					(US)
EN ROUTE	V-27					(US)
IAP	RNAV (GPS) RWY 31			KPRB	PASO ROBLES	CA (US)
IAP	ILS OR LOC RWY 11		2	KSBP	SAN LUIS OBISPO	CA (US)
IAP	VOR OR TACAN-A		2	KSBP	SAN LUIS OBISPO	CA (US)
IAP	ILS OR LOC RWY 12		4	KSMX	SANTA MARIA	CA (US)
IAP	RNAV (GPS) RWY 12		5	KSMX	SANTA MARIA	CA (US)
IAP	VOR RWY 12			KSMX	SANTA MARIA	CA (US)
IAP	VOR RWY 8			KIZA	SANTA YNEZ	CA (US)
STAR	LEENA			KLAX	LOS ANGELES	CA (US)

QUALITY  
12  
CHECKED

**REQUIRED CHARTING:** DP, STAR, MILITARY DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 19

**DATE OF REVISION:** 03/21/2024

**REASON FOR REVISION:**

1. CHANGED FIX MAKE-UP FACILITIES FAC 1 MQO VORTAC CLASS FROM L TO VL.
2. CHANGED HOLDING PAT 2 200KT CONTROLLING OBSTACLE TO AAO 2012 4B.
3. CHANGED HOLDING PAT 2 310KT CONTROLLING OBSTACLE TO AAO 2950 4B.
4. ADDED PRECIPITOUS TERRAIN ADDITIONS: PAT 2, SPEED 200 AND 310, ADDITION 90 AND 150.
5. ADDED PROCEDURES REQUIRING CLIMB-IN-HOLD: ILS OR LOC RWY 11.
6. ADDED TO REMARKS: PAT 2 310 CONTROLLING OBST LOCATED 10479 FT INTO THE SECONDARY.
7. DELETED FIX USE DP OFFSHORE AT KSFO.
8. DELETED ILS RWY 11 AND LOC RWY 11 FROM FIX USE AT KSBP.
9. ADDED ILS OR LOC RWY 11 AND PAT 2 TO FIX USE AT KSBP.
10. ADDED FIX USE IAP RNAV (GPS) RWY 12 WITH HOLDING PAT 5 AT KSMX.

**INITIATED BY:**

**DATE:**

**ORGANIZATION:**

**NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A422

**NAME:** DEREK LARUE

**APPROVED BY:**

**DATE:** 03/21/2024

**OFFICE:** AJV-A422

**NAME:** RAKE MCGRAW

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: OXUNE

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 352341.56N/1205026.98W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	PASO ROBLES	PRB	VORTAC	L	196.25	212.25	19.65	19.65		4500	14500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 11	1		KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 03/21/2024

## REASON FOR REVISION:

DELETED ILS RWY 11 AND LOC RWY 11 FROM FIX USE AT KSBP.  
ADDED ILS OR LOC RWY 11 TO FIX USE AT KSBP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: DEREK LARUE

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

QUALITY  
12  
CHECKED



# RADIO FIX AND HOLDING DATA RECORD

NAME: PASO ROBLES VORTAC STATE: CA COUNTRY: US ICAO REGION CODE: K2  
LATITUDE/LONGITUDE: 354020.87N/1203737.59W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	PASO ROBLES	PRB	VORTAC	L							17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SE	PRB	VORTAC	132.57	312.57	R	1		5000	6000	5	13

## CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	353409.00N/1202909.00W	1887	4E
1	310	AAO	352915.00N/1202427.00W	3675	4E

## PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	310	90

## HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN

## PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	VOR-B	KPRB	PASO ROBLES	CA (US)

## REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.  
ASSIGNED FACILITY MAGVAR 16 EAST.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 11			KSBP	SAN LUIS OBISPO	CA (US)
SPECIAL IAP	RNAV (RNP) M RWY 29			KSBP	SAN LUIS OBISPO	CA (US)
DP	MONTEREY			KMRY	MONTEREY	CA (US)
DP	TORO			KMRY	MONTEREY	CA (US)
DP	BRALY			KPRB	PASO ROBLES	CA (US)
DP	JEDGI			KPRB	PASO ROBLES	CA (US)
DP	PASO ROBLES			KPRB	PASO ROBLES	CA (US)
DP	CREPE			KSBP	SAN LUIS OBISPO	CA (US)
DP	WYNNR			KSBP	SAN LUIS OBISPO	CA (US)
DP	SANTA BARBARA			KSBA	SANTA BARBARA	CA (US)
DP	BUELT			KSMX	SANTA MARIA	CA (US)
EN ROUTE	T329					(US)
EN ROUTE	V113					(US)
EN ROUTE	V248					(US)
EN ROUTE	V25					(US)
IAP	RNAV (GPS) RWY 19			KPRB	PASO ROBLES	CA (US)
IAP	RNAV (GPS) RWY 31			KPRB	PASO ROBLES	CA (US)
IAP	VOR RWY 19			KPRB	PASO ROBLES	CA (US)
IAP	VOR-B		1	KPRB	PASO ROBLES	CA (US)
IAP	ILS OR LOC RWY 11			KSBP	SAN LUIS OBISPO	CA (US)
IAP	RNAV (GPS) RWY 11			KSBP	SAN LUIS OBISPO	CA (US)
IAP	VOR OR TACAN-A			KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: DP, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 19 DATE OF REVISION: 03/21/2024

## REASON FOR REVISION:

DELETED ILS RWY 11 AND LOC RWY 11 FROM FIX USE AT KSBP.  
ADDED ILS OR LOC RWY 11 TO FIX USE AT KSBP.

INITIATED BY: DATE: ORGANIZATION: NAME:  
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DEREK LARUE

QUALITY  
12  
CHECKED

**APPROVED BY:**

**DATE:** 03/21/2024

**OFFICE:** AJV-A422

**NAME:** RAKE MCGRAW

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: ZEGAX

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 351935.54N/1204752.61W

TYPE: INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SAN LUIS OBISPO	I-SBP	LOC		289.76	304.76		9.98		2800	4700
2	PASO ROBLES	PRB	VORTAC	L	186.04	202.04		22.35		2800	4700
3	MORRO BAY	MQO	VORTAC	VL	321.05	337.05		4.83		2800	4700

HOLDING:

HOLDING TYPE OF ACTION:

## REMARKS:

SAN LUIS OBISPO (FAC 1) AND PASO ROBLES (FAC 2) USED TO ESTABLISH FIX COORDINATES.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	LOC RWY 11			KSBP	SAN LUIS OBISPO	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 05/31/2012

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 11/30/2011

OFFICE: AJV-354

NAME: ADOLFO URRUTIA (DAVID JENNER)

APPROVED BY:

DATE: 03/21/2024

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: WST  
ARTCC: ZLA  
ATC FACILITY: SBA APP CON, SBP TOWER  
OTHER:

QUALITY  
12  
CHECKED