

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/11/2022	APWS Task ID: BCF27497B3E24BD197430D3A6E0B6C26	APWS Project ID: A7B22D6FC5664C47AECC1A6920E2F214
Procedure: RNAV (GPS) RWY 10 AMDT 0G		Enroute: NO	Specialist: Melton, William		Agreement Number:
Airport ID: KSCH			Airport City: SCHENECTADY		State: NY
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments: CLEARs FDC 1/8544. ACTIVE DATA USED FOR KSCH. CONTACT DON SMITH (405) 954-8222.</div> <div>05/06/2022</div> <div><div>QUALITY 14 CHECKED</div><div>QUALITY 33 CHECKED</div></div>					

SCHENECTADY, NEW YORK

AL-382 (FAA)

FIG

WAAS CH 78224 W10A	APP CRS 102°	Rwy Idg 4650 TDZE 325 Apt Elev 378
--	------------------------	---

RNAV (GPS) RWY 10

SCHENECTADY COUNTY (SCH)



RNP APCH - GPS.

- ▼ When local altimeter setting not received, use Albany altimeter setting and increase all MDA 40 feet; increase LNAV visibility Cat B/C/D ½ SM, and Circling visibility Cat B/C ½ SM.
 ▲ Helicopter visibility reduction below 1 SM NA. Straight-in Rwy 10 NA at night, Circling Rwy 10, 28 NA at night.


MISSED APPROACH:
Climb to 3000 direct
VEYCU and hold.

AWOS-3 119.275	ALBANY APP CON 132.825 263.075	SCHENECTADY TOWER ★ 121.3 (CTAF) 0 321.1	GND CON 121.9	UNICOM 122.95
--------------------------	--	--	-------------------------	-------------------------

PROTOTYPE-NOT FOR NAVIGATION



CATEGORY	A	B	C	D
LP MDA	1220-1¼ 895 (900-1¼)		1220-2½ 895 (900-2½)	
LNAV MDA	1240-1¼ 915 (900-1¼)		1240-2½ 915 (900-2½)	
CIRCLING	1240-1¼ 862 (900-1¼)		1240-2½ 862 (900-2½)	1320-3 942 (1000-3)



SCHENECTADY, NEW YORK

Orig-G FIG

SCHENECTADY COUNTY (SCH)

42°51'N-73°56'W




RNAV (GPS) RWY 10

WAAS CH 78224 W10A	APP CRS 102°	Rwy Idg 4650 TDZE 325 Apt Elev 378
--	------------------------	---


RNAV (GPS) RWY 10
SCHENECTADY COUNTY (SCH)

<p>▼ ▲ NA</p>	<p>DME/DME RNP-0.3 NA. When local altimeter setting not received, use Albany altimeter setting and increase all MDA 40 feet; increase LNAV Cat B and Circling Cat B/D visibility ¼ mile, and LNAV Cat C/D and Circling Cat C visibility ½ mile. Helicopter visibility reduction below 1 SM NA. Straight-in Rwy 10 NA at night, Circling Rwy 10 NA at night.</p>	<p>MISSED APPROACH: Climb to 3000 direct VEYCU and hold.</p>
-------------------	---	--

AWOS-3 119.275	ALBANY APP CON 132.825 263.075	SCHENECTADY TOWER ★ 121.3 (CTAF) 0 321.1	GND CON 121.9	UNICOM 122.95
--------------------------	--	--	-------------------------	-------------------------



KSCH
SCHENECTADY COUNTY
SCHENECTADY, NY
RNAV (GPS) RWY 10 AMDT ORIG-G
SCALE : 1:500,000



KSCH
SCHENECTADY COUNTY
SCHENECTADY, NY
RNAV (GPS) RWY 10 AMDT ORIG-G (LP)
SCALE : 1:100,000

