

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/15/2021	APWS Task ID: BE36855E61B7469C920BB352B15B08DE	APWS Project ID: C61A3A1E5FB64FC3AD10FEF2E655B886
Procedure: RNAV (GPS) RWY 34 AMDT 0B		Enroute: NO	Specialist: Lafferty, James		Agreement Number:
Airport ID: KBQP			Airport City: BASTROP		State: LA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:

P-NOTAM

This Cancels FDC 0/3042

Order 8260.3, chapter 2, New Circling Criteria Applied

Contact Dave Teffeteller at 202-267-5177

QUALITY
18
CHECKED

QUALITY
41
CHECKED

OLD



WAAS CH 90308 W34A	APP CRS 341°	Rwy ldg TDZE 168 Apt Elev 168
--	------------------------	---

RNAV (GPS) RWY 34


MOREHOUSE MEMORIAL (BQP)

<p>⚠ Baro-VNAV NA when using Monroe altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. VDP NA when using Monroe altimeter setting. When local altimeter setting not received, use Monroe altimeter setting and increase all DA/MDA 60 feet and all visibilities ¼ mile.</p>	<p>MISSED APPROACH: Climb to 1800 direct FAREX and hold.</p>
---	---

AWOS-3PT 118.375	MONROE APP CON ★ 126.9 307.9	UNICOM 122.8 (CTAF) 0
----------------------------	--	---------------------------------



CATEGORY	A	B	C	D
LPV DA	508-1¼	340 (400-1¼)		NA
LNAV/VNAV DA	551-1¼	383 (400-1¼)		NA
LNAV MDA	520-1	352 (400-1)		NA
CIRCLING	560-1 392 (400-1)	620-1 452 (500-1)	780-1¾ 612 (700-1¾)	NA



KBQP
MOREHOUSE MEMORIAL
BASTROP, LA
100K CIRCLING
RNAV GPS RWY 34
ADMT: ORIGB

