

RADIO FIX AND HOLDING DATA RECORD

NAME: CADWI STATE: OH COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 400938.37N/0830435.96W TYPE: WP

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	KOSU R27L					173.17	5.00			17500

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	N		WP	358.17	178.17	R	1	3000 10000	7 10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (OBS-30344)	400832.00N/0830036.00W	1523	4D

REMARKS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	OHIO STATE UNIVERSITY - GPS RWY 27L AND GPS RWY 9R	KOSU		KOSU	COLUMBUS	OH (US)
IAP	DELAWARE MUNI - GPS RWY 10 AND GPS RWY 28	KDLZ		KDLZ	DELAWARE	OH (US)
IAP	UNION COUNTY - GPS RWY 27 AND 9	KMRT		KMRT	MARYSVILLE	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 DATE OF REVISION: 07/17/1997

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 05/23/1996	OFFICE: AVN-140	NAME: JOHN PANNELL
APPROVED BY:	DATE: 03/12/1997	OFFICE: AVN-140	NAME:

SIGNATURE: *Digitally signed by*
DAVID TEFFETELLER

DISTRIBUTION: NFDC
FPO: CHI
ARTCC: ZID
ATC FACILITY: CMH TOWER, OSU TOWER
OTHER: Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: COURT HOUSE NDB **STATE:** OH **COUNTRY:** US **ICAO REGION CODE:** K5

LATITUDE/LONGITUDE: 393603.20N/0832329.73W **TYPE:** INT

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	COURT HOUSE	CSS	NDB	MH						17500

FIX RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NE	CSS	NDB	042.80	222.80	L	1		2600	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (36-0427)	393259.00N/0832710.00W	1284	5D

REASON FOR NONSTANDARD HOLDING:

PAT 1 TRAFFIC AVOIDANCE

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 4		1	KTZR	COLUMBUS	OH (US)
IAP	NDB RWY 23		1	I23	WASHINGTON COURT HOUSE	OH (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

UPDATED FIX USE FORMATTING
 CHANGED NAVAID COORDINATES FROM 393603.10N/0832329.81W TO 393603.20N/0832329.73W PER AIRNAV DATA.
 ADDED LOW TO CONTROLLER CHARTING
 MOVED HOLDING LIMITED TO ESTABLISHED PATTERN FROM REMARKS TO HOLDING RESTRICTIONS
 ADDED PRECIPITOUS TERRAIN EVALUATION COMPLETED TO REMARKS

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: DAVID TEFFETELLER

APPROVED BY:

DATE: 12/30/2021

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*

DAVID TEFFETELLER

Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: DIPAC

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 394426.55N/0822321.43W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E		WP	100.22	280.22	R	4	2800 6000	5 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (36-2182)	394529.00N/0821422.00W	1395	5E

REMARKS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 4		1	KTZR	COLUMBUS	OH (US)
IAP	RNAV (GPS) RWY 10		1	KLHQ	LANCASTER	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

REMOVED FAC 1 (LHQ RWY 28)
REMOVED REMARK KLHQ R28 DISPLACED THRESHOLD COORDINATES: 394518.75N/0823857.15W
ADDED TZR ILS OR LOC RWY 4 TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: DAVID TEFFETELLER

APPROVED BY:

DATE: 12/30/2021

OFFICE: AVJ-A430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
DAVID TEFFETELLER
Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: FINUM STATE: OH COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 393634.13N/0834232.57W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SPRINGFIELD	XSF	TACAN	T	160.00	156.00	15.00		3500	12000

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	XSF	TACAN	160.00	340.00	R	7	3500 10000	7 12

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (36-1765)	392551.00N/0834029.00W	1487	5D
1	265	TOWER (36-1765)	392551.00N/0834029.00W	1487	5D

REMARKS:

HOLDING LIMITED TO ESTABLISHED PATTERN.
 RESTRICTED TO MILITARY USE ONLY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	HI-ILS OR LOC/DME RWY 24	1	1	KSGH	SPRINGFIELD	OH (US)
IAP	HI-TACAN RWY 24	1	1	KSGH	SPRINGFIELD	OH (US)

REQUIRED CHARTING: MILITARY IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG DATE OF REVISION: 06/05/2008

REASON FOR REVISION:

THIS IS A REPLACEMENT COPY OF THE FORM DEVELOPED ON 3/19/2008.
 CHANGED FAC 1 MRA, AIR/GROUND COMMUNICATIONS ALTITUDE, AND HOLDING MINIMUM ALTITUDES FROM 3000 TO 3500 DUE TO TACAN DME RESTRICTION.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 04/11/2008	OFFICE: AVN-120	NAME: JOHNNIE BAKER
APPROVED BY:	DATE: 04/15/2008	OFFICE: AVN-120	NAME: JOHN BICKERSTAFF

SIGNATURE: *Digitally signed by*
DAVID TEFFETELLER

DISTRIBUTION: NFDC
 FPO: CEN Oct 13, 2021
 ARTCC: ZID
 ATC FACILITY: DAY APP CON
 OTHER: SGH ATCT

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: GERDI

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 395944.10N/0841252.90W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 11/05/1999

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE:

OFFICE:

NAME:

APPROVED BY:

DATE: 11/05/1999

OFFICE:

NAME:

SIGNATURE:

Digitally signed by

DAVID TEFFETELLER

DISTRIBUTION:

NFDC

FPO:

ARTCC: ZID

ATC FACILITY:

OTHER:

Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ILILE STATE: OH COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 383314.45N/0823607.02W TYPE: WP, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	YORK	YRK	VORTAC	L	111.85	106.85	18.51	18.51	3300	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SE		WP	112.85	292.85	R	4	3300 6000	5 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-002651)	383654.00N/0822741.00W	1330	5E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V128	1				(US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

FIX USE: REMOVED KHTS RNAV (GPS) RWY 30
REMOVED IAP FROM REQUIRED CHARTING

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 NAME: DAVID TEFFETELLER

APPROVED BY: DATE: 12/30/2021 OFFICE: AJV-A430 NAME: LONNIE EVERHART

SIGNATURE:

Digitally signed by
DAVID TEFFETELLER
Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: JEFFERSON VOR/DME STATE: OH COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 414536.42N/0804453.20W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	JEFFERSON	JFN	VOR/DME	L						17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	W	JFN	VOR/DME	248.00	068.00	R	1	2800 6000	4 5
2	E	JFN	VOR/DME	074.00	254.00	R	1	2800 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-002410)	414311.52N/0804456.35W	1292	1A
2	200	TOWER (39-000664)	414858.00N/0804648.00W	1335	4D
2	310	AAO	414345.00N/0803036.00W	1385	4E
UPN	230	TOWER (39-002519)	413750.00N/0804534.00W	1623	5D

HOLDING RESTRICTIONS:

UNPLANNED HOLDING AUTHORIZED AT OR ABOVE 3000.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
2	VOR RWY 27	KHZY	ASHTABULA	OH (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 5W 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR RWY 27		2	KHZY	ASHTABULA	OH (US)
IAP	VOR-A		1	KHZY	ASHTABULA	OH (US)
IAP	ILS OR LOC RWY 6		1	KERI	ERIE	PA (US)
IAP	RNAV (GPS) RWY 6			KERI	ERIE	PA (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 20 DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

FIX USE: REMOVED KCGF ILS OR LOC RWY 24 AND KERI ILS OR LOC RWY 24

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 NAME: DAVID TEFFETELLER

APPROVED BY: DATE: 12/30/2021 OFFICE: AJV-A430 NAME: LONNIE EVERHART

SIGNATURE: Digitally signed by
DAVID TEFFETELLER
Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: OFUZZU

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 411438.08N/0821806.71W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	E		WP	096.34	276.34	R	4	3100	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-004162)	411549.25N/0821421.71W	1162	2C

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 28		1	5A1	NORWALK	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

FIX USE: REMOVED 5A1 RNAV (GPS) RWY 10

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: DAVID TEFFETELLER

APPROVED BY:

DATE: 12/30/2021

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE:

Digitally signed by
DAVID TEFFETELLER
Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: OMADE

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 405742.81N/0812710.05W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	S		WP	195.55	015.55	R	5	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-000115)	404924.00N/0812543.50W	1485	1A

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 1		1	1G3	KENT	OH (US)
IAP	RNAV (GPS) RWY 19		1	1G3	KENT	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

FIX USE: ADDED 1G3 RNAV (GPS) RWY 19
REMOVED REMARK K1G3 R01 DISPLACED THRESHOLD COORDINATES: 410845.94N / 0812458.22W

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: DAVID TEFFETELLER

APPROVED BY:

DATE: 12/30/2021

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*

DAVID TEFFETELLER

Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ROPPE STATE: OH COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 411127.41N/0830852.74W TYPE: WP

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:		IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES		TEMPLATES	
PAT	DIR								MIN	MAX	MIN	MAX
1	E		WP	095.05	275.05	R	4	2400	6000	5	6	

CONTROLLING OBSTRUCTIONS:			COORDINATES	ELEVATION	ACCURACY CODE
PAT	AIRSPEED	OBSTRUCTION			
1	200	TOWER (39-000230)	411155.00N/0825611.00W	1164	4D

HOLDING RESTRICTIONS:
 HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:
 PRECIPITOUS TERRAIN EVALUATION COMPLETE.

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (GPS) RWY 09		1	KFZI	FOSTORIA	OH (US)
IAP	RNAV (GPS) RWY 27		1	KFZI	FOSTORIA	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 12/30/2021

REASON FOR REVISION:
 FIX USE: ADDED FZI RNAV (GPS) RWY 9
 REMOVED REMARK NAME CHANGED FROM ROVAE TO ROPPE.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A433	NAME: DAVID TEFFETELLER
APPROVED BY:	DATE: 12/30/2021	OFFICE: AJV-A430	NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
DAVID TEFFETELLER
 Oct 13, 2021

QUALITY
45
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: VEFDO

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 412350.21N/0833935.60W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	SW		WP	225.68	045.68	R	4	2300	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	WINDMILL (39-004119)	412227.50N/0834427.43W	1068	4D

HOLDING RESTRICTIONS:

HOLDING RESTRICTED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 4		1	KTDZ	TOLEDO	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 12/30/2021

REASON FOR REVISION:

FIX USE: REMOVED KTDZ RNAV (GPS) RWY 32

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: DAVID TEFFETELLER

APPROVED BY:

DATE: 12/30/2021

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
DAVID TEFFETELLER
Oct 13, 2021

QUALITY
45
CHECKED