

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LOVEY	EIGHT	LOVEY8.LOVEY	SEVEN	03/21/2024	

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 9: CLIMB ON HEADING 096.16 TO 1400, THEN DIRECT KINNG, THEN ON TRACK 009.87 TO LWREY, THEN ON TRACK 289.26 TO MATUP, THEN ON TRACK 250.98 TO CROSS RESAY AT OR ABOVE 5000, THEN ON TRACK 250.89 TO SUNFR, THEN ON TRACK 251.57 TO MUMIE, THENCE ...

TAKEOFF RWY 18L: CLIMB ON HEADING 186.21 TO INTERCEPT COURSE 171.00 TO LASNG, THEN ON TRACK 222.35 TO FEBLU, THEN ON TRACK 276.55 TO GUMRE, THEN ON TRACK 316.25 TO MUMIE, THENCE ...

TAKEOFF RWY 18C: CLIMB ON HEADING 186.18 TO 1400, THEN DIRECT FLOEE, THEN ON TRACK 264.43 TO MIPIE, THEN ON TRACK 315.24 TO MUMIE, THENCE ...

TAKEOFF RWY 18R: CLIMB ON HEADING 186.17 TO INTERCEPT COURSE 205.00 TO FANSA, THEN ON TRACK 261.32 TO MIPIE, THEN ON TRACK 315.24 TO MUMIE, THENCE ...

TAKEOFF RWY 27: CLIMB ON HEADING 276.19 TO 1400, THEN DIRECT BONLE, THEN ON TRACK 276.58 TO NUZUM, THEN ON TRACK 297.52 TO MUMIE, THENCE ...

TAKEOFF RWY 36L: CLIMB ON HEADING 006.17 TO INTERCEPT COURSE 330.47 TO HOBAL, THEN ON TRACK 251.67 TO SUNFR, THEN ON TRACK 251.57 TO MUMIE, THENCE ...

TAKEOFF RWY 36C: CLIMB ON HEADING 006.18 TO INTERCEPT COURSE 327.44 TO HOBAL, THEN ON TRACK 251.67 TO SUNFR, THEN ON TRACK 251.57 TO MUMIE, THENCE ...

TAKEOFF RWY 36R: CLIMB ON HEADING 006.21 TO 1400, THEN DIRECT HAGSS, THEN ON TRACK 322.39 TO EVAME, THEN ON TRACK 275.11 TO CEMLA, THEN ON TRACK 219.88 TO SUNFR, THEN ON TRACK 251.57 TO MUMIE, THENCE ...

...ON DEPICTED ROUTE TO LOVEY. MAINTAIN 5000. EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
CADIZ	LOVEY8.CADIZ	LOVEY	ZABAL	TRACK 315.29	30.57	12000	2400	
		ZABAL	MACES	TRACK 313.28	46.63	16000	2600	
		MACES	BOLRR	TRACK 340.46	36.74	FL 180	2300	
		BOLRR	CADIZ	TRACK 344.54	39.44	FL 180	2400	
HELIS	LOVEY8.HELIS	LOVEY	ZABAL	TRACK 315.29	30.57	12000	2400	
		ZABAL	HISNA	TRACK 279.00	66.42	FL 180	2300	
		HISNA	HELIS	TRACK 284.23	71.27	FL 180	2300	
MACES	LOVEY8.MACES	LOVEY	ZABAL	TRACK 315.29	30.57	12000	2400	
		ZABAL	MACES	TRACK 313.28	46.63	16000	2600	

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS.

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.



<u>DP NAME</u> LOVEY	<u>NUMBER</u> EIGHT	<u>DP COMPUTER CODE</u> LOVEY8.LOVEY	<u>SUPERSEDED NUMBER</u> SEVEN	<u>DATED</u> 03/21/2024	<u>ACTUAL EFFECTIVE DATE</u>
<u>FLIGHT INSPECTED BY</u> PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION	<u>SIGNATURE</u> <i>Digitally signed by</i> DAVID DANNER May 07, 2025		<u>OFFICE</u> OFFICE AJV-A421	<u>DATE</u> DATE 05/02/2025	
<u>DEVELOPED BY</u> LEO PALMER	<u>SIGNATURE</u> <i>Digitally signed by</i> DAVID DANNER May 07, 2025		<u>OFFICE</u> OFFICE AJV-A421	<u>DATE</u> DATE 11/27/2025	<u>TITLE</u> TITLE MANAGER
<u>APPROVED BY</u> DAVE DANNER	<u>SIGNATURE</u> <i>Digitally signed by</i> DAVID DANNER May 07, 2025				
<u>REQUIRED EFFECTIVE DATE</u> ROUTINE					

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZID, CVG APP CON, CVG ATCT, AMGR

CHANGES - REASONS:
CANCELS T-NOTAM: !FDC 4/9350 CVG SID CINCINNATI/NORTHERN KENTUCKY INTL, COVINGTON, KY. LOVEY SEVEN DEPARTURE ... DELETE NOTE: FOR TURBOJETS ONLY. ALL OTHER DATA REMAINS AS PUBLISHED. 2403210900-2603201925EST.
- PROCEDURAL DATA NOTE: REMOVED "NOTE: FOR TURBOJETS ONLY". - PER ATC REQUEST.
- ALL DP COMPUTER CODES CHANGED FROM "LOVEY7..." TO "LOVEY8...".
- REMARKS: ADDED "ABBREVIATED AMENDMENT TO REMOVE A CHART NOTE." - DEFINES SCOPE OF PROJECT.
- ADDITIONAL FLIGHT DATA: AIRPORT MV CHANGED FROM "CVG (P) 6W/2020" TO "CVG 6W/2025". - UPDATED AIRNAV DATA.
- AIRPORTS SERVED AND MSA: AIRPORT ID CHANGED FROM "KCVG" TO "CVG". - 8260.46K CH 2 PARA J



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME					NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
LOVEY					EIGHT	LOVEY8.LOVEY	SEVEN	03/21/2024	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW09 (AER)	390246.90N/0844142.35W	N	-	-	-	-			
1400 MSL	-	-	-	VA	090.16	-	AT/ABOVE 1400		
KINNG	390244.65N/0842906.14W	Y	FB	DF	-	-			
LWREY	391159.04N/0842817.95W	Y	FB	TF	003.87	9.25			
MATUP	391329.24N/0843631.70W	Y	FB	TF	283.26	6.57			
RESAY	391031.18N/0844441.11W	Y	FB	TF	244.98	7.00	AT/ABOVE 5000		
SUNFR	3900655.38N/0845431.01W	Y	FB	TF	244.89	8.45			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	245.57	6.29			
RW18L (AER)	390321.08N/0843848.00W	N	-	-	-	-			
-	390033.64N/0843848.78W	-	-	VI	180.21	2.79			
LASNG	385725.17N/0843744.05W	Y	FB	CF	165.00	3.25			
FEBLU	385351.72N/0844105.01W	Y	FB	TF	216.35	4.41			
GUMRE	385353.86N/0844604.01W	Y	FB	TF	270.55	3.89			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	310.25	16.13			
RW18C (AER)	390353.07N/0844007.02W	N	-	-	-	-			
1400 MSL	-	-	-	VA	180.18	-	AT/ABOVE 1400		CG 500 FT/NM TO 1400
FLOEE	385724.12N/0844008.60W	Y	FB	DF	-	-			
MIPIE	385600.16N/0844848.81W	Y	FB	TF	258.43	6.91			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	309.24	13.13			
QUALITY 23									

QUALITY
23
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LOVEY		EIGHT		LOVEY8.LOVEY		SEVEN		03/21/2024	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW18R (AER)	390415.17N/0844101.46W	N	-	-	-	-			
-	390108.57N/0844102.17W	-	-	VI	180.17	3.11			
FANSA	385715.14N/0844245.21W	Y	FB	CF	199.00	4.11			
MIPIE	385600.16N/0844848.81W	Y	FB	TF	255.32	4.89			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	309.24	13.13			
RW27 (AER)	390246.54N/0843910.24W	N	-	-	-	-			
1400 MSL	-	-	-	VA	270.19	-	AT/ABOVE 1400		
BONLE	390245.57N/0845135.55W	Y	FO	DF	-	-			
NUZUM	390247.97N/0845656.59W	Y	FB	TF	270.58	4.17			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	291.52	4.13			
RW36L (AER)	390256.10N/0844101.76W	N	-	-	-	-			
-	390518.99N/0844101.21W	-	-	VI	000.17	2.38			
HOBAL	391007.80N/0844525.82W	Y	FB	CF	324.47	5.91			
SUNFR	390655.38N/0845431.01W	Y	FB	TF	245.67	7.76			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	245.57	6.29			
RW36C (AER)	390204.36N/0844007.47W	N	-	-	-	-			
-	090455.70N/0844006.77W	-	-	VI	000.18	2.85			
HOBAL	391007.80N/0844525.82W	Y	FB	CF	321.44	6.64			
SUNFR	390655.38N/0845431.01W	Y	FB	TF	245.67	7.76			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	245.57	6.29			

QUALITY
23
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LOVEY		EIGHT		LOVEY8.LOVEY		SEVEN		03/21/2024	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RWY36R (AER)	390142.24N/0843848.46W	N	-	-	-	-			
1400 MSL	-	-	-	VA	000.21	-	AT/ABOVE 1400		
HAGSS	390924.37N/0843847.85W	Y	FB	DF	-	-			
EVAME	391322.94N/0844340.14W	Y	FB	TF	316.39	5.49			
CEMLA	391318.93N/0844900.51W	Y	FB	TF	269.11	4.15			
SUNFR	390655.38N/0845431.01W	Y	FB	TF	213.88	7.69			
MUMIE	390418.81N/0850152.53W	Y	FB	TF	245.57	6.29			
MUMIE	390418.81N/0850152.53W	Y	-	IF	-	-			
LOVEY	391248.77N/0852431.04W	Y	FB	TF	295.86	19.56			
LOVEY	391248.77N/0852431.04W	Y	-	IF	-	-			LOVEY8.CADIZ
ZABAL	393207.24N/0855505.62W	Y	FB	TF	309.29	30.57			
MACES	400013.25N/0864322.62W	Y	FB	TF	307.28	46.63			
BOLRR	403322.03N/0870409.55W	Y	FB	TF	334.46	36.74			
CADIZ	411003.99N/0872315.77W	Y	FB	TF	338.54	39.44			
LOVEY	391248.77N/0852431.04W	Y	-	IF	-	-			LOVEY8.HELIS
ZABAL	393207.24N/0855505.62W	Y	FB	TF	309.29	30.57			
HISNA	393504.05N/0872053.64W	Y	FB	TF	273.00	66.42			
HELIS	394440.93W/0885220.81W	Y	FB	TF	278.23	71.27			
LOVEY	391248.77N/0852431.04W	Y	-	IF	-	-			LOVEY8.MACES
ZABAL	393207.24N/0855505.62W	Y	FB	TF	309.29	30.57			

QUALITY
23
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LOVEY		EIGHT		LOVEY8.LOVEY		SEVEN		03/21/2024	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
MACES	400013.25N/0864322.62W	Y	FB	TF	307.28	46.63			

