


Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: STAR	Estimated Chart Date: 10/31/2024	APWS Task ID: EFBB141EC607421B9AB45A82CF48DEDC	APWS Project ID: F1E938A7A93347DEB359D60ABA2EF4DF
Procedure: STAR JAYSN THREE (RNAV) LAS VEGAS NV KLAS		Enroute: YES	Specialist: Copeland, Guy		Agreement Number:
Airport ID: KLAS			Airport City: LAS VEGAS		State: NV
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments: CONTACT: ROBERT HAMILTON 405-954-4608</div> <div>PROCEDURE IS GPS ONLY</div> <div>THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 01/05/2024: 1. FIX NAME BAUMM WAS TO BE CHANGED TO HAYLO, HOWEVER DUE TO SIMILAR SOUNDING FIX NAME IN ZLA AIRSPACE BAUMM IS INSTEAD BEING CHANGED TO SLOTS. 2. 8260-2_NON NFDC: HAYLO NAME CHANGED TO SLOTS.</div> <div>08/28/2024</div> <div>QUALITY 9 CHECKED BEGUE</div> <div>QUALITY 14 CHECKED</div>					

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: STAR	Estimated Chart Date: 10/31/2024	APWS Task ID: EFBB141EC607421B9AB45A82CF48DEDC	APWS Project ID: F1E938A7A93347DEB359D60ABA2EF4DF
Procedure: STAR JAYSN THREE (RNAV) LAS VEGAS NV KLAS		Enroute: YES	Specialist: Copeland, Guy		Agreement Number:
Airport ID: KLAS			Airport City: LAS VEGAS		State: NV
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments: CONTACT: ROBERT HAMILTON 405-954-4608</div> <div>PROCEDURE IS GPS ONLY</div> <div>06/20/2024</div> <div>QUALITY 9 CHECKED BEGUE</div> <div>QUALITY 14 CHECKED</div>					



JAYSN THREE ARRIVAL (RNAV)

(JAYSN.JAYSN3) FIG

LAS VEGAS, NEVADA

HARRY REID INTL (LAS)

## ARRIVAL ROUTE DESCRIPTION

BYRDY TRANSITION (BYRDY.JAYSN3)

From JAYSN on track 098° to WAPID.

LANDING RUNWAYS 1L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 166° to cross PAIRR at or above 14200, then on track 166° to cross MEZKL between 10000 and 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI at or above 9000 and at 210K, then on track 081° to cross HAYLO at 8000, then on track 030° to cross ROAMN at 8000 and at 210K.

Expect ILS or LOC Rwy 1L or RADAR vectors to final approach course.

LANDING RUNWAYS 8L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 166° to cross PAIRR at or above 14200, then on track 166° to cross MEZKL between 10000 and 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI at or above 9000 and at 210K, then on track 081° to cross HAYLO at 8000, then on track 006° to cross YAGGR at 8000 and at 210K, then on track 005°.

Expect RADAR vectors to final approach course.

LANDING RUNWAYS 19L/R: From WAPID on track 081° to cross KEEKE at or above 13000, then on track 104° to ECAKO, then on track 118° to cross DRXLR at or above 10000, then on track 118° to cross MYSHL at or above 8700, then on track 118° to cross CUEVS at or above 6200, then on track 118° to cross KORYN at 4800, then on track 118°.

Expect RADAR vectors to final approach course.

LANDING RUNWAYS 26L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 139° to cross NEEMA at or above 14200, then on track 115° to cross ENNVY at or above 11000, then on track 082° to cross REDQN at or above 9000 and at 210K, then on track 083° to cross BERBN at 8000 and at 210K, then on track 083°.

Expect RADAR vectors to final approach course.

LOST COMMUNICATIONS

LANDING RUNWAY 8R: At YAGGR proceed on the RNAV (RNP) RWY 8R approach, if unable, proceed visually to intercept the final approach course; if unable, maintain 8000 proceed to LAS VORTAC then maintain 7000 proceed to BLD VORTAC and then on the ILS or LOC RWY 26L approach.


PROTOTYPE-NOT FOR NAVIGATION

JAYSN TWO ARRIVAL (RNAV)

AL-662 (FAA)

HARRY REID INTL (LAS)  
LAS VEGAS, NEVADA

SW-4, 19 MAY 2022 to 16 JUN 2022



JAYSN TWO ARRIVAL (RNAV)

OLD

ARRIVAL ROUTE DESCRIPTION

BYRDY TRANSITION (BYRDY.JAYSN2)

From JAYSN on track 098° to WAPID.

LANDING RUNWAYS 1L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 166° to cross PAIRR at or above 14200, then on track 166° to cross MEZKL at or below 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI between 10000 and 11000, then on track 081° to cross BAUMM between 8600 and 11000, then on track 030° to cross ROAMN at 8000 and at 210K. Expect RADAR vectors to final approach course.


LANDING RUNWAYS 8L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 166° to cross PAIRR at or above 14200, then on track 166° to cross MEZKL at or below 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI between 10000 and 11000, then on track 081° to cross BAUMM between 8600 and 11000, then on track 006° to cross YAGGR at 8000 and at 210K, then on track 005° . Expect RADAR vectors to final approach course.

LANDING RUNWAYS 19L/R: From WAPID on track 081° to cross KEEKE at or above 12000, then on track 104° to ECAKO, then on track 118° to cross DRXLR at or above 10000, then on track 118° to cross MYSHL at or above 8700, then on track 118° to cross CUEVS at or above 6100, then on track 118° to cross KORYN at 4800, then on track 118°. Expect RADAR vectors to final approach course.


LANDING RUNWAYS 26L/R: From WAPID on track 139° to cross PESHY at or above 15000 and at 250K, then on track 139° to cross NEEMA at or above 14200, then on track 115° to cross ENNVY at or above 11000, then on track 083° to cross REDQN at or above 9000 and at 210K, then on track 083° to TWAFL, then on track 079° to cross BERBN at 8000 and at 210K, then on track 079°. Expect RADAR vectors to final approach course.

LOST COMMUNICATIONS

LANDING RUNWAY 8R: At YAGGR execute RNAV (RNP) RWY 8R approach, if unable, proceed visually to intercept the final approach course; if unable, maintain 8000 proceed to LAS VORTAC then maintain 7000 proceed to BLD VORTAC and execute ILS or LOC RWY 26L approach.








JAYSN (RNAV)





JAYSN (RNAV)