

[Print](#)

Project Name: KPCD NEW CIRCLING RADII APPLIED

Project Reason: New circling areas evaluated. Alternate minimums updated based on new circling HAA and visibilities only, other values not verified. Controlling obstacles: Cat A: TREE (29-028070) 375033.15N/0895244.62W 628 (2C) + ROC 300 = MDA 940. Cat B: TREE (29-028056) 375001.16N/0895230.07W 684 (2C) + ROC 300 = MDA 1000. Cat C: TOWER (17-002578) 375350.00N/0894828.00W 908 (4D) + AC 50 + ROC 300 = MDA 1260. Cat D: AAO 374854.67N/0894928.83W 959 (2C) + ROC 300 = MDA 1260. Radii: Cat A: 1.30 Cat B: 1.82 Cat C: 2.86 Cat D: 3.73. Order 8260.3, chapter 2, New Circling Criteria Applied.

Last Updated By: James Lafferty

Last Updated At: 2021-05-17 10:45:28.598449

1/7702

Status: Draft

!FDC X/XXXX PCD IAP PERRYVILLE RGNL, PERRYVILLE, MO. RNAV (GPS) RWY 2, ORIG-B... CIRCLING CAT B MDA 1000/HAA 628, CAT C/D MDA 1260/HAA 888, VIS CAT C 2 3/4, VIS CAT D 3. THIS IS RNAV (GPS) RWY 2, ORIG-C. 2105171045-PERM

*Digitally signed by*  
**DAVID TEFFETELLER**  
May 18, 2021

QUALITY  
45  
CHECKED