

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

DALLAS LOVE FIELD:

TAKEOFF RWY 13L: CLIMB ON HEADING 132.64 TO 1000, THENCE...

TAKEOFF RWY 13R: CLIMB ON HEADING 132.62 TO 1000, THENCE...

...LEFT TURN HEADING 100.00 OR AS ASSIGNED BY ATC, EXPECT RADAR VECTORS TO SALVE, THEN ON TRACK 089.99 TO KUSSO, THEN ON (TRANSITION). MAINTAIN 3000.EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TAKEOFF RWY 31L: CLIMB ON HEADING 312.63 TO 1000, THENCE...

TAKEOFF RWY 31R: CLIMB ON HEADING 312.65 TO 1000, THENCE...

...RIGHT TURN HEADING 330.00 OR AS ASSIGNED BY ATC, EXPECT RADAR VECTORS TO SALVE, THEN ON TRACK 089.99 TO KUSSO, THEN ON (TRANSITION). MAINTAIN 2000.EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

DALLAS-FORT WORTH INTL: TAKEOFF RWYS 13L/R, 17L/C/R, 18L/R, 31L/R, 35L/C/R, 36L/R: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO SALVE. THENCE... ..ON TRACK 089.99 TO KUSSO, THEN ON (TRANSITION). MAINTAIN 2000. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

DEPARTING ADDISON, DALLAS EXECUTIVE, MCKINNEY NATIONAL, FORT WORTH ALLIANCE, FORT WORTH MEACHAM INTL, FORT WORTH SPINKS, FORT WORTH NAS JRB (CARSWELL FIELD), ARLINGTON MUNI, DENTON ENTERPRISE, GRAND PRAIRIE MUNI, LANCASTER RGNL, MESQUITE METRO, CLEBURNE RGNL, DECATUR MUNI, ENNIS MUNI, BOURLAND FIELD, MID-WAY RGNL, RALPH M. HALL/ROCKWELL MUNI, PARKER COUNTY: WHEN ENTERING CONTROLLED AIRSPACE, FLY HEADING ASSIGNED BY ATC, EXPECT VECTOR TO SALVE, THEN ON TRACK 089.99 TO KUSSO, THEN ON ASSIGNED TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

DALLAS EXECUTIVE

TAKEOFF RWY 13: CLIMB ON HEADING 132.08 TO 1800 BEFORE TURNING WESTBOUND.

TAKEOFF RWY 17: CLIMB ON HEADING 177.13 TO 2600 BEFORE TURNING WESTBOUND.

TAKEOFF RWY 31: CLIMB ON HEADING 312.09 TO 1500 BEFORE TURNING SOUTHBOUND.

TAKEOFF RWY 35: CLIMB ON HEADING 357.13 TO 1400 BEFORE TURNING SOUTHBOUND.

FORT WORTH ALLIANCE

TAKEOFF RWY 16R: CLIMB ON HEADING 169.21 TO 1100 BEFORE TURNING RIGHT.

FORT WORTH MEACHAM INTL

TAKEOFF RWY 16: CLIMB ON HEADING 166.90 TO 1600 BEFORE PROCEEDING ON COURSE.

TAKEOFF RWY 17: CLIMB ON HEADING 166.90 TO 1600 BEFORE PROCEEDING ON COURSE.

FORT WORTH SPINKS

TAKEOFF RWY 17R: CLIMB ON HEADING 176.11 TO 1200 BEFORE TURNING RIGHT.

ARLINGTON MUNI

TAKEOFF RWY 16: CLIMB ON HEADING 165.02 TO 2500 BEFORE TURNING LEFT.

TAKEOFF RWY 34: CLIMB ON HEADING 345.02 TO 1400 BEFORE TURNING SOUTHEAST BOUND.

GRAND PRAIRIE MUNI

TAKEOFF RWY 17: CLIMB ON HEADING 192.34 TO 2500 BEFORE PROCEEDING ON COURSE.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	

LANCASTER RGNL

TAKEOFF RWY 31: CLIMB ON HEADING 320.32 TO 1800 BEFORE TURNING LEFT.

DECATUR MUNI:

TAKEOFF RWY 17: CLIMB ON HEADING 169.45 TO 1700 BEFORE PROCEEDING NORTH.

BOURLAND FIELD

TAKEOFF RWY 17: CLIMB ON HEADING 171.44 TO 1400 BEFORE TURNING RIGHT.

MID-WAY RGNL

TAKEOFF RWY 18: CLIMB ON HEADING 183.98 TO 1700 BEFORE PROCEEDING NORTHBOUND.

TAKEOFF RWY 36: CLIMB ON HEADING 018.98 TO 2700 BEFORE TURNING LEFT.

PARKER COUNTY

TAKEOFF RWY 35: CLIMB ON HEADING 001.37 TO 1600 BEFORE TURNING LEFT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
BDDAY	KUSSO7.BDDAY	KUSSO	THHOR	TRACK 143.97	9.69	10000	1900	
			JJANE	TRACK 091.41	25.16	10000	2000	
			MRSSH	TRACK 091.68	54.11	10000	2600	
			BDDAY	TRACK 114.66	34.60	10000	1900	
BSKAT	KUSSO7.BSKAT	KUSSO	ZERLU	TRACK 025.07	11.24	10000	2100	
			SWDIA	TRACK 064.12	27.10	10000	2100	
			ZACHH	TRACK 064.45	86.08	10000	2100	
			BSKAT	TRACK 057.11	39.63	10000	1900	
FORCK	KUSSO7.FORCK	KUSSO	HANUH	TRACK 108.92	5.69	10000	1900	
			LYING	TRACK 079.90	25.18	10000	2000	
			FORCK	TRACK 080.17	79.75	10000	2100	
LOOSE	KUSSO7.LOOSE	KUSSO	TRRCH	TRACK 050.69	6.54	10000	2000	
			JAYXX	TRACK 065.90	26.72	10000	2000	
			TRYTN	TRACK 066.09	84.64	10000	2000	
			LOOSE	TRACK 067.34	62.41	10000	2400	

QUALITY
9
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO		SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	
ZALEA	KUSSO7.ZALEA	KUSSO	THHOR	TRACK 143.97	9.69	10000 1900
			JJANE	TRACK 091.41	25.16	10000 2000
			MRSSH	TRACK 091.68	54.11	10000 2600
			ZALEA	TRACK 105.35	69.61	10000 2100
MRSSH	KUSSO7.MRSSH	KUSSO	THHOR	TRACK 143.97	9.69	10000 1900
			JJANE	TRACK 091.41	25.16	10000 2000
			MRSSH	TRACK 091.68	54.11	10000 2600

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: DALLAS LOVE FIELD: PROPS ONLY.

NOTE: DALLAS/FORT WORTH INTL: PROPS ONLY.

NOTE: BDDAY TRANSITION: ATC ASSIGNED ONLY.

NOTE: MRSSH TRANSITION: FOR AIRCRAFT INBOUND TO SHREVEPORT, JACKSON AND MONROE TERMINAL AREA AIRPORTS ONLY

TAKEOFF MINIMUMS:

DALLAS LOVE FIELD:

RWY 13L, 13R: STANDARD WITH A MINIMUM CLIMB OF 500 FT PER NM TO 1200.

RWY 31L, 31R: STANDARD WITH A MINIMUM CLIMB OF 500 FT PER NM TO 1000.

ADDISON

RWY 33: STANDARD.

RWY 15: 400-2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 325 FT PER NM TO 1100.

DALLAS EXECUTIVE

RWY 13, 31, 35: STANDARD.

RWY 17: 400-2 3/4 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1200

MCKINNEY NATIONAL

RWY 18, 36: STANDARD.

DALLAS-FORT WORTH INTL:

RWY 13L, 13R, 17C, 17L, 17R, 18L, 18R, 31L, 31R, 35C, 35L, 36L, 36R: STANDARD.

RWY 35R: STANDARD WITH MINIMUM CLIMB OF 245 FT PER NM TO 1200.

FORT WORTH ALLIANCE

RWY 34L, 34R: STANDARD.

RWY 16L: 300-2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 208 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1400 FT PRIOR TO DER.

RWY 16R: 300-2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 210 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1500 FT PRIOR TO DER.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	

FORT WORTH MEACHAM INTL

RWY 16, 17: STANDARD.

RWY 34: 300-2 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1800 FT PRIOR TO DER.

RWY 35: 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 900, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.

FORT WORTH SPINKS

RWY 17L, 35R: NA-ENVIRONMENTAL.

RWY 17R, 35L: STANDARD.

FORT WORTH NAS JRB (CARSWELL FIELD)

REFER TO APPROPRIATE MILITARY SERVICE DIRECTIVES.

ARLINGTON MUNI

RWY 16, 34: STANDARD.

DENTON ENTERPRISE

RWY 18L, 36R: STANDARD.

RWY 18R, 36L: NA

GRAND PRAIRIE MUNI

RWY 35: NA-ATC.

RWY 17: STANDARD.

LANCASTER RGNL

RWY 13: STANDARD.

RWY 31: 300-1 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 205 FT PER NM TO 800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.

MESQUITE METRO

RWY 18, 36: STANDARD.

CLEBURNE RGNL

RWY 15: STANDARD.

RWY 33: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 422 FT PER NM TO 1200.

DECATUR MUNI

RWY 17: STANDARD.

RWY 35: STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 3500.

ENNIS MUNI

RWY 16, 34: STANDARD.

BOURLAND FIELD

RWY 35: STANDARD.

RWY 17: 300-2 OR STANDARD WITH MINIMUM CLIMB OF 512 FT PER NM TO 1300.

MID-WAY RGNL

RWY 18, 36: STANDARD

RALPH M HALL/ROCKWALL MUNI

RWY 17, 35: STANDARD.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	

PARKER COUNTY
RWY 17, 35: STANDARD.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

DALLAS LOVE FIELD

RWY 13L/R - 1368 FT MSL ANTENNA ON BLDG, 324648.00N/0964814.00W.

ADDISON

RWY 15: 850 FT MSL BUILDING 325629.00N/0964925.00W. 975 FT MSL BUILDING 325540.81N/0964919.57W. 973 FT MSL BUILDING 325536.93N/0964906.47W

DALLAS EXECUTIVE

RWY 17: 1027 FT MSL TOWER 323817.80N/0965154.09W. 2549 FT MSL TOWER 323502.67N/0965748.75W.

RWY 13, 35: 2549 FT MSL TOWER 323502.67N/0965748.75W.

RWY 31: 2449 FT MSL TOWER 323506.00N/0965842.00W.

DALLAS-FORT WORTH INTL:

RWY 35R: 1016 FT MSL TOWER 325629.00N/0965931.00W

FORT WORTH ALLIANCE

RWY 16L: 954 FT MSL TANK 325641.21N/0971909.98W.

RWY 16R: 954 FT MSL TANK 325641.21N/0971909.98W. 1002 FT MSL TOWER 325653.00N/0971932.00W.

FORT WORTH MEACHAM INTL

RWY 16, 17: 1743 FT MSL TOWER 324501.00N/0971608.00W.

RWY 34: 970 FT MSL BUILDING 325123.18N/0972128.11W.

RWY 35: 821 FT MSL TRANSMISSION TOWER 325026.45N/0972224.41W. 826 FT MSL TRANSMISSION TOWER 325026.78N/0972232.32W.

FORT WORTH SPINKS

RWY 17R: 1772 FT MSL TOWER 323212.00N/0972446.86W.

ARLINGTON MUNI

RWY 16, 34: 2549 FT MSL TOWER 323502.67N/0965748.75W.

GRAND PRAIRIE MUNI

RWY 17: 2549 FT MSL TOWER 323502.67N/0965748.75W.

LANCASTER RGNL

RWY 31: 661 FT MSL TRANSMISSION TOWER 323601.76N/0964358.15W. 2549 FT MSL TOWER 323502.67N/0965748.75W.

CLEBURNE RGNL

RWY 33: 976 FT MSL WELL DRILLING RIG 322211.95N/0972629.30W. 1043 FT MSL WELL DRILLING RIG 322243.27N/0972649.63W.

DECATUR MUNI

RWY 17, 35: 2859 FT MSL TOWER 332312.00N/0973358.00W.

BOURLAND FIELD

RWY 17: 1011 FT MSL TREES 323407.39N/0973524.72W. 1123 FT MSL TRANSMISSION TOWER 323306.16N/0973536.73W. 1092 TRANSMISSION TOWER 323258.36N/0973539.81W.

1275 FT MSL TOWER 323156.00N/0973623.00W.

MID-WAY RGNL

RWY 18: 2449 FT MSL TOWER 323235.00N/0965733.00W.

RWY 36: 2549 FT MSL TOWER 323502.67N/0965748.75W.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	

PARKER COUNTY

RWY 35: 1418 FT MSL TOWER 324648.00N/0974155.00W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KDAL 3E EPOCH YEAR: 2020.

DME/DME ASSESSMENT: SAT (RNP 2.0)

CHART: MEA/MOCA FROM SALVE TO KUSSO, 8500/2100.

DALLAS LOVE FIELD - CHART TOP ALTITUDE: RWY 13L/13R: 3000; RWY 31L/31R: 2000.

DALLAS-FORT WORTH INTL - CHART TOP ALTITUDE: 2000

ALL OTHER AIRPORTS - CHART TOP ALTITUDE: ASSIGNED BY ATC.

PILOT NAVIGATION AREA:

7 NM ARC CENTERED ON SALVE (IF), CW

FROM: POINT A (BEARING 045 DEGREES TO SALVE)

TO: POINT B (BEARING 135 DEGREES TO SALVE)

MINIMUM IF CROSSING ALTITUDE - 7000

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
ADDISON	KADS	DALLAS	TX
DALLAS LOVE FIELD	KDAL	DALLAS	TX
DALLAS EXECUTIVE	KRBD	DALLAS	TX
MCKINNEY NATIONAL	KTKI	DALLAS	TX
DALLAS-FORT WORTH INTL	KDFW	DALLAS-FORT WORTH	TX
FORT WORTH ALLIANCE	KAFW	FORT WORTH	TX
FORT WORTH MEACHAM INTL	KFTW	FORT WORTH	TX
FORT WORTH SPINKS	KFWS	FORT WORTH	TX
FORTH WORTH NAS JRB (CARSWELL FIELD)	KNFW	FORT WORTH	TX
ARLINGTON MUNI	KGKY	ARLINGTON	TX
DENTON ENTERPRISE	KDTO	DENTON	TX
GRAND PRAIRIE MUNI	KGPM	GRAND PRAIRIE	TX
LANCASTER RGNL	KLNC	LANCASTER	TX
MESQUITE METRO	KHQZ	MESQUITE	TX

QUALITY
9
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO	SEVEN	KUSSO7.KUSSO	SIX	01/30/2020	
CLEBURNE RGNL	KCPT		CLEBURNE		TX
DECATUR MUNI	KLUD		DECATUR		TX
ENNIS MUNI	KF41		ENNIS		TX
BOURLAND FIELD	K50F		FORT WORTH		TX
MID-WAY RGNL	KJWY		MIDLOTHIAN/WAXAHACHIE		TX
RALPH M HALL/ROCKWALL MUNI	KF46		ROCKWALL		TX
PARKER COUNTY	KWEA		WEATHERFORD		TX

COMMUNICATIONS:

ATIS: DAL, ADS, DFW, RBD, AFW, FTW, FWS, NFW. **CLNC DEL:** DAL, ADS, DFW, RBD, TKI, AFW, FTW, NFW, GKY, DTO. **GND CON:** DAL, ADS, DFW, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM. **TOWER:** DAL, ADS, DFW, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM. **CTAF:** ADS, RBD, TKI, FWS, GKY, DTO GPM, LNC, HQZ, 50F, CPT, F41, F46, JWY, LUD, WEA. **DEP CON:** REGIONAL DEP CON. **CPDLC:** DAL, DFW.

FIXES AND/OR NAVAIDS:

REMARKS:

LETTER OF APPROVAL ON FILE FOR AIRPORTS/RUNWAYS OUTSIDE THE PNA.
 ABBREVIATED AMENDMENT
 PER FPT, REFERENCE DENTON ENTERPRISE: RWY 18R/36L WILL NOT BE ADDED TO THIS PROCEDURE AT THIS TIME.

FLIGHT INSPECTED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020 SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

OFFICE

DATE

Digitally signed by
ALLAN WILL
 Nov 02, 2020

DEVELOPED BY

JOSEPH BLANCO *Digitally signed by*
JOSEPH A BLANCO
 Oct 26, 2020

OFFICE

DATE

AJV-A423 08/04/2020

APPROVED BY

MARLON ROBINSON

OFFICE

DATE

Digitally signed by
ALLAN WILL
 Nov 02, 2020

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

Dec 31, 2020

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:** ATA, ZFW, REGIONAL DEP CON, DAL ATCT, ADS ATCT, DFW ATCT, RBD ATCT, TKI ATCT, AFW ATCT, FTW ATCT, FWS ATCT, NFW ATCT, GKY ATCT, DTO ATCT, GPM ATCT, AMGR(S).

CHANGES - REASONS:

1. TAKEOFF MINS - CHANGED DENTON ENTERPRISE RWY FROM 18, 36 TO 18L, 36R - NEW RUNWAY CONSTRUCTION

10/26/20: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 09/02/20

1. ADDED "RWY 18R, 36L: NA" TO DENTON ENTERPRISE TAKEOFF MINIMUMS - RUNWAY 18R/36L WAS NOT EVALUATED AT THE DIRECTION OF THE FPT.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO		SEVEN		KUSSO7.KUSSO		SIX		01/30/2020	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
SALVE	325020.94N/0963509.57W	Y	-	IF	-	-			
KUSSO	324957.10N/0962616.23W	Y	FB	TF	092.99	7.50			
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.BDDAY
THHOR	324148.38N/0962000.56W	Y	FB	TF	146.97	9.69			
JJANE	323948.54N/0955017.67W	Y	FB	TF	094.41	25.16			
MRSSH	323507.07N/0944627.83W	Y	FB	TF	094.68	54.11			
BDDAY	321856.11N/0941018.17W	Y	FB	TF	117.66	34.60			
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.BSKAT
ZERLU	325953.11N/0961958.89W	Y	FB	TF	028.07	11.24			
SWDIA	331022.97N/0955014.24W	Y	FB	TF	067.12	27.10			
ZACHH	334250.88N/0941456.02W	Y	FB	TF	067.45	86.08			
BSKAT	340230.74N/0933335.42W	Y	FB	TF	060.11	39.63			
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.FORCK
HANUH	324749.14N/0962000.18W	Y	FB	TF	111.92	5.69			
LYING	325052.67N/0955020.65W	Y	FB	TF	082.90	25.18			
FORCK	325947.52N/0941611.34W	Y	FB	TF	083.17	79.75			

QUALITY
9
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KUSSO		SEVEN		KUSSO7.KUSSO		SIX		01/30/2020	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.LOOSE
TRRCH	325349.81N/0962000.56W	Y	FB	TF	053.69	6.54			
JAYXX	330324.50N/0955021.30W	Y	FB	TF	068.90	26.72			
TRYTN	333304.70N/0941544.53W	Y	FB	TF	069.09	84.64			
LOOSE	335346.88N/0930508.38W	Y	FB	TF	070.34	62.41			
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.ZALEA
THHOR	324148.38N/0962000.56W	Y	FB	TF	146.97	9.69			
JJANE	323948.54N/0955017.67W	Y	FB	TF	094.41	25.16			
MRSSH	323507.07N/0944627.83W	Y	FB	TF	094.68	54.11			
ZALEA	321245.50N/0932835.29W	Y	FB	TF	108.35	69.61			
KUSSO	324957.10N/0962616.23W	Y	-	IF	-	-			KUSSO7.MRSSH
THHOR	324148.38N/0962000.56W	Y	FB	TF	146.97	9.69			
JJANE	323948.54N/0955017.67W	Y	FB	TF	094.41	25.16			
MRSSH	323507.07N/0944627.83W	Y	FB	TF	094.68	54.11			

