

RADIO FIX AND HOLDING DATA RECORD

NAME: GRIFT

STATE: IL

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 421728.14N/0885341.42W

TYPE: WP

AIRSPACE DOCKET: 21-AGL-3

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (GPS) RWY 9			68IS	HAMPSHIRE	IL (US)
EN ROUTE	T265					(US)
EN ROUTE	T302					(US)
EN ROUTE	T325					(US)
IAP	RNAV (GPS) RWY 26			3CK	CHICAGO/LAKE IN THE HILLS	IL (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 03/24/2022

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET NUMBER 21-AGL-3.
2. FIX USE: ADDED T302 AND CHANGED IAP AT 68IS TO SPECIAL IAP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: TARA MARTINELLI

APPROVED BY:

DATE: 03/24/2022

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: EHUHY

STATE: IL

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 421413.66N/0880548.22W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	E		WP	081.85	261.85	R	4	2500	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (17-000994)	421412.00N/0880416.00W	1360	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 26		1	3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
IAP	RNAV (GPS) RWY 8		1	3CK	CHICAGO/LAKE IN THE HILLS	IL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 10/31/2024

REASON FOR REVISION:

REMOVED FIX MAKE-UP FACILITY K3CK RW26
CHANGE PAT 1 RAD/CRS/BRG FROM 081.86 TO 081.85, CRS INBOUND FROM 261.86 TO 261.85, MAX TEMPLATE FROM 7 TO 6
UPDATED PAT 1 CONTROLLING OBSTRUCTION FROM TOWER (14-0994) TO TOWER (17-000994)
ADDED REMARK "PRECIPITOUS TERRAIN EVALUATION COMPLETED"
ADDED FIX USE RNAV (GPS) RWY 8 AND HOLDING PAT 1
ADDED FIX USE RNAV (GPS) RWY 26 AND HOLDING PAT 1

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: JON NEIDIGH

APPROVED BY:

DATE: 10/31/2024

OFFICE: AJV-A432

NAME: CASIMIR TABAKA

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: KRENA **STATE:** IL **COUNTRY:** US **ICAO REGION CODE:** K5

LATITUDE/LONGITUDE: 422229.57N/0882958.04W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: 20-AGL-1 **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	JANESVILLE	JVL	VOR/DME	L	109.01	112.01	29.06	29.06	2900	17500
2	DUPAGE	DPA	VOR/DME	L	345.13	347.13		29.81	2800	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	W	JVL	VOR/DME	109.01	109.01	L	1	2900 17500	5 17

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	422824.00N/0883336.00W	1418	4E

REASON FOR NONSTANDARD HOLDING:

PAT 1 TRAFFIC SEPARATION REQUIRED BY ZAU ARTCC.

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

JANESVILLE (FAC 1) AND DUPAGE (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V24	1, 2	1			(US)
IAP	RNAV (GPS) RWY 26			3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
IAP	RNAV (GPS) RWY 8			3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
STAR	JANESVILLE	1, 2	1	KORD	CHICAGO	IL (US)

REQUIRED CHARTING: STAR, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 12 **DATE OF REVISION:** 10/07/2021

REASON FOR REVISION:

AIRSPACE DOCKET: CHANGED 19-AGL-1 TO 20-AGL-1.
FIX MAKE-UP FACILITIES: REMOVED FAC 1 (RFD) - RFD VOR MON. EXCHANGED FACS 1 AND 2.
HOLDING: CHANGED PAT 1 MIN/MAX TEMPLATES FROM 6/18 TO 5/17.
REMARKS: REPLACED ROCKFORD (FAC 1) WITH JANESVILLE (FAC 1) IN FIX COORDINATES REMARK.
FIX USE: REMOVED V100.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A423	NAME: BARRY SMITH
APPROVED BY:	DATE: 07/09/2021	OFFICE: AJV-A420	NAME: MARLON ROBINSON
SIGNATURE:			