

**Federal Aviation
Administration**

Transmittal Letter 15-23

September 25, 2015

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DAT	SUBJECT
12-Nov-15	ME	Waterville	Waterville Robert Lafleur	5/2143	09/17/15	RNAV (GPS) RWY 5, Amdt 1

AIRAC Date: 12 November 2015

FDC **5/2143** WVL IAP WATERVILLE ROBERT LAFLEUR, WATERVILLE, ME. RNAV (GPS) RWY 5, AMDT 1... LPV DA 509 ALL CATS, LNAV/VNAV DA 588 ALL CATS, LNAV HAT 311 ALL CATS. CHART TDZE 309. DELETE NOTE: CIRCLING TO RWY 14-32 NA AT NIGHT. CHART NOTE: NIGHT LANDING: RWY 14 NA. CHANGE LOCAL ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE AUGUSTA ALTIMETER SETTING AND INCREASE ALL DA 35 FEET AND ALL MDA 40 FEET, INCREASE VISIBILITY LNAV/VNAV ALL CATS TO 7/8 MILE. CHANGE INOPERATIVE MALSF NOTE TO READ: FOR INOPERATIVE MALSF INCREASE VISIBILITY LPV CAT D TO 7/8 MILE, LNAV/VNAV CAT D TO 1 MILE AND LNAV CAT D TO 1 MILE: WHEN USING AUGUSTA ALTIMETER SETTING INCREASE VISIBILITY LPV ALL CATS TO 7/8 MILE, LNAV/VNAV CAT D TO 1 1/8 MILE AND LNAV CAT D TO 1 MILE. THIS IS RNAV (GPS) RWY 5, AMDT 1A.
1509171218-PERM