

**Federal Aviation
Administration**

Transmittal Letter 21-17

June 25, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/12/2021	NM	Farmington	Four Corners Rgnl	1/2594	6/15/2021	VOR/DME RWY 7, Amdt 4A

12 AUGUST 2021

FDC 1/2594 FMN IAP FOUR CORNERS RGNL, FARMINGTON, NM. VOR/DME RWY 7, AMDT 4A... APT ELEV 5507. S-7 VIS CAT C/D 1 1/8. CIRCLING CAT A MDA 6100/HAA 593, CAT B MDA 6180/HAA 673, CAT C MDA 6380/HAA 873, CAT D MDA 6460/HAA 953, VIS CAT C 2 1/2, CAT D 3. CHART VDP AT 8.00 DME; DISTANCE VDP TO THLD 1.22 NM. CHANGE CIRCLING NOTE TO READ: CIRCLING NA FOR CAT D SE OF RWY 5 AND S OF RWY 25. CHART NOTE: VDP NA WHEN USING DURANGO ALTIMETER SETTING. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DURANGO ALTIMETER SETTING AND INCREASE ALL MDAS 260 FEET AND VISIBILITY S-7 CAT C/ D AND CIRCLING CATS A/B/C 3/4 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT C 900- 2 1/2, CAT D 1000-3; NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS VOR/DME RWY 7, AMDT 4B.
2106141735-PERM