

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> PASO ROBLES MUNI	<u>AIRPORT ID</u> KPRB	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 31	<u>ORIGINAL/AMENDMENT</u> 1	<u>CITY</u> PASO ROBLES	<u>STATE</u> CA
<u>AIRPORT ELEVATION</u> 839	<u>TDZE</u> 839	<u>SUPERSEDED</u> RNAV (GPS) RWY 31	<u>ORIGINAL/AMENDMENT</u> ORIG-B	<u>DATED</u> 02/01/2018	<u>MAG VAR</u> 15E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 10 SEPTEMBER 2020	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 1980

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
PRB VORTAC		APURE		TF	FO	1.00	127.98	15.63	5100
MQO VORTAC	IAF	APURE	NOPT	TF	FB	1.00	036.36	20.36	5100
AVE VOR/DME	IAF	APURE	NOPT	TF	FB	1.00	229.01	24.89	5100
APURE	IF/IAF	EBUDE		TF	FB	1.00	308.75	4.69	3700
EBUDE		BAPTE		TF	FB	1.00	308.71	4.69	2700
BAPTE	FAF	DOJOS/3.40 NM TO RW31		TF	FB	0.30	308.69	2.32	
DOJOS/3.40 NM TO RW31		RW31	MAP	TF	FO	0.30	308.69	3.40	
RW31	MAP	1239 MSL		CA			308.69		
1239 MSL		JEBNO		DF	FO	1.00			4500

MISSED APPROACH

MAP:
LNAV: RW31

MISSED APPROACH INSTRUCTIONS:
CLIMBING RIGHT TURN TO 4500 DIRECT JEBNO AND HOLD, CONTINUE TO CLIMB-IN-HOLD TO 4500.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)

2. HOLD SE APURE, RT, 308.75 INBOUND, 5100 FT. IN LIEU OF PT (IAF), MAX 8000.

3. FAF: 308.69 FAF: BAPTE DIST FAF TO MAP: 5.73 DIST FAF TO THLD: 5.73

4. MIN ALT: APURE 5100, EBUDE 3700, BAPTE 2700, DOJOS/3.40 NM TO RW31 1960

5. DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT:

6. MIN GP INCPT: GP ALT AT FAF : OM: MM: IM:

7. GP ANGLE: 34:1: IS NOT CLEAR 20:1: IS CLEAR TCH:

8. MSA FROM: RW31 5600

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: RWY 31 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON AVE VOR/DME AIRWAY RADIALS 257 CW 313.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MQO VORTAC ON T329 SOUTHBOUND.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PRB VORTAC ON RADIALS 218 CW 038.

ADDITIONAL FLIGHT DATA:

DOJOS TO RW31: 3.00/38.
HOLD W, RT, 078.60 INBOUND.
CHART FAS OBST: 1141 POLE 353708N/1203516W.
CHART 1163 TREE 353705N/1203507W.
1617 AAO 353541N/1203203W.
CHART VDP AT 1.64 NM TO RW31.
CHART CIRCLING ICON.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - CAT D 900-2 3/4, NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1400	1	561	1400	1	561	1400	1 5/8	561	1400	1 5/8	561			
CIRCLING	1400	1	561	1400	1	561	1440	1 3/4	601	1700	2 3/4	861			



