

**Federal Aviation
Administration**

Transmittal Letter 13-19

July 29, 2013

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

| AIRAC DATE | STATE | CITY | AIRPORT | FDC NUMBER | FDC DATE | SUBJECT |
|------------|-------|-------------|-----------------------------|------------|-----------|---------------------------|
| 9/19/2013 | TN | SEVIERVILLE | GATLINBURG- PIGEON FORGE | 3/4067 | 7/29/2013 | RNAV (GPS) RWY 10 ORIG |

AIRAC Date: 30 DECEMBER 2021

FDC **3/4067** GKT FI/P IAP GATLINBURG-PIGEON FORGE, SEVIERVILLE, TN.
RNAV (GPS) RWY 10, ORIG... CHART NOTE: CIRCLING TO RWY 28 NA AT
NIGHT. CHANGE HELICOPTER NA NOTE TO READ: HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NA. CHANGE LOCAL ALTIMETER SETTING NOTE
TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MC GHEE
TYSON ALTIMETER SETTING AND INCREASE ALL DA/MDA 60 FEET AND
INCREASE LPV ALL CATS AND LNAV AND CIRCLING CATS C/D VISIBILITY 1/4
MILE. CHANGE BARO-VNAV NA NOTE TO READ: LNAV/VNAV NA WHEN USING
MC GHEE TYSON ALTIMETER SETTING. THIS IS RNAV (GPS) RWY 10, ORIG-A.