

**Federal Aviation
Administration**

Transmittal Letter 23-13

April 28, 2023

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/15/2023	OK	Stillwater	Stillwater Rgnl	3/7770	3/23/2023	RNAV (GPS) RWY 17, Amdt 1

AIRAC Date: 15 JUNE 2023

FDC 3/7770 SWO IAP STILLWATER RGNL, STILLWATER, OK. RNAV (GPS) RWY 17, AMDT 1... LNAV/VNAV DA 1279/HAT279. CHANGE NOTE TO READ: FOR INOPERATIVE ALS WHEN USING PONCA CITY ALTIMETER SETTING, INCREASE LPV VISIBILITY TO 7/8 SM, LNAV/VNAV VISIBILITY TO 1 SM, AND LNAV CATS C AND D VISIBILITY TO 1 3/8 SM. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PONCA CITY ALTIMETER SETTING: INCREASE LPV DA TO 1280 FEET; INCREASE LNAV/VNAV DA TO 1359 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDA 80 FEET AND VISIBILITY LNAV CATS C AND D 1/4 SM AND CIRCLING CAT D 1/2 SM. DELETE NOTE: RNP APCH. ADD NOTE: RNP APCH - GPS. THIS IS RNAV (GPS) RWY 17, AMDT 1A.
2302211647-PERM