

**Federal Aviation  
Administration**

**Transmittal Letter 22-18**

**August 11, 2022**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/11/2022	NY	Montauk	Montauk	2/1812	6/23/2022	RNAV (GPS) RWY 6, Orig-B

**AIRAC Date: 11 AUGUST 2022**

FDC 2/1812 MTP IAP MONTAUK, MONTAUK, NY. RNAV (GPS) RWY 6, ORIG-B... CIRCLING CAT D MDA 740/HAA 733, VIS CAT D 2 1/4. CHART PBN REQUIREMENTS NOTE: RNP APCH-GPS. DELETE NOTE: DME/DME RNP-0.3 NA. CHANGE NOTE TO READ: USE GROTON-NEW LONDON ALTIMETER SETTING; WHEN NOT RECEIVED, USE BLOCK ISLAND STATE ALTIMETER SETTING: INCREASE ALL MDA 20 FEET AND VISIBILITY LNAV CATS C AND D 1/8 SM AND CIRCLING CAT D 1/4 SM. THIS IS RNAV (GPS) RWY 6, ORIG-C. 2206211555-PERM