

**Federal Aviation  
Administration**

**Transmittal Letter 16-14**

**May 20, 2016**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

| By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:<br>.....EFFECTIVE UPON PUBLICATION |       |                         |                  |               |            |                     |
|--|-------|-------------------------|------------------|---------------|------------|---------------------|
| AIRAC<br>DATE  | STATE | CITY                    | AIRPORT          | FDC<br>NUMBER | FDC<br>DAT | SUBJECT             |
| 23-Jun-16  | TX    | Beaumont/Port<br>Arthur | Jack Brooks Rgnl | 6/5048        | 5/5/16     | VOR RWY 12, Amdt 9C |

**AIRAC Date: 23 JUNE 2016**

FDC 6/5048 BPT IAP JACK BROOKS RGNL, BEAUMONT/PORT ARTHUR, TX. VOR RWY 12, AMDT 9C... S-12 CAT A/B VIS RVR 2400, CAT D/E RVR 4000. CHANGE FOR INOPERATIVE MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE S-12 CAT C/D/E VISIBILITY TO RVR 6000 CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ORANGE COUNTY ALTIMETER SETTING AND INCREASE ALL MDA 40 FT AND S-12 CAT C/D/E VISIBILITY TO RVR 4500 AND CIRCLING CAT E 1/4 MILE. CHART NOTE: FOR INOPERATIVE MALSR WHEN USING ORANGE COUNTY ALTIMETER SETTING, INCREASE S-12 CAT E VISIBILITY TO 1 3/8 MILE. THIS IS VOR RWY 12, AMDT 9D. 1604051818-PERM