

**Federal Aviation  
Administration**

**Transmittal Letter 24-09**

**March 1, 2024**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
4/18/2024	MO	Cape Girardeau	Cape Girardeau Rgnl	4/0785	2/5/2024	RNAV (GPS) RWY 2, Orig-A

**AIRAC Date: 18 APRIL 2024**

FDC 4/0785 CGI IAP CAPE GIRARDEAU RGNL, CAPE GIRARDEAU, MO. RNAV (GPS) RWY 2, ORIG-A... LPV DA ALL CATS 801/HAT 459, VIS 1 3/8. LNAV/VNAV DA ALL CATS 857/HAT 515, VIS 1 3/8. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C OR ABOVE 54C. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAIRO ALTIMETER SETTING AND INCREASE LPV DA TO 849 FT, LNAV/VNAV DA TO 905 FT, AND ALL VISIBILITIES 1/4 SM. INCREASE ALL MDAS 60 FT AND LNAV VISIBILITY CAT C/D 1/8 SM, AND CIRCLING VISIBILITY CAT C/D 1/4 SM. CHANGE NOTE TO READ: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE ASTERISK FROM MINIMUM ALTITUDE: JUXAV/2.10 NM TO RW02 1040\*. DELETE ASTERISK FROM VDP \*1.3 NM TO RW02. DELETE PROFILE NOTE: \*LNAV ONLY. THIS IS RNAV (GPS) RWY 2, ORIG-B. 2402021623-PERM