

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> CLEARFIELD-LAWRENCE	<u>AIRPORT ID</u> KFIG	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 30	<u>ORIGINAL/AMENDMENT</u> 1B	<u>CITY</u> CLEARFIELD	<u>STATE</u> PA	
<u>AIRPORT ELEVATION</u> 1516	<u>TDZE</u> 1516	<u>SUPERSEDED</u> RNAV (GPS) RWY 30	<u>ORIGINAL/AMENDMENT</u> 1A	<u>DATED</u> 12/11/2014	<u>MAG VAR</u> 10W	<u>EPOCH YEAR</u> 2000
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u>	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
PSB VORTAC	IAF	EBUME	NOPT	TF	FB	1.00	308.29	8.02	4000
NUXUW	IAF	EBUME	NOPT	TF	FB	1.00	344.13	7.50	4000
ODLOE	IAF	EBUME	NOPT	TF	FB	1.00	254.18	7.50	4000
EBUME	IF/IAF	EZMEC		TF	FB	1.00	299.08	7.00	3300
EZMEC	FAF	ZURTO/1.90 NM TO UYUHO		TF	FB	0.30	298.99	2.56	
ZURTO/1.90 NM TO UYUHO		UYUHO	MAP	TF	FO	0.30	298.99	1.90	
UYUHO	MAP	2200 MSL		CA			298.99		2200
2200 MSL		EBUME		DF	FO	1.00			4000

MISSED APPROACH

MAP:

LPV: DA
 LNAV/VNAV: DA
 LNAV: UYUHO

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2200 THEN CLIMBING LEFT TURN TO 4000 DIRECT EBUME AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

