

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION: THIS IS A CORRECTED COPY OF THIS PROCEDURE PREVIOUSLY PUBLISHED IN NFDD #135.

GEORGE BUSH INTERCONTINENTAL/HOUSTON (KIAH)

TAKEOFF RWY 8L/8R: CLIMB ON HEADING 086.94 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 9: CLIMB ON HEADING 086.95 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 15L: CLIMB ON HEADING 148.96 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 15R: CLIMB ON HEADING 148.95 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 26L/26R: CLIMB ON HEADING 266.96 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 27: CLIMB ON HEADING 266.97 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 33L/33R: CLIMB ON HEADING 328.96 TO 600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
...ON TRACK 117.94 TO HOODO, THEN ON (TRANSITION). MAINTAIN 16000. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

WILLIAM P HOBBY (KHOU)

TAKEOFF RWY 4: CLIMB ON HEADING 040.95 TO 560, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 13L: CLIMB ON HEADING 130.93 TO 560, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 13R: CLIMB ON HEADING 130.95 TO 560, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 22: CLIMB ON HEADING 220.96 TO 700, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 31L: CLIMB ON HEADING 310.96 TO 560, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 31R: CLIMB ON HEADING 310.94 TO 560, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
...ON TRACK 117.94 TO HOODO, THEN ON (TRANSITION). MAINTAIN 16000. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

CONROE-NORTH HOUSTON RGNL (KCXO)

TAKEOFF RWY 1: CLIMB ON HEADING 012.17 TO 760, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 14: CLIMB ON HEADING 140.48 TO 760, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 19: CLIMB ON HEADING 192.17 TO 760, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 32: CLIMB ON HEADING 320.49 TO 760, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

RWJ AIRPARK (K54T)

TAKEOFF RWY 8: CLIMB ON HEADING 084.03 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 26: CLIMB ON HEADING 264.03 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

CLEVELAND MUNI (K6R3)

TAKEOFF RWY 16: CLIMB ON HEADING 156.75 TO 1400, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 34: CLIMB ON HEADING 311.75 TO 2000, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

HOUSTON-SOUTHWEST (KAXH)

TAKEOFF RWY 9: CLIMB ON HEADING 089.24 TO 2000, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 27: CLIMB ON HEADING 269.24 TO 2200, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

DAVID WAYNE HOOKS MEMORIAL (KDWH)

TAKEOFF RWY 17R: CLIMB ON HEADING 167.76 TO 660, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
TAKEOFF RWY 35L: CLIMB ON HEADING 347.76 TO 660, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

ELLINGTON (KEFD)



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

TAKEOFF RWY 4: CLIMB ON HEADING 038.85 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 17L: CLIMB ON HEADING 173.85 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 17R: CLIMB ON HEADING 173.84 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 22: CLIMB ON HEADING 218.86 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 35L: CLIMB ON HEADING 353.84 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 35R: CLIMB ON HEADING 353.85 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

SCHOLES INTL AT GALVESTON (KGLS)

TAKEOFF RWY 14: CLIMB ON HEADING 138.11 TO 520, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 18: CLIMB ON HEADING 178.86 TO 520, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 32: CLIMB ON HEADING 318.12 TO 520, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 36: CLIMB ON HEADING 358.86 TO 520, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

BAYTOWN (KHPY)

TAKEOFF RWY 14: CLIMB ON HEADING 139.75 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 32: CLIMB ON HEADING 319.75 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

WEST HOUSTON (KIWS)

TAKEOFF RWY 15: CLIMB ON HEADING 149.68 TO 620, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 33: CLIMB ON HEADING 329.68 TO 620, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

TEXAS GULF COAST RGNL (KLBX)

TAKEOFF RWY 17: CLIMB ON HEADING 174.93 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 35: CLIMB ON HEADING 354.93 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

PEARLAND RGNL (KLVJ)

TAKEOFF RWY 14: CLIMB ON HEADING 141.67 TO 1600, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 32: CLIMB ON HEADING 321.67 TO 700, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

SUGAR LAND RGNL (KSGR)

TAKEOFF RWY 17: CLIMB ON HEADING 170.28 TO 1500, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 35: CLIMB ON HEADING 350.28 TO 1100, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

CHAMBERS COUNTY (KT00)

TAKEOFF RWY 12: CLIMB ON HEADING 123.74 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 30: CLIMB ON HEADING 303.74 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

LA PORTE MUNI (KT41)

TAKEOFF RWY 5: CLIMB ON HEADING 046.34 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 12: CLIMB ON HEADING 121.17 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 23: CLIMB ON HEADING 226.35 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 30: CLIMB ON HEADING 301.18 TO 540, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

LIBERTY MUNI (KT78)

TAKEOFF RWY 16: CLIMB ON HEADING 160.77 TO 1700, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 34: CLIMB ON HEADING 340.78 TO 1000, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

HOUSTON EXECUTIVE (KTME)

TAKEOFF RWY 18: CLIMB ON HEADING 175.25 TO 680, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...
 TAKEOFF RWY 36: CLIMB ON HEADING 355.25 TO 700, FOR RADAR VECTORS TO VUH VOR/DME, THENCE...

...ON TRACK 117.94 TO HOODO, THEN ON (TRANSITION). MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
LEEVILLE	HOODO7.LEV	HOODO	SBIRD	TRACK 086.53	36.09	11000	1400	
			CFOOD	TRACK 086.70	60.00	11000	1400	
			BOWFN	TRACK 087.25	68.31	11000	1400	
			LEV VORTAC	TRACK 076.06	60.13	11000	1700	
HARVEY	HOODO7.HRV	HOODO	SBIRD	TRACK 086.53	36.09	11000	1400	
			CFOOD	TRACK 086.70	60.00	11000	1400	
			BOWFN	TRACK 087.25	68.31	11000	1400	
			HRV VORTAC	TRACK 047.94	82.32	11000	2100	
SBIRD	HOODO7.SBIRD	HOODO	SBIRD	TRACK 086.53	36.09	11000	1400	
CFOOD	HOODO7.CFOOD	HOODO	SBIRD	TRACK 086.53	36.09	11000	1400	
			CFOOD	TRACK 086.70	60.00	11000	1400	
BOWFN	HOODO7.BOWFN	HOODO	SBIRD	TRACK 086.53	36.09	11000	1400	
			CFOOD	TRACK 086.70	60.00	11000	1400	
			BOWFN	TRACK 087.25	68.31	11000	1400	

PROCEDURAL DATA NOTES:

NOTE: RNAV 1.
 NOTE: RADAR REQUIRED.
 NOTE: ATC ASSIGNED ONLY.
 NOTE: DME/DME/IRU OR GPS REQUIRED.
 NOTE: FOR NON-GPS EQUIPPED AIRCRAFT, LCH, LLA, TBD, AND LEV DME'S MUST BE OPERATIONAL.

TAKEOFF MINIMUMS:**GEORGE BUSH INTERCONTINENTAL/HOUSTON (KIAH)**

RWY 8L, 8R, 9, 15L, 15R, 26L, 26R, 27, 33L, 33R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 600.

WILLIAM P HOBBY (KHOU)

RWY 4, 13L, 13R, 31L, 31R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 560.

RWY 22: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 700.

ELLINGTON (KEFD)

RWY 4, 17L, 17R, 22, 35L, 35R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

CONROE-NORTH HOUSTON RGNL (KCXO)

RWY 1, 14, 19, 32: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 760.

DAVID WAYNE HOOKS MEMORIAL (KDWH)

RWY 17L, 35R: NA - ENVIRONMENTAL.

WATERWAY 17, 35: NA - AIR TRAFFIC.

RWY 17R, 35L: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 600.

RWJ AIRPARK (K54T)

RWY 14, 32: NA - ENVIRONMENTAL.

RWY 8, 26: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.

CLEVELAND MUNI (K6R3)

RWY 16, 34: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 660.

SUGAR LAND RGNL (KSGR)

RWY 17, 35: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 600.

HOUSTON SOUTHWEST (KAXH)

RWY 9, 27: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 580.

HOUSTON EXECUTIVE (KTME)

RWY 18, 36: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 680.

WEST HOUSTON (KIWS)

RWY 15, 33: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 620.

SCHOLES INTL AT GALVESTON (KGLS)

RWY 14, 18, 32, 36: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 520.

LA PORTE MUNI (KT41)

RWY 5, 12, 23, 30: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.

BAYTOWN (KHPY)

RWY 14, 32: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.

TEXAS GULF COAST RGNL (KLBX)

RWY 17, 35: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.

PEARLAND RGNL (KLVJ)

RWY 14, 32: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 560.

CHAMBERS COUNTY (KT00)

RWY 17, 35: NA-ENVIRONMENTAL.

RWY 12, 30: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.

LIBERTY MUNI (KT78)

RWY 16, 34: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 580.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:**WILLIAM P. HOBBY (KHOU)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

RWY 22, 31L, 31R: 2049 FT MSL TOWER 293430.00N/0952938.00W.

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 31R, 31L: 2049 FT MSL TOWER 293430.00N/0952938.00W.

ELLINGTON (KEFD)

RWY 22: 192 FT MSL WATER TOWER, 293521.00N/0951048.09W.

SUGAR LAND RGNL (KSGR)

RWY 17: 2049 FT MSL TOWER 293415.70N/0953038.30W.

RWY 35: 2049 FT MSL TOWER 293435.00N/0953037.00W.

HOUSTON-SOUTHWEST (KAXH)

RWY 9, 27: 2049 FT MSL TOWERS 293341.00N/0953005.00W.

HOUSTON EXECUTIVE (KTME)

RWY 36: 546 FT MSL TOWER 295050.00N/0955259.00W.

SCHOLES INTL AT GALVESTON (KGLS)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 32: 2013 FT MSL TOWER 291800.65N/0950640.27W.

LA PORTE MUNI (KT41)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 05: 334 FT MSL STACK 294201.00N/0950211.00W. RWY 12: 499 FT MSL STACK 293747.00N/0950316.00W. RWY 30: 584 FT MSL TOWER 294253.26N/0950540.31W.

BAYTOWN (KHPY)

RWY 14: 180 FT MSL TOWER 294613.50N/0945637.80W.

CLEVELAND MUNI (K6R3)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 16: 2049 FT MSL TOWER 301351.00N/0950726.00W. RWY 34: 2049 FT MSL TOWER 303207.00N/0950105.00W.

PEARLAND RGNL (KLVJ)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 14, 32: 1200 FT MSL TOWER 292757.00N/0951324.00W.

LIBERTY MUNI (KT78)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 16: 2049 FT MSL TOWER 300102.20N/0943247.89W, 2042 FT MSL TOWER 300306.00N/0943138.00W, 2040 FT MSL TOWER 295609.78N/0943039.38W. RWY 34: 2049 FT MSL TOWER 300102.20N/0943247.89W, 2042 FT MSL TOWER 300306.00N/0943138.00W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KIAH 3E / EPOCH YEAR: 2015. DME/DME ASSESSMENT: SAT (RNP 2.0)

GEORGE BUSH INTERCONTINENTAL (KIAH) - CHART: TOP ALTITUDE 16000

WILLIAM P HOBBY (KHOU) - CHART: TOP ALTITUDE 16000

RWJ AIRPARK (K54T) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

CLEVELAND MUNI (K6R3) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

HOUSTON-SOUTHWEST (KAXH) -CHART: TOP ALTITUDE: ASSIGNED BY ATC.

CONROE-NORTH HOUSTON RGNL (KCXO) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

DAVID WAYNE HOOKS MEMORIAL (KDWH) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

ELLINGTON (KEFD) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

SCHOLES INTL AT GALVESTON (KGLS) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

BAYTOWN (KHPY) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

WEST HOUSTON (KIWS) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

TEXAS GULF COAST RGNL (KLBX) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

PEARLAND RGNL (KLVJ) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 SUGAR LAND RGNL (KSGR) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 CHAMBERS COUNTY (KT00) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 LA PORTE MUNI (KT41) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 LIBERTY MUNI (KT78) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 HOUSTON EXECUTIVE (KTME) - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

CHART: MEA/MOCA FROM VUH VOR/DME TO HOODO, 9300/1400.

PILOT NAVIGATION AREA:
 10 NM ARC CENTERED ON VUH VOR/DME (IF), CW
 FROM: POINT A (BEARING 073 DEGREES TO VUH VOR/DME)
 TO: POINT B (BEARING 163 DEGREES TO VUH VOR/DME)
 MINIMUM ALTITUDE 4000.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
GEORGE BUSH INTERCONTINENTAL/HOUSTON	KIAH	HOUSTON	TX
WILLIAM P HOBBY	KHOU	HOUSTON	TX
ELLINGTON	KEFD	HOUSTON	TX
CONROE-NORTH HOUSTON RGNL	KCXO	HOUSTON	TX
DAVID WAYNE HOOKS MEMORIAL	KDWH	HOUSTON	TX
SUGAR LAND RGNL	KSGR	HOUSTON	TX
HOUSTON-SOUTHWEST	KAXH	HOUSTON	TX
HOUSTON EXECUTIVE	KTME	HOUSTON	TX
WEST HOUSTON	KIWS	HOUSTON	TX
PEARLAND RGNL	KLVJ	HOUSTON	TX
SCHOLES INTL AT GALVESTON	KGLS	GALVESTON	TX
TEXAS GULF COAST RGNL	KLBX	ANGLETON/LAKE JACKSON	TX
LA PORTE MUNI	KT41	LA PORTE	TX
BAYTOWN	KHPY	BAYTOWN	TX
RWJ AIRPARK	K54T	BAYTOWN	TX
CHAMBERS COUNTY	KT00	ANAHUAC	TX



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021
CLEVELAND MUNI	K6R3		CLEVELAND		TX
LIBERTY MUNI	KT78		LIBERTY		TX

COMMUNICATIONS:

ATIS: IAH, HOU, EFD, CXO, DWH, SGR, TME.

AWOS/ASOS: IAH, HOU, EFD, CXO, DWH, SGR, AXH, TME, GLS, LBX, 6R3, LVJ.

CTAF: CXO, DWH, SGR, AXH, TME, IWS, GLS, LBX, T41, 54T, 6R3, HPY, LVJ, T00, T78.

CLNC DEL: IAH, HOU, CXO, DWH, SGR, AXH, TME, IWS, GLS, LBX, T41, LVJ.

GND CON: IAH, HOU, EFD, CXO, DWH, SGR, GLS, TME.

TWR: IAH, HOU, EFD, CXO, DWH, SGR, GLS, TME.

DEP CON: CXO/6R3/T78 - 119.7/281.4

DEP CON: AXH/IWS/SGR/TME - 123.8/257.7

DEP CON: EFD/GLS/HPY/LBX/LVJ/54T/T00/T41 - 134.45/284.0

DEP CON: DWH - DEPARTING RWYS 17L/R DEPARTURE FREQUENCY 123.8/257.7, DEPARTING RWYS 35L/R DEPARTURE FREQUENCY 119.7/281.4

DEP CON: IAH/HOU - 127.125/269.075.

CPDLC: IAH, HOU

FIXES AND/OR NAVAIDS:**REMARKS:**

ABBREVIATED AMENDMENT

HOODO SEVEN AMENDMENT DOES NOT SATISFY PERIODIC REVIEW REQUIREMENTS.

FLIGHT INSPECTED BY**OFFICE****DATE**

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020
SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

Digitally signed by
LONNIE EVERHART

DEVELOPED BY

Digitally signed by

LONNIE EVERHART

Aug 23, 2021

OFFICE**DATE**

JON DENTON (JOHN KEEFER)

Aug 23, 2021

AJV-A432

05/04/2021

APPROVED BY

Digitally signed by

LONNIE EVERHART

Aug 23, 2021

OFFICE**DATE****TITLE**

LONNIE EVERHART

AJV-A430

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☒

ALPA ☒

AOPA ☒

APA ☒

HAI ☐

NBAA ☒

OTHER: ZHU ARTCC, HOU APP CON, IAH ATCT, HOU ATCT, DWH ATCT, EFD ATCT, SGR ATCT, AMGR: IAH, HOU, EFD, SGR, AXH, IWS, TME, DWH, CXO, GLS, T41, LBX, HPY, LVJ, T00, T78, 54T, 6R3.

CHANGES - REASONS:

1. UPDATED CLIMB HEADING TO CLIMB ON HEADING IN DP ROUTE DESCRIPTION. - 8260.46G COMPLIANCE.

2. REMOVED RUNWAYS 17, 35 FROM KHOU DP ROUTE DESCRIPTION. - RUNWAYS HAVE BEEN REMOVED.

3. UPDATED ALL REFERENCES FROM HOODO6. TO HOODO7. - UPDATES WITH AMENDMENT.

4. REMOVED KHOU RWY 17, 35 FROM TAKEOFF MINIMUMS. - RUNWAY HAS BEEN REMOVED.

5. REMOVED KHOU RWY 17 FROM CONTROLLING OBSTACLES. - RUNWAYS HAVE BEEN REMOVED.

6. REMOVED KHOU CONTROLLING OBSTACLE RWY 4: 174 FT MSL BUILDING 293935.00N0951526.00W. - NO 40:1 PENETRATIONS PER ODP.

7. ADDED OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 31R, 31L: 2049 FT MSL TOWER 293430.00N/0952938.00W TO KHOU CONTROLLING OBSTACLE. - 8260.46G COMPLIANCE.

8. ADDED SGR, TME TO ATIS IN COMMUNICATIONS. - ATIS IS AVAILABLE AT THESE AIRPORTS.

9. ADDED TME TO GND CON AND TWR IN COMMUNICATIONS. - GND CON AND TWR ARE AVAILABLE AT THIS AIRPORT.

QUALITY
45
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

08/19/21: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 06/28/21.

1. REPLACED KTOO WITH KT00 IN AIRPORTS SERVED.

QUALITY
45
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME				NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED		ACTUAL EFFECTIVE DATE	
HOODO				SEVEN		HOODO7.HOODO		SIX		04/25/2019		07 OCT 2021	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS				
VUH VOR/DME	291609.60N/0945203.81W	Y	-	IF	-	-							
HOODO	285948.51N/0942109.10W	Y	FB	TF	120.94	31.60							
HOODO	285948.51N/0942109.10W	Y	-	IF	-	-			HOODO7.SBIRD				
SBIRD	290000.00N/0934000.00W	Y	FB	TF	089.53	36.09							
HOODO	285948.51N/0942109.10W	Y	-	IF	-	-			HOODO7.CFOOD				
SBIRD	290000.00N/0934000.00W	Y	FB	TF	089.53	36.09							
CFOOD	290001.59N/0923134.51W	Y	FB	TF	089.70	60.00							
HOODO	285948.51N/0942109.10W	Y	-	IF					HOODO7.BOWFN				
SBIRD	290000.00N/0934000.00W	Y	FB	TF	089.63	36.09							
CFOOD	290001.59N/0923134.51W	Y	FB	TF	089.70	60.00							
BOWFN	285921.00N/0911341.00W	Y	FB	TF	090.25	68.31							
HOODO	285948.51N/0942109.10W	Y	-	IF					HOODO7.LEV				
SBIRD	290000.00N/0934000.00W	Y	FB	TF	089.53	36.09							
CFOOD	290001.59N/0923134.51W	Y	FB	TF	089.70	60.00							
BOWFN	285921.00N/0911341.00W	Y	FB	TF	090.25	68.31							
LEV VORTAC	291030.83N/0900614.47W	Y	FB	TF	079.06	60.13							
HOODO	285948.51N/0942109.10W	Y	-	IF					HOODO7.HRV				

QUALITY

45

QUALITY
45
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HOODO	SEVEN	HOODO7.HOODO	SIX	04/25/2019	07 OCT 2021

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
SBIRD	290000.00N/0934000.00W	Y	FB	TF	089.53	36.09			
CFOOD	290001.59N/0923134.51W	Y	FB	TF	089.70	60.00			
BOWFN	285921.00N/0911341.00W	Y	FB	TF	090.25	68.31			
HRV VORTAC	295100.70N/0900010.74W	Y	FB	TF	050.94	82.32			

