

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
DAYTON	SEVEN	DAY7.DAY	SIX	05/24/2018	26 MAR 2020

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 6L: CLIMB ON HEADING 061.33, THENCE...
TAKEOFF RWY 6R: CLIMB ON HEADING 061.35, THENCE...
TAKEOFF RWY 18: CLIMB ON HEADING 184.52, THENCE...
TAKEOFF RWY 24L: CLIMB ON HEADING 241.37, THENCE...
TAKEOFF RWY 24R: CLIMB ON HEADING 241.35, THENCE...
TAKEOFF RWY 36: CLIMB ON HEADING 004.52, THENCE...

...OR ASSIGNED RADAR VECTORS TO JOIN ASSIGNED ROUTE/FIX. ALL AIRCRAFT MAINTAIN 5000 OR FILED ALTITUDE IF LOWER. EXPECT CLEARANCE TO REQUESTED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE. APPROPRIATE DEPARTURE CONTROL FREQUENCY WILL BE ASSIGNED BY ATC. TURBOJET AIRCRAFT FILED OVER CVG VORTAC, MAINTAIN 250 KNOTS UNTIL ADVISED BY ATC, EXPECT VECTORS TO INTERCEPT CVG R-004. AIRCRAFT FILED OVER APE VORTAC, EXPECT VECTORS TO INTERCEPT APE R-260.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:**TAKEOFF MINIMUMS:**

RWY 6L, 6R, 24L, 24R, 36: STANDARD.
RWY 18: 300-1 OR STANDARD WITH A MINIMUM CLIMB OF 305 FEET PER NM TO 1300.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 18: 1168 FT MSL TANK 395256.97N/0841220.32W

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

CHART: APE R-260, CVG R-004
CHART: TOP ALTITUDE: 5000.
REFERENCE MAG VAR: KDAY 6W EPOCH YR: 2020

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
JAMES M COX DAYTON INTL	KDAY	DAYTON	OH

QUALITY
3
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
DAYTON	SEVEN	DAY7.DAY	SIX	05/24/2018	26 MAR 2020

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, DAY ATCT

FIXES AND/OR NAVAIDS:

PIONS, KLOEE, REELS, MIE VOR/DME, FWA VORTAC, VHP VORTAC, DQN VOR/DME, ROD VORTAC, DJB VOR/DME, XUB VOR

REMARKS:

ABBREVIATED AMENDMENT

FLIGHT INSPECTED BY

PROCESSED VIA AIRCRAFT OPERATIONS GROUP (AVW-33) MEMO, OCTOBER 3, 2018,
SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

Digitally signed by
DONALD H LANIER
Nov 27, 2019

OFFICE**DATE****DEVELOPED BY**

DONALD H LANIER (CHRISTOPHER STEWART)

Digitally signed by
DONALD H LANIER
Nov 27, 2019

OFFICE**DATE**

AJV-431

10/24/2019

APPROVED BY

GEORGE DAVIS

*Digitally signed by***DONALD H LANIER**

Nov 27, 2019

OFFICE**DATE****TITLE**

AJV-430

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**

CHANGES - REASONS:

1. CHANGED ROUTE DESCRIPTION FROM '...CLIMB HEADING...' TO '...CLIMB ON HEADING...' - 8260.46G PARA 1-1-5 A (3)
2. CHANGED DP ROUTE '...MAINTIAN 5000 FEET...' TO '...MAINTAIN 5000...' - 8260.46G APPENDIX D SECTION 2
3. REMOVED TAKEOFF OBSTACLE NOTES AND ADDED 'SEE FORM 8260-15A TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).' - 8260.46G APPENDIX D SECTION 2 PARAGRAPH 7
4. REMOVED PARENTHETICAL FROM CONTROLLING OBSTACLES - 8260.46G, APPENDIX D, SECTION 2, PARAGRAPH 8A
5. ADDED 'CHART: TOP ALTITUDE: 5000' TO ADDITIONAL FLIGHT DATA - 8260.46G, APPENDIX D, SECTION 2, PARAGRAPH 10C
6. ADDED 'REFERENCE MAG VAR: KDAY 6W EPOCH YR: 2020' - 8260.46G, APPENDIX D, SECTION 2, PARAGRAPH 10B

QUALITY
3
CHECKED