

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	<b>LNAV: RW17</b>  <b>CLIMB TO 4500 DIRECT MITZI AND HOLD.</b>  <b>ADDITIONAL FLIGHT DATA:</b> <b>HOLD S, RT, 353.88 INBOUND.</b> <b>CHART FAS OBST: 1849 TREE 353743N/0983903W</b> <b>YUGUY TO RW17: 3.05/40</b>
ODINS	OLVAE (FB)	279.52 / 9.38	4000	
WAXEY	PANIY (FB)	355.65 / 9.10	4000	
OLVAE (IAF)	ROKOY (FB)	263.94 / 5.00	4000	
PANIY (IAF)	ROKOY (FB)	083.82 / 5.00	4000	
ROKOY (IF)	YUGUY (FB)	173.88 / 6.06	3400	

1. PT NA SIDE OF COURSE \_\_\_\_\_ OUTBOUND \_\_\_\_\_ FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)
2. **PROFILE STARTS AT ROKOY**
3. FAC: 173.88 FAF: YUGUY DIST FAF TO MAP: 5.44 THLD: 5.44
4. MIN. ALT: **ROKOY 4000, YUGUY 3400**
5. DIST TO THLD FROM OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_ 150 HAT: \_\_\_\_\_ 100 HAT: \_\_\_\_\_ GS ANT: \_\_\_\_\_
6. MIN GS INCPT: \_\_\_\_\_ GS ALT AT: \_\_\_\_\_ OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_
7. GS ANGLE: \_\_\_\_\_ TCH: **34:1 IS NOT CLEAR**
8. MSA FROM: **RW17 4500**

MAG VAR: 6E

EPOCH YEAR: 2005

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A	X					
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	2100	1	495	2100	1	495	2100	1 1/4	495		NA				
CIRCLING	2100	1	495	2120	1	515	2140	1 1/2	535		NA				

**NOTES:**

CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE CLINTON REGIONAL ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET.

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ODINS VIA V17 EASTBOUND.

CITY AND STATE	ELEVATION: 1605 TDZE: 1605	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
WEATHERFORD, OK	AIRPORT NAME:	RNAV	RNAV (GPS) RWY 17, ORIG	AMDT: NONE
	THOMAS P. STAFFORD		MAY 10 2007	DATED

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE

WEATHERFORD, OK

ELEVATION: 1605 TDZE: 1605

AIRPORT NAME:

THOMAS P. STAFFORD

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 17, ORIG

MAY 10 2007

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible][illegible]

CITY AND STATE  WEATHERFORD, OK	ELEVATION: 1605      TDZE: 1605  AIRPORT NAME:  THOMAS P. STAFFORD	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 17, ORIG  MAY 10 2007	SUP:
				AMDT:      NONE
				DATED:      DS

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KOJAK4SRW17 K4PG

0 25180045

M

CITY AND STATE  
WEATHERFORD, OK

ELEVATION: 1605 TDZE: 1605  
AIRPORT NAME:  
THOMAS P. STAFFORD

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 17, ORIG  
MAY 10 2007

SUP:  
AMDT: NONE  
DATED: 79

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated except visibilities which are in statute miles or in feet RVR.

## ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	ODINS	ODINS	010		IF		FB				
	ODINS	OLVAE	020	IAF	TF		FB	2.0	279.5 (286T)	009.4	04000
	ODINS	ROKOY	030		TF	L	FB	1.0	263.9 (270T)	005.0	04000
	WAXEY	WAXEY	010		IF		FB				
	WAXEY	PANIY	020	IAF	TF		FB	2.0	355.7 (002T)	009.1	04000
	WAXEY	ROKOY	030		TF	R	FB	1.0	083.8 (090T)	005.0	04000
		ROKOY	010	FACF	IF		FB				04000
		YUGUY	020	FAF	TF		FB	0.5	173.9 (180T)	006.1	03400
		RW17	030	MAP	TF		FO	0.3	173.9 (180T)	005.4	01641

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	173.9 (180T)		02005
	MITZI	050		DF		FO	1.0			04500
	MITZI	060		HM	R	FO	2.0	353.9 (360T)	005.0	04500

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	MITZI	N352051.00	W0984004.78	N3520.850	W09840.080
	ODINS	N354204.36	W0982253.54	N3542.073	W09822.892
	OLVAE	N354434.69	W0983359.91	N3544.578	W09833.999
	PANIY	N354433.43	W0984616.97	N3544.557	W09846.283
	ROKOY	N354434.22	W0984008.44	N3544.570	W09840.141
	WAXEY	N353526.59	W0984636.33	N3535.443	W09846.606
	YUGUY	N353829.93	W0984007.50	N3538.499	W09840.125
	RW17	N353303.18	W0984006.66	N3533.053	W09840.111

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW17	01601	40

CITY AND STATE

WEATHERFORD, OK

ELEVATION: 1605 TDZE: 1605

AIRPORT NAME:

THOMAS P. STAFFORD

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 17, ORIG

MAY 10 2007

SUP:

AMDT: NONE

DATED:

✓