

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: IVOTY
PEARS	ACOTO (FB)	083.59 / 10.42	3000	CLIMB TO 4000 DIRECT UKAMY AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000.
ACOTO (IAF)	JETZO (FB)	093.99 / 4.28	1800	
JETZO (IF)	ZOYKO (FB)	039.85 / 6.10	1800	
				ADDITIONAL FLIGHT DATA: HOLD NE, RT, 204.90 INBOUND. CHART FAS OBST: 156 TANK 360106N/0763343W CHART R-5314J. ZOYKO TO RW01: 3.00/39. FAC CROSSES RWY C/L EXTENDED 3000 FROM THLD.

- PT NA SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)
- PROFILE STARTS AT **JETZO**
- FAC: 024.89 FAF: ZOYKO DIST FAF TO MAP: 5.00 THLD: 5.48
- MIN. ALT: **JETZO 1800, ZOYKO 1800**
- DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____
- MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____
- GS ANGLE: _____ TCH: **34:1 IS NOT CLEAR**
- MSA FROM: **IVOTY 4100**

MAG VAR: 10W

EPOCH YEAR: 2000

MINIMUMS

TAKEOFF:	X	STANDARD	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @											
CATEGORY	=====	A			B			C			D			E		
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA		460	1	440	460	1	440	460	1 1/4	440	460	1 1/2	440			
CIRCLING		520	1	500	520	1	500	520	1 1/2	500	580	2	560			

NOTES:
CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE ELIZABETH CITY ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
SEE 8260-10

CITY AND STATE
EDENTON, NC

ELEVATION: 20 TDZE: 20
AIRPORT NAME:
NORTHEASTERN RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO.:
RNAV (GPS) RWY 1, AMDT 1
MAY 10 2007

SUP:
AMDT: ORIG
DATED 10/05/2000

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PEARS VIA V139 SOUTHWEST BOUND.

CITY AND STATE
EDENTON, NC

ELEVATION: 20 TDZE: 20
AIRPORT NAME:
NORTHEASTERN RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO.:
RNAV (GPS) RWY 1, AMDT 1

MAY 10 2007

SUP:

AMDT: ORIG

DATED: 10/05/2000

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

PAGE 3 OF 4 PAGES

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	PEARS	PEARS	010		IF		FB				
	PEARS	ACOTO	020	IAF	TF		FB	2.0	083.6 (074T)	010.4	03000
	PEARS	JETZO	030		TF		FB	1.0	094.0 (084T)	004.3	01800
		JETZO	010	FACF	IF		FB				01800
		ZOYKO	020	FAF	TF		FB	0.5	039.9 (030T)	006.1	01800
		IVOTY	030	MAP	TF		FO	0.3	024.9 (015T)	005.0	00215

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	024.9 (015T)		00420
	UKAMY	050		DF		FO	1.0			04000
	UKAMY	060		HM	R	FO	2.0	204.9 (195T)	005.0	04000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACOTO	N355008.63	W0764444.28	N3550.144	W07644.738
	IVOTY	N360043.60	W0763411.05	N3600.727	W07634.184
	JETZO	N355035.43	W0763930.44	N3550.591	W07639.507
	PEARS	N354712.37	W0765701.98	N3547.206	W07657.033
	UKAMY	N360624.96	W0763219.11	N3606.416	W07632.319
	ZOYKO	N355553.27	W0763546.10	N3555.888	W07635.768
	RW01	N360113.27	W0763411.11	N3601.221	W07634.185

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW01	00018	39

CITY AND STATE
EDENTON, NC

ELEVATION: 20 TDZE: 20
 AIRPORT NAME:
 NORTHEASTERN RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO.:
 RNAV (GPS) RWY 1, AMDT 1
 MAY 10 2007

SUP:
 AMDT: ORIG
 DATED: 10-05-2000