

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW06  CLIMBING RIGHT TURN TO 5300 DIRECT CABYA AND HOLD.  ADDITIONAL FLIGHT DATA: CHART FAS OBST: 2305 TOWER 362006N/0821256W. ZURVI TO RW06: 3.65/36. CHART VDP AT 4.14 MILES TO RW06.
TAKEN (IAF)	CABYA (NOPT) (FB)	157.69 / 6.01	5300	
CABYA (IF/IAF)	ACABE (FB)	063.47 / 5.03	4600	
ACABE	ZURVI (FB)	063.47 / 2.86	3700	

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD SW CABYA, LT, 063.47 INBOUND, 5300 FT. IN LIEU OF PT (IAF)
- FAC: 063.55 FAF: ZURVI DIST FAF TO MAP: 5.44 THLD: 5.44
- MIN. ALT: CABYA 5300, ACABE 4600, ZURVI 3700
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW06 7500

MAG VAR: 6W

EPOCH YEAR: 2005

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A	@				
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	3240	1 1/4	1685	3240	1 1/2	1685	3240	3	1685		NA				
CIRCLING	3240	1 1/4	1647	3240	1 1/2	1647	3240	3	1647		NA				

NOTES:  
 CHART NOTE: CIRCLING NA NW OF RWY 6-24.  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: PROCEDURE NA AT NIGHT.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CONTINUED ON PAGE 2

@ CAT A, B 1700-2, CAT C 1700-3  
 @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE  ELIZABETHTON, TN	ELEVATION: 1593 TDZE: 1555 AIRPORT NAME:  ELIZABETHTON MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMD'T NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, ORIG  MAY 10 2007	SUP:
				AMD'T: NONE
				DATED

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES CONT.**

CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE TRI-CITIES REGIONAL ALTIMETER SETTING AND INCREASE ALL MDAS 60 FT.

CHART NOTE: VDP NA WHEN USING TRI-CITIES REGIONAL ALTIMETER SETTING.

CITY AND STATE

ELIZABETHTON, TN

ELEVATION: 1593 TDZE: 1555

AIRPORT NAME:

ELIZABETHTON MUNI

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:

RNAV (GPS) RWY 6, ORIG

MAY 10 2007

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible][illegible]

PAGE 3 OF 4 PAGES

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	TAKEN	TAKEN	010	IAF	IF		FB				
	TAKEN	CABYA	020		TF		FB	1.0	157.7 (152T)	006.0	05300
	CABYA	CABYA	010		HF	L	FB		063.5 (058T)	005.0	05300
		CABYA	010	FACF	IF		FB				05300
		ACABE	011	SDF	TF		FB	0.5	063.5 (058T)	005.0	04600
		ZURVI	020	FAF	TF		FB	0.5	063.5 (058T)	002.9	03700
		RW06	030	MAP	TF		FO	0.3	063.6 (058T)	005.4	01592

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	063.6 (058T)		01993
	CABYA	050		DF	R	FO	1.0			05300
	CABYA	060		HM	L	FO	2.0	063.5 (058T)	005.0	05300

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACABE	N361737.42	W0821926.83	N3617.624	W08219.447
	CABYA	N361454.92	W0822441.84	N3614.915	W08224.697
	TAKEN	N362012.78	W0822813.22	N3620.213	W08228.220
	ZURVI	N361909.51	W0821627.97	N3619.159	W08216.466
	RW06	N362204.88	W0821046.63	N3622.081	W08210.777

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW06	01556	36

CITY AND STATE  
 ELIZABETHTON, TN

ELEVATION: 1593 TDZE: 1555  
 AIRPORT NAME:  
 ELIZABETHTON MUNI

FACILITY  
 IDENTIFIER:  
 RNAV

PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:  
 RNAV (GPS) RWY 6, ORIG  
 MAY 10 2007

SUP:  
 AMDT: NONE  
 DATED: