

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
QUILL	SOGCO (FO)	317.23 / 8.90	2000	LNAV: RW14 CLIMBING LEFT TURN TO 2000 DIRECT SOGCO AND HOLD. ADDITIONAL FLIGHT DATA: FAS OBST: 519 AAO 303920N/0843622W JORLA TO RW14: 3.04/40. CHART TALLAHASSEE REGIONAL ASOS, 119.45
SNEAD (IAF)	SOGCO (NOPT) (FB)	068.05 / 5.91	2000	
SAIML (IAF)	SOGCO (NOPT) (FB)	145.96 / 9.69	2000	
SOGCO (IF/IAF)	JORLA (FB)	136.46 / 6.10	1800	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NW SOGCO, RT, 136.46 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
- FAC: 136.50 FAF: JORLA DIST FAF TO MAP: 4.77 THLD: 4.77
- MIN. ALT: SOGCO 2000, JORLA 1800
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW14 2100

MAG VAR: 1W

EPOCH YEAR: 1985

MINIMUMS

TAKEOFF:	<input type="checkbox"/>	STANDARD	<input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N/A	<input checked="" type="checkbox"/>										
CATEGORY	=====	A			B			C			D			E		
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA		840	1	619	840	1	619	840	1 3/4	619		NA				
CIRCLING		840	1	619	840	1	619	860	1 3/4	639		NA				

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT SAIML VIA V7 NORTHWEST BOUND.
 CHART NOTE: USE TALLAHASSEE REGIONAL ALTIMETER SETTING; WHEN NOT RECEIVED USE BAINBRIDGE, GA
 ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET.

CITY AND STATE	ELEVATION: 221 TDZE: 221	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
QUINCY, FL	AIRPORT NAME: QUINCY MUNI	RNAV	RNAV (GPS) RWY 14, ORIG 12 MAR 2009	AMDT: NONE
				DATED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 2J9 K7FR14	AQUILL	010QUILLK7EA0E	IF							18000		B JS	
SUSAP 2J9 K7FR14	AQUILL	020SOGCOK7EA0EY	020TF			31720089		+ 02000				B JS	
SUSAP 2J9 K7FR14	AQUILL	030SOGCOK7EA0EB	CR HF			13650040		+ 02000				B JS	
SUSAP 2J9 K7FR14	ASAIML	010SAIMLK7EA0E	A IF							18000		B JS	
SUSAP 2J9 K7FR14	ASAIML	020SOGCOK7EA0EE	010TF			14600097		+ 02000				B JS	
SUSAP 2J9 K7FR14	ASNEAD	010SNEADK7EA0E	A IF							18000		B JS	
SUSAP 2J9 K7FR14	ASNEAD	020SOGCOK7EA0EE	010TF			06810059		+ 02000				B JS	
SUSAP 2J9 K7FR14	R	010SOGCOK7EA0E	I IF					+ 02000		18000		B JS	
SUSAP 2J9 K7FR14	R	020JORLAK7EA1E	F 051TF			13650061		+ 01800			RW14	K7PGB JS	
SUSAP 2J9 K7FR14	R	020JORLAK7EA2WN		N		ALNAV						JS	
SUSAP 2J9 K7FR14	R	030RW14 K7PG0GY	M 031TF			13650048		00261		-304		B JS	
SUSAP 2J9 K7FR14	R	040SOGCOK7EA0EYM	L010DF					+ 02000				B JS	
SUSAP 2J9 K7FR14	R	050SOGCOK7EA0EE	HR020HM			13650040		+ 02000				B JS	

[illegible][illegible]

CITY AND STATE QUINCY, FL	ELEVATION: 221 TDZE: 221 AIRPORT NAME: QUINCY MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 12 MAR 2009	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP 2J9 K7SRW14 K7PG

0 18018002125

M

CITY AND STATE

QUINCY, FL

ELEVATION: 221

TDZE: 221

AIRPORT NAME:

QUINCY MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 14, ORIG

12 MAR 2009

SUP:

AMDT: NONE

DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	QUILL	QUILL	010		IF		FB				
	QUILL	SOGCO	020		TF		FO	2.0	317.2 (316T)	008.9	02000
	QUILL	SOGCO	030		HF	R	FO		136.5 (136T)	004.0	02000
	SAIML	SAIML	010	IAF	IF		FB				
	SAIML	SOGCO	020		TF		FB	1.0	146.0 (145T)	009.7	02000
	SNEAD	SNEAD	010	IAF	IF		FB				
	SNEAD	SOGCO	020		TF		FB	1.0	068.1 (067T)	005.9	02000
		SOGCO	010	FACF	IF		FB				02000
		JORLA	020	FAF	TF		FB	0.5	136.5 (136T)	006.1	01800
		RW14	030	MAP	TF		FO	0.3	136.5 (136T)	004.8	00261

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	SOGCO	040		DF	L	FO	1.0			02000
	SOGCO	050		HM	R	FO	2.0	136.5 (136T)	004.0	02000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	JORLA	N303925.61	W0843728.96	N3039.427	W08437.483
	QUILL	N303720.92	W0843518.08	N3037.349	W08435.301
	SAIML	N305144.63	W0844854.07	N3051.744	W08448.901
	SNEAD	N304128.69	W0844845.51	N3041.478	W08448.759
	SOGCO	N304347.14	W0844226.60	N3043.786	W08442.443
	RW14	N303600.94	W0843336.49	N3036.016	W08433.608

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW14	00221		40

CITY AND STATE
QUINCY, FL

ELEVATION: 221 TDZE: 221
 AIRPORT NAME:
 QUINCY MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 14, ORIG
 12 MAR 2009

SUP:
 AMDT: NONE
 DATED: