

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: PIBIY CLIMB TO 3000 DIRECT DINEC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SE, RT, 302.41 INBOUND. ACIRI TO RW12: 3.06/40. CHART NOATAK AWOS, 135.75 FREQUENCY.											
COKRA (IAF)	CALGA (NOPT) (FB)	031.57 / 6.00	3000												
JOKOD (IAF)	CALGA (NOPT) (FB)	211.93 / 6.00	3000												
CALGA (IF/IAF)	ACIRI (FB)	121.75 / 6.00	2000												
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD NW CALGA, RT, 121.75 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC: 121.91 FAF: ACIRI DIST FAF TO MAP: 5.60 THLD: 6.00 4. MIN. ALT: CALGA 3000, ACIRI 2000 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS CLEAR 8. MSA FROM: _____				MAG VAR: 15E EPOCH YEAR: 2005											
MINIMUMS															
TAKEOFF: <input checked="" type="checkbox"/> STANDARD		SEE FAA FORM 8260-15A FOR THIS AIRPORT		ALTERNATE: N A											
CATEGORY =====>				STANDARD @											
	A		B		C		D		E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	340	1	327	340	1	327	340	1	327		NA				
CIRCLING	440	1	427	480	1	467	480	1 1/2	467		NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE NOATAK ALTIMETER SETTING AND INCREASE ALL MDA 340 FEET AND CAT C VISIBILITY 3/4 MILE.															
CITY AND STATE KIVALINA, AK		ELEVATION: 13 TDZE: 13 AIRPORT NAME: KIVALINA		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 12, AMDT 1 31 JUL 2008		SUP:							
								AMDT: ORIG							
								DATED 02/19/2004							

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	032/30 CW 122/30 (NOPT)	032/15 CW 122/15	4000
2.	032/15 CW 122/15	CALGA (IF/IAF) (FB)	3000
3.	122/30 CW 212/30 (NOPT)	122/6 CW 212/6	4000
4.	122/6 CW 212/6	CALGA (IF/IAF) (FB)	3000
5.	212/30 CW 302/30	212/15 CW 302/15	5000
6.	212/15 CW 302/15	JOKOD (IAF) (FB)	4000
7.	302/30 CW 032/30	COKRA (IAF) (FB)	3000

CITY AND STATE

KIVALINA, AK

ELEVATION: 13

TDZE: 13

AIRPORT NAME:

KIVALINA

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 12, AMDT 1

31 JUL 2008

SUP:

AMDT: ORIG

DATED: 02/19/2004

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG
DATED:	02/19/2004

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	CALGA	CALGA	010		HF	R	FB		121.8 (137T)	004.0	03000
	COKRA	COKRA	010	IAF	IF		FB				
	COKRA	CALGA	020		TF		FB	1.0	031.6 (047T)	006.0	03000
	JOKOD	JOKOD	010	IAF	IF		FB				
	JOKOD	CALGA	020		TF		FB	1.0	211.9 (227T)	006.0	03000
		CALGA	010	FACF	IF		FB				03000
		ACIRI	020	FAF	TF		FB	1.0	121.8 (137T)	006.0	02000
		PIBIY	030	MAP	TF		FO	0.3	121.9 (137T)	005.6	00051

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	DINEC	040		DF		FO	1.0			03000
	DINEC	050		HM	R	FO	2.0	302.4 (317T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACIRI	N674843.25	W1644501.20	N6748.721	W16445.020
	CALGA	N675304.84	W1645551.36	N6753.081	W16455.856
	COKRA	N674858.68	W1650722.59	N6748.978	W16507.377
	DINEC	N673548.54	W1641329.56	N6735.809	W16413.493
	JOKOD	N675710.18	W1644416.07	N6757.170	W16444.268
	PIBIY	N674438.46	W1643458.02	N6744.641	W16434.967
	RW12	N674420.95	W1643415.07	N6744.349	W16434.251

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW12	00011	40

CITY AND STATE
KIVALINA, AK

ELEVATION: 13 TDZE: 13
 AIRPORT NAME:
 KIVALINA

FACILITY
IDENTIFIER:
 RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 12, AMDT 1
 31 JUL 2008

SUP:
 AMDT: ORIG
 DATED: 02/19/2004