

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LP: KEYET LNAV: KEYET					
PUFFS		WEMKO (FB)		280.72 / 19.01				12100		CLIMB TO 11000 DIRECT BLEN1 AND ON TRACK 011.22 TO HIA VOR/DME AND HOLD.					
WEMKO		IDOME (FB)		283.21 / 25.22				12100							
UNEPE		PARUE (FB)		022.31 / 6.53				13000		ADDITIONAL FLIGHT DATA: HOLD N, RT, 190.52 INBOUND. CHART FAS OBST: 5343 GRD 451315N/1123317W CHART FAS OBST: 5356 POLE 451429N/1123221W WAAS CHANNEL # 49227 REFERENCE PATH ID: W35A RICOV TO RW35: 3.00/30. CHART PLANVIEW NOTE: FINAL APPROACH COURSE OFFSET 19.97 DEGREES CHART CIRCLING ICON FICTITIOUS THRESHOLD POINT (CFCCR) DO NOT CHART FAC CROSSES RWY C/L EXTENDED 3000 FROM THLD. FTP HAE: 1587.3 M					
PARUE		IDOME (FB)		022.37 / 11.97				12100							
IDOME		DUYES (FB)		346.76 / 14.56				11600							
OSURE		DUYES (FB)		111.12 / 11.75				11600							
DUYES (IAF)		FESLO (FB)		059.80 / 9.05				8800							
(SEE FORM 8260-10)															
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)										MAG VAR: 13E EPOCH YEAR: 2010					
2. PROFILE STARTS AT FESLO															
3. FAC: 005.56 FAF: RICOV DIST FAF TO MAP: 4.64 THLD: 5.11															
4. MIN. ALT: FESLO 8800, RICOV 6900, VUBBU/2.30 NM TO KEYET 6140															
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:															
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:															
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: KEYET 12400															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @						
CATEGORY =====>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	5600	1	355	5600	1	355	5600	1	355	5600	1	355			
LNAV MDA	5620	1	375	5620	1	375	5620	1	375	5620	1	375			
CIRCLING	5760	1	515	5860	1	615	5980	2	735	6300	3	1055			
NOTES: CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA. @ CAT D 1100-3 CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED CHART NOTE: NIGHT LANDING: RWY 4, 22, 35 NA. (SEE FORM 8260-10)															
CITY AND STATE DILLON, MT		ELEVATION: 5245 TDZE: 5245 AIRPORT NAME: DILLON		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 DECEMBER 2015				SUP: AMDT: NONE DATED		QUALITY 23 CHECKED			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.	
RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33					
TERMINAL ROUTES, (CONT.):					
FROM		TO	COURSE AND DISTANCE	ALTITUDE	
FESLO (IF)	AKRAH (FB)		035.41 / 2.20	8100	
AKRAH	RICOV (FB)		035.41 / 3.83	6900	
RICOV (FAF)	VUBBU/2.30 NM TO KEYET (FB)		005.56 / 2.34		
VUBBU/2.30 NM TO KEYET	KEYET (MAP) (FO)		005.56 / 2.30		
KEYET (MAP)	5600 MSL		005.56		
5600 MSL	BLENI (FB)				
BLENI	HIA VOR/DME (FO)		011.22 / 33.67	11000	
NOTES, (CONT.):					
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT UNEPE ON V520 SOUTHEAST BOUND, ARRIVALS AT PUFFS ON V343 NORTHEAST BOUND, AND ARRIVALS AT OSURE ON V121 WESTBOUND.					
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT, (VGSI ANGLE {ANGLE}/TCH {FEET}).					
CITY AND STATE		ELEVATION: 5245	TDZE: 5245	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
DILLON, MT		AIRPORT NAME:		RNAV	RNAV (GPS) RWY 35, ORIG
		DILLON			10 DECEMBER 2015
					SUP:
					AMDT: NONE
					DATED:

QUALITY  
23  
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KDLN
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
FTP LATITUDE	451450.8650N
FTP LONGITUDE	1123253.0850W
FTP ELLIPSOIDAL HEIGHT	+15873
FPAP LATITUDE	451615.1420N
FPAP LONGITUDE	1123212.9395W
THRESHOLD CROSSING HEIGHT (TCH)	00030.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

**CRC REMAINDER**

F57ACFE5

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K1
LTP ORTHOMETRIC HEIGHT	+15986
FPAP ORTHOMETRIC HEIGHT	+15986

CITY AND STATE

DILLON, MT

ELEVATION: 5245

TDZE: 5245

AIRPORT NAME:

DILLON

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 35, ORIG

10 DECEMBER 2015

SUP:

AMDT:

DATED:

QUALITY  
23  
CHECKED

NONE

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KDLN

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
OSURE	010	OSURE	IF	FB										E
OSURE	020	DUYES	TF	FB	2.0	111.1						AA 11600		E A
OSURE	030	FESLO	TF	FB	1.0	059.8						AA 08800		EE B
PUFFS	010	PUFFS	IF	FB										E
PUFFS	020	WEMKO	TF	FB	2.0	280.7						AA 12100		E
PUFFS	030	IDOME	TF	FB	2.0	283.2						AA 12100		E
PUFFS	040	DUYES	TF	FB	2.0	346.8						AA 11600		E A
PUFFS	050	FESLO	TF	FB	1.0	059.8						AA 08800		EE B
UNEPE	010	UNEPE	IF	FB										E
UNEPE	020	PARUE	TF	FB	2.0	022.3						AA 13000		E
UNEPE	030	IDOME	TF	FB	2.0	022.4						AA 12100		E
UNEPE	040	DUYES	TF	FB	2.0	346.8						AA 11600		E A
UNEPE	050	FESLO	TF	FB	1.0	059.8						AA 08800		EE B
	010	FESLO	IF	FB								AA 08800		E I
	011	AKRAH	TF	FB	0.5	035.4						AA 08100		E
	020	RICOV	TF	FB	0.5	035.4				KEYET		AA 06900		E F
	021	VUBBU	TF	FB	0.3	005.6		3.00				AA 06140 GS 06155		E S
	030	KEYET	TF	FO	0.3	005.6		3.00				AT 05432		EY M
	040		CA	FB		005.6						AA 05600		M
	050	BLNI	DF	FB										E
	060	HIA	TF	FO	1.0	011.2						AA 11000		VY
	070	HIA	HM	FO		190.5			R			AA 11000		VE

POINTS

POINT NAME	LATITUDE	LONGITUDE
HIA	N455142.44	W1121010.59
AKRAH	N450728.32	W1123913.89
BLNI	N452102.37	W1122956.16
DUYES	N450320.83	W1125345.84
FESLO	N450600.73	W1124133.32
IDOME	N444847.23	W1125340.64
KEYET	N451424.32	W1123305.72
OSURE	N450957.01	W1130729.05
PARUE	N443902.01	W1130324.58
PUFFS	N443006.93	W1115731.32
RICOV	N451000.55	W1123511.11

CITY AND STATE <b>DILLON, MT</b>	ELEVATION: <b>5245</b> TDZE: <b>5245</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 35, ORIG</b> 10 DECEMBER 2015	SUP: <b>4</b>
	AIRPORT NAME: <b>DILLON</b>			AMDT: <b>NONE</b>
	DATED:			

QUALITY  
4  
CHECKED

<p align="center"><b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b></p> <p align="center"><b><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></b></p> <p align="center"><b>FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33</b></p>	<p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p>
---	---

<p align="center"><b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b></p> <p align="center"><b><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></b></p> <p align="center"><b>FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33</b></p>	<p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p>
---	---

UNEPE	N443342.48	W1130841.70		
VUBBU	N451213.54	W1123407.93		
WEMKO	N443743.23	W1122153.52		
RUNWAYS				
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N451453.93	W1123306.75	05245	30.0

UNEPE	N443342.48	W1130841.70		
VUBBU	N451213.54	W1123407.93		
WEMKO	N443743.23	W1122153.52		
RUNWAYS				
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N451453.93	W1123306.75	05245	30.0

UNEPE	N443342.48	W1130841.70		
VUBBU	N451213.54	W1123407.93		
WEMKO	N443743.23	W1122153.52		
RUNWAYS				
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N451453.93	W1123306.75	05245	30.0

UNEPE	N443342.48	W1130841.70		
VUBBU	N451213.54	W1123407.93		
WEMKO	N443743.23	W1122153.52		
RUNWAYS				
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N451453.93	W1123306.75	05245	30.0

CITY AND STATE  
DILLON, MT

ELEVATION: 5245	TDZE: 5245
AIRPORT NAME:	DILLON

FACILITY  
IDENTIFIER:

**RNAV**

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
**RNAV (GPS) RWY 35, ORIG**  
 10 DECEMBER 2015

SUP:	
AMDT:	<b>NONE</b>
DATED:	