

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: 4.65 MILES AFTER BGQ VORTAC							
										CLIMBING LEFT TURN TO 2000 DIRECT BGQ VORTAC AND HOLD.							
										ADDITIONAL FLIGHT DATA: HOLD S, LT, 356.46 INBOUND. FAS OBST: 599 AAO 613141N/1495247W CHART R-2203. BGQ VORTAC TO RW07: 3.05/40.							
1. PT <u>L</u> SIDE OF COURSE <u>276.46</u> OUTBOUND <u>2000</u> FT WITHIN <u>10</u> MILES OF <u>BGQ VORTAC</u> (IAF) 2. _____ 3. FAC <u>096.46</u> FAF <u>BGQ VORTAC</u> DIST FAF TO MAP <u>4.65</u> THLD <u>4.65</u> 4. MIN. ALT <u>BGQ VORTAC 1700</u> 8. MSA FROM: <u>BGQ VORTAC 340-160 8100, 160-250 5600, 250-340 5000</u>														MAG VAR: 19E		EPOCH YEAR: 2010	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		X							
CATEGORY ==>		A			B			C			D			E			
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
B-7		980	1	825	980	1 1/4	825	980	2 1/2	825							
CIRCLING		980	1 1/4	822	980	1 1/4	822	980	2 1/2	822							
NOTES: CHART NOTE: USE ANCHORAGE ALTIMETER SETTING.																	
CITY AND STATE		ELEVATION: 158		THRE: 155		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP					
BIG LAKE, AK		AIRPORT NAME:		BIG LAKE		BGQ		VOR RWY 7, AMDT 7, 02/09/2012				AMDT 6					
								09 FEB 2012				DATE 01/18/2007					