

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
VIGHU (IAF)	WOGEF (NOPT) (FB)	129.63 / 5.00	2500	LNAV: RW22 CLIMBING RIGHT TURN TO 2500 DIRECT VIGHU AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NW, RT, 129.63 INBOUND. FAS OBST: 569 AAO 310416N/0861704W UZBIN TO RW22: 3.04/40.
OGITE (IAF)	WOGEF (NOPT) (FB)	309.71 / 5.00	2500	
WOGEF (IF/IAF)	UZBIN (FB)	219.67 / 6.04	1900	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NE WOGEF, RT, 219.67 INBOUND, 2500 FT. IN LIEU OF PT (IAF)
- FAC: 219.63 FAF: UZBIN DIST FAF TO MAP: 4.79 THLD: 4.79
- MIN. ALT: WOGEF 2500, UZBIN 1900
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 2W

EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: NA	STANDARD @										
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	820	1	506	820	1	506	820	1 1/2	506		NA				
CIRCLING	820	1	506	820	1	506	820	1 1/2	506		NA				

NOTES:
CHART NOTE: CIRCLING NA AT NIGHT.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CRESTVIEW ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE FLORALA, AL	ELEVATION: 314 TDZE: 314 AIRPORT NAME: FLORALA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 22, AMDT 1 22 OCT 2009	SUP: AMDT: ORIG DATED 11/01/2001
-----------------------------------	---	------------------------------	--	--

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	130/30 CW 310/30 (NOPT)	130/10 CW 310/10	3100
2.	130/10 CW 310/10	WOGF (IF/IAF) (FB)	2500
3.	310/30 CW 040/30	OGITE (IAF) (FB)	3100
4.	040/30 CW 130/30	VIGHU (IAF) (FB)	2500

CITY AND STATE
FLORALA, AL

ELEVATION: 314 TDZE: 314
AIRPORT NAME:
FLORALA MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 22, AMDT 1
22 OCT 2009

SUP:

AMDT: ORIG

DATED: 11/01/2001

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
CHECKED

CITY AND STATE FLORALA, AL	ELEVATION: 314 TDZE: 314 AIRPORT NAME: FLORALA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 22, AMDT 1 22 OCT 2009	SUP:	
				AMDT:	ORIG
				DATED:	11/01/2001

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	OGITE	OGITE	010	IAF	IF		FB				
	OGITE	WOGEF	020		TF		FB	1.0	309.7(308T)	005.0	02500
	VIGHU	VIGHU	010	IAF	IF		FB				
	VIGHU	WOGEF	020		TF		FB	1.0	129.6(128T)	005.0	02500
	WOGEF	WOGEF	010	IAF	HF	R	FO		219.7(218T)	004.0	02500
		WOGEF	010	FACF	IF		FB				02500
		UZBIN	020	FAF	TF		FB	0.5	219.7(218T)	006.0	01900
		RW22	030	MAP	TF		FO	0.3	219.6(218T)	004.8	00354

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	VIGHU	040		DF	R	FO	1.0			02500
	VIGHU	050		HM	R	FO	2.0	129.6(128T)	004.0	02500

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	OGITE	N310817.36	W0860611.51	N3108.289	W08606.192
	UZBIN	N310633.61	W0861506.15	N3106.560	W08615.103
	VIGHU	N311424.85	W0861525.19	N3114.414	W08615.420
	WOGEF	N311121.19	W0861048.20	N3111.353	W08610.803
	RW22	N310245.44	W0861830.41	N3102.757	W08618.507

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW22	00314	40

QUALITY
1
CHECKED

CITY AND STATE FLORALA, AL	ELEVATION: 314 TDZE: 314	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 22, AMDT 1 22 OCT 2009	SUP:
	AMDT: ORIG			
	DATED: 11/01/2001			
AIRPORT NAME: FLORALA MUNI				