

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW08
SN NDB	CENOR (FB)	259.41 / 17.97	2600	CLIMB TO 2800 DIRECT DUCFI AND VIA 359.70 TRACK TO SN NDB AND HOLD, CONTINUE CLIMB-IN-HOLD TO 2800.
HIRCH	COVHI (FB)	285.03 / 19.78	2600	
HEXUG (IAF)	DAMQY (FB)	043.07 / 9.30	2600	
COVHI (IAF)	DAMQY (FB)	348.00 / 5.00	2600	
CENOR (IAF)	DAMQY (FB)	168.00 / 6.00	2600	
DAMQY (IF)	ELOXE (FB)	078.00 / 6.09	1800	ADDITIONAL FLIGHT DATA: HOLD NE, RT, 216.00 INBOUND. CHART FAS OBST: 395 TREE 150014N/1453621E CHART VDP AT 1.19 MILES TO RW08. ELOXE TO RW08: 3.04/45. CHART ARPT ELEV: 271

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- PROFILE STARTS AT DAMQY
- FAC: 078.03 FAF: ELOXE DIST FAF TO MAP: 4.71 THLD: 4.71
- MIN. ALT: DAMQY 2600, ELOXE 1800
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW08 2800

MAG VAR: 1E

EPOCH YEAR: 2005

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @										
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	660	1	417	660	1	417	660	1 1/4	417	660	1 1/4	417			
CIRCLING	760	1	489	760	1	489	800	1 1/2	529	960	2 1/4	689			

SAIPAN ALTIMETER SETTING MINIMUMS

LNAV MDA	680	1	437	680	1	437	680	1 1/4	437	680	1 1/2	437			
CIRCLING	800	1	529	800	1	529	840	1 1/2	569	1000	2 1/4	729			

NOTES:

CHART NOTE: DME/DME RNP-0.3 NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT HEXUG VIA A221 NORTHBOUND AND FOR ARRIVALS AT HIRCH VIA W21 NORTHEAST BOUND.

CHART NOTE: OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE SAIPAN ALTIMETER

SEE 8260-10

@ CAT D 800-2 1/4

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE TINIAN ISLAND, CO	ELEVATION: 271 TDZE: 243 AIRPORT NAME: TINIAN INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 27 AUG 2009	SUP: AMDT: ORIG DATED 10/30/2003
--	---	-------------------------------------	---	--

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

SETTING.

CHART NOTE: VDP NA WHEN USING SAIPAN ALTIMETER SETTING.

CITY AND STATE

TINIAN ISLAND, CQ

ELEVATION: 271

TDZE: 243

AIRPORT NAME:

TINIAN INTL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

RNAV (GPS) RWY 8, AMDT 1

27 AUG 2009

SUP:

AMDT:

ORIG

DATED:

10/30/2003

QUALITY
2
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

CITY AND STATE TINIAN ISLAND, CQ	ELEVATION: 271 TDZE: 243 AIRPORT NAME: TINIAN INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 27 AUG 2009	SUP:	
				AMDT:	ORIG
				DATED:	10/30/2003

QUALITY
2
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE TINIAN ISLAND, CQ	ELEVATION: 271 TDZE: 243 AIRPORT NAME: TINIAN INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 27 AUG 2009	SUP:
				AMDT: ORIG
				DATED: 10/30/2003

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	HEXUG	HEXUG	010	IAF	IF		FB				
	HEXUG	DAMQY	020		TF		FB	1.0	043.1 (044T)	009.3	02600
	HIRCH	HIRCH	010		IF		FB				
	HIRCH	COVHI	020	IAF	TF		FB	2.0	285.0 (286T)	019.8	02600
	HIRCH	DAMQY	030		TF		FB	1.0	348.0 (349T)	005.0	02600
	SN	SN	010		IF		FB				
	SN	CENOR	020	IAF	TF		FB	2.0	259.4 (260T)	018.0	02600
	SN	DAMQY	030		TF		FB	1.0	168.0 (169T)	006.0	02600
		DAMQY	010	FACF	IF		FB				02600
		ELOXE	020	FAF	TF		FB	0.5	078.0 (079T)	006.1	01800
		RW08	030	MAP	TF		FO	0.3	078.0 (079T)	004.7	00282

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	DUCFI	040		DF		FB	1.0			
	SN	050		TF		FO	1.0	359.7 (001T)		02800
	SN	060		HM	R	FO	2.0	216.0 (217T)	004.0	02800

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SN	N150641.20	E1454237.20	N1506.687	E14542.620
	CENOR	N150340.03	E1452418.40	N1503.667	E14524.307
	COVHI	N145249.39	E1452628.50	N1452.823	E14526.475
	DAMQY	N145745.14	E1452529.39	N1457.752	E14525.490
	DUCFI	N150057.85	E1454232.86	N1500.964	E14542.548
	ELOXE	N145855.11	E1453140.20	N1458.919	E14531.670
	HEXUG	N145102.41	E1451848.27	N1451.040	E14518.805
	HIRCH	N144721.11	E1454606.68	N1447.352	E14546.111
	RW08	N145949.02	E1453626.59	N1459.817	E14536.443

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW08	00237	45

CITY AND STATE TINIAN ISLAND, CQ	ELEVATION: 271 TDZE: 243	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 27 AUG 2009	SUP:
	AIRPORT NAME: TINIAN INTL			AMDT: ORIG
				DATED: 10/30/2003

QUALITY
2
CHECKED