

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.	
TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW27 CLIMB TO 2500 DIRECT LUHQY AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 092.68 INBOUND. CHART FAS OBST: 208 TREE 321115N/0815139W CHART FAS OBST: 289 TREE 321127N/0814929W CHART R3005A, B, C. DISTANCE TO THLD FROM 313 HAT: 0.90 NM. WAAS CHANNEL # 87114 REFERENCE PATH ID: W27A	
LOTTS MAYAR (IAF) AHIDO (IF/IAF)	AHIDO (FO) AHIDO (NOPT) (FB) BUPAW (FB)	132.27 / 13.31 249.23 / 6.47 272.93 / 6.10	2600 2600 1700		
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD E AHIDO, RT, 272.93 INBOUND, 2600 FT. IN LIEU OF PT (IAF) 3. FAC: 272.87 FAF: BUPAW DIST FAF TO MAP: 4.84 THLD: 4.84 4. MIN. ALT: AHIDO 2600, BUPAW 1700 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 1700 GS ALT AT: BUPAW 1700 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 34.0 34:1 IS NOT CLEAR 8. MSA FROM: RW27 2600				MAG VAR: 4W EPOCH YEAR: 1995	
MINIMUMS					
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @
CATEGORY ==>	A		B		C
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS
LPV DA	424	1 1/4	313	424	1 1/4
LNAV/VNAV DA	478	1 1/4	367	478	1 1/4
LNAV MDA	540	1	429	540	1
CIRCLING	600	1	488	600	1
NOTES: CHART NOTE: BARO-VNAV NA WHEN USING SAVANNAH ALTIMETER SETTING. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 48C (118F). CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. SEE 8260-10					
CITY AND STATE CLAXTON, GA		ELEVATION: 112 TDZE: 111 AIRPORT NAME: CLAXTON-EVANS COUNTY		FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 22 OCT 2009
				SUP: AMDT: NONE DATED	

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.**CHART PROFILE NOTE: VGSi AND RNAV GLIDEPATH NOT COINCIDENT.****CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SAVANNAH ALTIMETER SETTING AND INCREASE****ALL DA 88 FEET, ALL MDA 100 FEET AND LPV ALL CATS AND LNAV CATS C/D VISIBILITIES 1/4 MILE AND****LNAV/VNAV ALL CATS AND CIRCLING CAT D VISIBILITIES 1/2 MILE.**

CITY AND STATE

CLAXTON, GA

ELEVATION: 112 TDZE: 111

AIRPORT NAME:

CLAXTON-EVANS COUNTY

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 27, ORIG

22 OCT 2009

SUP:

AMDT: NONE

DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KCWV
RUNWAY RW27
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR 0
REFERENCE PATH DATA SELECTOR W27A
REFERENCE PATH IDENTIFIER (APPROACH ID) 321142.4910N
LTP/FTP LATITUDE 0815153.0120W
LTP/FTP LONGITUDE +00017
LTP/FTP ELLIPSOIDAL HEIGHT 321140.6400N
FPAP LATITUDE 0815337.9900W
FPAP LONGITUDE 00034.0
THRESHOLD CROSSING HEIGHT (TCH) F
TCH UNITS SELECTOR (METERS OR FEET USED) 03.00
GLIDEPATH ANGLE (GPA) 106.75
COURSE WIDTH AT THRESHOLD 1536
LENGTH OFFSET 40.0
HORIZONTAL ALERT LIMIT (HAL) 50.0
VERTICAL ALERT LIMIT (VAL)

CRC REMAINDER

E228AA94

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K7
LTP ORTHOMETRIC HEIGHT +00315
FPAP ORTHOMETRIC HEIGHT +00315



CITY AND STATE CLAXTON, GA	ELEVATION: 112 TDZE: 111 AIRPORT NAME: CLAXTON-EVANS COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 22 OCT 2009	SUP: AMDT: NONE DATED:
-------------------------------	---	------------------------------	--	------------------------------

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KCWVK7FR27	ALOTTS	010LOTTSK7EA0E	IF						18000		A JS	I
SUSAP	KCWVK7FR27	ALOTTS	020AHIDOK7EA0EY	020TF		13230133		+ 02600				A JS	I
SUSAP	KCWVK7FR27	ALOTTS	030AHIDOK7EA0EE	AR HF		27290040		+ 02600				A JS	I
SUSAP	KCWVK7FR27	AMAYAR	010MAYARK7EA0E	A IF						18000		A JS	I
SUSAP	KCWVK7FR27	AMAYAR	020AHIDOK7EA0EE	B 010TF		24920065		+ 02600				A JS	I
SUSAP	KCWVK7FR27	R	010AHIDOK7EA0E	I IF				+ 02600		18000		A JS	I
SUSAP	KCWVK7FR27	R	020BUPAWK7EA1E	F 051TF		27290061		+ 01700			RW27	K7PGA JS	I
SUSAP	KCWVK7FR27	R	020BUPAWK7EA2WALPV		ALNAV/VNAV	ALNAV						JS	I
SUSAP	KCWVK7FR27	R	030RW27	K7PGOGY M 031TF		27290048		00138		-300		A JS	I
SUSAP	KCWVK7FR27	R	040LUHQYK7EA0EYM	010DF				+ 02500				A JS	I
SUSAP	KCWVK7FR27	R	050LUHQYK7EA0EE	R020HM		09270040		+ 02500				A JS	I

[illegible][illegible]

QUALITY
1
CHECKED

CITY AND STATE CLAXTON, GA	ELEVATION: 112 TDZE: 111 AIRPORT NAME: CLAXTON-EVANS COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 22 OCT 2009	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3	
MSA	1	2	3	4	5	6	7	8	9	0	1	2	3	

SUSAP KCWVK7SRW27 K7PG	0					18018002625					M I			

CITY AND STATE

CLAXTON, GA

ELEVATION: 112 TDZE: 111

AIRPORT NAME:

CLAXTON-EVANS COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 27, ORIG

22 OCT 2009

SUP:

AMDT: NONE

DATED:

QUALITY
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	PO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	LOTTTS	LOTTTS	010		IF		FB				
	LOTTTS	AHIDO	020		TF		FO	2.0	132.3 (128T)	013.3	02600
	LOTTTS	AHIDO	030	IAP	HF	R	FO		272.9 (269T)	004.0	02600
	MAYAR	MAYAR	010	IAP	IF		FB				
	MAYAR	AHIDO	020	IF	TF		FB	1.0	249.2 (245T)	006.5	02600
		AHIDO	010	FACF	IF		FB				02600
		BUPAW	020	PAF	TF		FB	0.5	272.9 (269T)	006.1	01700
		RW27	030	MAP	TF		FO	0.3	272.9 (269T)	004.8	00138

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	PO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	LUHQY	040		DF		FO	1.0			02500
	LUHQY	050		HM	R	FO	2.0	092.7 (089T)	004.0	02500

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AHIDO	N321155.38	W0813859.60	N3211.923	W08138.993
	BUPAW	N321148.36	W0814610.75	N3211.806	W08146.179
	LOTTTS	N322011.64	W0815118.42	N3220.194	W08151.307
	LUHQY	N321127.29	W0820524.36	N3211.455	W08205.406
	MAYAR	N321438.62	W0813203.96	N3214.644	W08132.066
	RW27	N321142.49	W0815153.01	N3211.708	W08151.884

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW27	00104	34

QUALITY
CHECKED

CITY AND STATE CLAXTON, GA	ELEVATION: 112 TDZE: 111	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 22 OCT 2009	SUP:
	AIRPORT NAME: CLAXTON-EVANS COUNTY			AMDT: NONE
	DATED:			