

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LNAV: RW35						
QESCA		ONAVE (FB)		036.58 / 29.82				3200		CLIMB TO 3200 THEN RIGHT TURN DIRECT CYETT AND HOLD.						
GRASS		POYSI (FB)		170.96 / 18.11				3200								
ONAVE (IAF)		CYETT (NOPT) (FB)		076.78 / 6.50				3200								
POYSI (IAF)		CYETT (NOPT) (FB)		257.00 / 6.50				3200								
CYETT (IF/IAF)		ARAFE (FB)		346.89 / 4.43				3200								
ARAFE (FAF)		RW35 (MAP) (FO)		346.85 / 5.66				3200		ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1795 TOWER 461055N/0911510W ARAFE TO RW35: 3.00/40. CHART CIRCLING ICON.						
RW35 (MAP)		3200 MSL		346.85				3200								
3200 MSL		CYETT (FO)						3200								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. HOLD S CYETT, RT, 346.89 INBOUND, 3200 FT. IN LIEU OF PT (IAF)																
3. FAC: 346.85 FAF: ARAFE DIST FAF TO MAP: 5.66 THLD: 5.66																
4. MIN. ALT: CYETT 3200, ARAFE 3200																
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																
8. MSA FROM: RW35 3100										MAG VAR: 2W			EPOCH YEAR: 2020			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		<input checked="" type="checkbox"/>				
CATEGORY ==>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	2120	1	763	2120	1 1/4	763	2120	2 1/2	763	2120	2 1/2	763				
CIRCLING	2160	1	800	2160	1 1/4	800	2160	2 1/2	800	2200	2 3/4	840				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: USE HAYWARD ALTIMETER SETTING; WHEN NOT RECEIVED, USE SOLON SPRINGS ALTIMETER SETTING (SEE FORM 8260-10)																
CITY AND STATE CABLE, WI		ELEVATION: 1360 TDZE: 1357 AIRPORT NAME: CABLE UNION				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 DECEMBER 2015				SUP: AMDT: NONE		QUALITY 22 CHECKED		

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):
AND INCREASE ALL MDA 60 FT AND INCREASE CIRCLING CAT A AND D VISIBILITY 1/4 MILE.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT QESCA ON V129 SOUTHBOUND, AND ARRIVALS AT GRASS ON V217 NORTHWEST BOUND.

CITY AND STATE CABLE, WI	ELEVATION: 1360	TDZE: 1357	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 DECEMBER 2015	SUP:	QUALITY 22 CHECKED	
	AIRPORT NAME:				AMDT:		NONE
	CABLE UNION				DATED:		

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																																			
<div style="margin-bottom: 10px;">ARINC SUMMARY - 3CU</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>CYETT</td><td>010</td><td>CYETT</td><td>HF</td><td>FO</td><td></td><td>346.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03200</td><td></td><td>EE A</td></tr> <tr><td>GRASS</td><td>010</td><td>GRASS</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>GRASS</td><td>020</td><td>POYSI</td><td>TF</td><td>FB</td><td>2.0</td><td>171.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>E A</td></tr> <tr><td>GRASS</td><td>030</td><td>CYETT</td><td>TF</td><td>FB</td><td>1.0</td><td>257.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>EE B</td></tr> <tr><td>QESCA</td><td>010</td><td>QESCA</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>QESCA</td><td>020</td><td>ONAVE</td><td>TF</td><td>FB</td><td>2.0</td><td>036.6</td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>E A</td></tr> <tr><td>QESCA</td><td>030</td><td>CYETT</td><td>TF</td><td>FB</td><td>1.0</td><td>076.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>CYETT</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>ARAFE</td><td>TF</td><td>FB</td><td>0.5</td><td>346.9</td><td></td><td></td><td></td><td>RW35</td><td></td><td>AA 03200</td><td></td><td>E F</td></tr> <tr><td></td><td>030</td><td>RW35</td><td>TF</td><td>FO</td><td>0.3</td><td>346.9</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 01397</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>346.9</td><td></td><td></td><td></td><td></td><td></td><td>AA 03200</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>CYETT</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03200</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>CYETT</td><td>HM</td><td>FO</td><td></td><td>346.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03200</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-top: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>ARAFE</td><td>N460559.28</td><td>W0911234.46</td></tr> <tr><td>CYETT</td><td>N460142.65</td><td>W0911054.84</td></tr> <tr><td>GRASS</td><td>N462110.12</td><td>W0910652.88</td></tr> <tr><td>ONAVE</td><td>N460000.66</td><td>W0911954.95</td></tr> <tr><td>POYSI</td><td>N460323.93</td><td>W0910154.18</td></tr> <tr><td>QESCA</td><td>N453530.53</td><td>W0914411.58</td></tr> </tbody> </table> <div style="margin-top: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW35</td> <td>N461127.00</td> <td>W0911442.27</td> <td>01357</td> <td>40</td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	CYETT	010	CYETT	HF	FO		346.9			R			AA 03200		EE A	GRASS	010	GRASS	IF	FB										E	GRASS	020	POYSI	TF	FB	2.0	171.0						AA 03200		E A	GRASS	030	CYETT	TF	FB	1.0	257.0						AA 03200		EE B	QESCA	010	QESCA	IF	FB										E	QESCA	020	ONAVE	TF	FB	2.0	036.6						AA 03200		E A	QESCA	030	CYETT	TF	FB	1.0	076.8						AA 03200		EE B		010	CYETT	IF	FB								AA 03200		E I		020	ARAFE	TF	FB	0.5	346.9				RW35		AA 03200		E F		030	RW35	TF	FO	0.3	346.9		3.00				AT 01397		GY M		040		CA	FB		346.9						AA 03200		M		050	CYETT	DF	FO					R			AA 03200		EY		060	CYETT	HM	FO		346.9			R			AA 03200		EE	POINT NAME	LATITUDE	LONGITUDE	ARAFE	N460559.28	W0911234.46	CYETT	N460142.65	W0911054.84	GRASS	N462110.12	W0910652.88	ONAVE	N460000.66	W0911954.95	POYSI	N460323.93	W0910154.18	QESCA	N453530.53	W0914411.58	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW35	N461127.00	W0911442.27	01357	40
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																																	
CYETT	010	CYETT	HF	FO		346.9			R			AA 03200		EE A																																																																																																																																																																																																																																																	
GRASS	010	GRASS	IF	FB										E																																																																																																																																																																																																																																																	
GRASS	020	POYSI	TF	FB	2.0	171.0						AA 03200		E A																																																																																																																																																																																																																																																	
GRASS	030	CYETT	TF	FB	1.0	257.0						AA 03200		EE B																																																																																																																																																																																																																																																	
QESCA	010	QESCA	IF	FB										E																																																																																																																																																																																																																																																	
QESCA	020	ONAVE	TF	FB	2.0	036.6						AA 03200		E A																																																																																																																																																																																																																																																	
QESCA	030	CYETT	TF	FB	1.0	076.8						AA 03200		EE B																																																																																																																																																																																																																																																	
	010	CYETT	IF	FB								AA 03200		E I																																																																																																																																																																																																																																																	
	020	ARAFE	TF	FB	0.5	346.9				RW35		AA 03200		E F																																																																																																																																																																																																																																																	
	030	RW35	TF	FO	0.3	346.9		3.00				AT 01397		GY M																																																																																																																																																																																																																																																	
	040		CA	FB		346.9						AA 03200		M																																																																																																																																																																																																																																																	
	050	CYETT	DF	FO					R			AA 03200		EY																																																																																																																																																																																																																																																	
	060	CYETT	HM	FO		346.9			R			AA 03200		EE																																																																																																																																																																																																																																																	
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																																													
ARAFE	N460559.28	W0911234.46																																																																																																																																																																																																																																																													
CYETT	N460142.65	W0911054.84																																																																																																																																																																																																																																																													
GRASS	N462110.12	W0910652.88																																																																																																																																																																																																																																																													
ONAVE	N460000.66	W0911954.95																																																																																																																																																																																																																																																													
POYSI	N460323.93	W0910154.18																																																																																																																																																																																																																																																													
QESCA	N453530.53	W0914411.58																																																																																																																																																																																																																																																													
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																																											
RW35	N461127.00	W0911442.27	01357	40																																																																																																																																																																																																																																																											
CITY AND STATE <div style="text-align: center;">CABLE, WI</div>					ELEVATION: 1360 TDZE: 1357 AIRPORT NAME: <div style="text-align: center;">CABLE UNION</div>					FACILITY IDENTIFIER: <div style="text-align: center;">RNAV</div>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center;">RNAV (GPS) RWY 35, ORIG 10 DECEMBER 2015</div>			SUP: <hr/> AMDT: NONE <hr/> DATED:																																																																																																																																																																																																																																																

QUALITY
 22
 CHECKED