

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
SADEN	IYBEP (FB)	241.77 / 13.94	2700	LNAV: RW15
STEER	UZAYO (FB)	351.44 / 22.74	2700	
IYBEP (IAF)	EQAXO (NOPT) (FB)	243.05 / 5.00	2700	CLIMB TO 2700 DIRECT WEXJI AND HOLD.
UZAYO (IAF)	EQAXO (NOPT) (FB)	062.93 / 5.00	2700	
EQAXO (IF/IAF)	YIJVO (FB)	152.99 / 6.15	2100	ADDITIONAL FLIGHT DATA: HOLD SE, RT, 333.11 INBOUND. CHART FAS OBST: 899 TREE 383811N/0910022W YIJVO TO RW15: 3.04/45

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD NW EQAXO, RT, 152.99 INBOUND, 2700 FT. IN LIEU OF PT (IAF)
- FAC: 153.02 FAF: YIJVO DIST FAF TO MAP: 4.85 THLD: 4.85
- MIN. ALT: EQAXO 2700, YIJVO 2100, TOFGY/2.90 NM TO RW15 1400
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW15 3000

MAG VAR: 1E EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @									
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1160	1	672	1160	1	672	1160	2	672		NA				
CIRCLING	1220	1	732	1260	1 1/4	772	1260	2 1/4	772		NA				

NOTES:  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SPIRIT OF ST LOUIS ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND INCREASE CIRCLING CAT C VISIBILITY 1/4 MILE.

@ CAT C 800-2 1/4  
 @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE <b>WASHINGTON, MO</b>	ELEVATION: 488 TDZE: 488 AIRPORT NAME: <b>WASHINGTON RGNL</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 15, AMDT 2 22 OCT 2009</b>	SUP: AMDT: <b>1</b> DATED <b>10/25/2007</b>
---	---	-------------------------------------	--	---

RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT SADEN VIA V4 EASTBOUND.

CITY AND STATE

WASHINGTON, MO

ELEVATION: 488 TDZE: 488

AIRPORT NAME:

WASHINGTON RGNL

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 15, AMDT 2

22 OCT 2009

SUP:

AMDT: 1

DATED: 10/25/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

QUALITY

PAGE 3 OF 5 PAGES

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 08-22-2011 BY 60322 UCBAW

SUP:	
AMDT:	1
DATED:	10/25/2007

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	EQAXO	EQAXO	010	IAF	HF	R	FO		153.0 (154T)	004.0	02700
	SADEN	SADEN	010		IF		FB				
	SADEN	IYBEP	020	IAF	TF		FB	2.0	241.8 (243T)	013.9	02700
	SADEN	EQAXO	030		TF		FB	1.0	243.1 (244T)	005.0	02700
	STEER	STEER	010		IF		FB				
	STEER	UZAYO	020	IAF	TF		FB	2.0	351.4 (352T)	022.7	02700
	STEER	EQAXO	030		TF		FB	1.0	062.9 (064T)	005.0	02700
		EQAXO	010	FACF	IF		FB				02700
		YIJVO	020	PAF	TF		FB	0.5	153.0 (154T)	006.2	02100
		TOFGY	021	SDF	TF		FB	0.3	153.0 (154T)	002.0	0140001477
		RW15	030	MAP	TF		FO	0.3	153.0 (154T)	002.9	00533

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	WEXJI	040		DF		FO	1.0			02700
	WEXJI	050		HM	R	FO	2.0	333.1 (334T)	004.0	02700

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	EQAXO	N384531.42	W0910600.69	N3845.524	W09106.012
	IYBEP	N384742.97	W0910015.83	N3847.716	W09100.264
	SADEN	N385407.05	W0904424.74	N3854.118	W09044.412
	STEER	N382045.92	W0910756.00	N3820.765	W09107.933
	TOFGY	N383814.13	W0910128.64	N3838.236	W09101.477
	UZAYO	N384319.59	W0911145.20	N3843.327	W09111.753
	WEXJI	N382458.85	W0905316.44	N3824.981	W09053.274
	YIJVO	N383959.68	W0910234.21	N3839.995	W09102.570
	RW15	N383537.53	W0905951.47	N3835.626	W09059.858

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW15	00488	45

QUALITY  
1  
CHECKED

CITY AND STATE <b>WASHINGTON, MO</b>	ELEVATION: 488 TDZE: 488 AIRPORT NAME: <b>WASHINGTON RGNL</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 15, AMDT 2</b> <b>22 OCT 2009</b>	SUP:
				AMDT: <b>1</b>
				DATED: <b>10/25/2007</b>