

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LP: RW06 LNAV: RW06						
CYN VORTAC (IAF)		UZZOR (FB)		040.36 / 8.89			2000		CLIMB TO 1000 THEN CLIMBING RIGHT TURN TO 2000 DIRECT UZZOR AND HOLD.						
UZZOR (IF)		VERVI (FB)		060.17 / 5.12			1700								
VERVI (FAF)		AVUKE/1.70 NM TO RW06 (FB)		060.17 / 3.38					ADDITIONAL FLIGHT DATA: HOLD SW, RT, 060.17 INBOUND. CHART FAS OBST: 118 TREE 400336N/0741102W FAS OBST: 315 AAO 400227N/0741210W WAAS CHANNEL # 49038 REFERENCE PATH ID: W06A VERVI TO RW06: 3.00/40. CHART CIRCLING ICON. LTP HAE: -20.3 M						
AVUKE/1.70 NM TO RW06		RW06 (MAP) (FO)		060.17 / 1.70											
RW06 (MAP)		1000 MSL		060.17			1000								
1000 MSL		UZZOR (FO)					2000								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 13W EPOCH YEAR: 2000					
2. PROFILE STARTS AT UZZOR															
3. FAC: 060.17 FAF: VERV DIST FAF TO MAP: 5.08 THLD: 5.08															
4. MIN. ALT: UZZOR 2000, VERV 1700, AVUKE/1.70 NM TO RW06 600															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: RW06 2100															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		X									
CATEGORY ==>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	380	1	339	380	1	339		NA			NA				
LNAV MDA	580	1	539	580	1	539		NA			NA				
CIRCLING	580	1	538	620	1	578		NA			NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON CYN VORTAC AIRWAY RADIALS 046 CW 100. (CONTINUED ON PAGE 2)															
CITY AND STATE LAKEWOOD, NJ		ELEVATION: 42 TDZE: 41 AIRPORT NAME: LAKEWOOD		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 2 MARCH 2017				SUP: AMDT: ORIG-B DATED 12/20/2007		QUALITY 22 CHECKED			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LAKEHURST ALTIMETER SETTING AND INCREASE ALL MDA 40 FT.

CITY AND STATE
LAKEWOOD, NJ

ELEVATION: 42 **TDZE: 41**
AIRPORT NAME:
LAKEWOOD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 6, AMDT 1
2 MARCH 2017

SUP: **22**
AMDT: **ORIG-B**
DATED: **12/20/2007**

QUALITY
22
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	N12
RUNWAY	RW06
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W06A
LTP/FTP LATITUDE	400352.4955N
LTP/FTP LONGITUDE	0741050.8400W
LTP/FTP ELLIPSOIDAL HEIGHT	-00203
FPAP LATITUDE	400453.0525N
FPAP LONGITUDE	0740925.6410W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1920
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
 <u>CRC REMAINDER</u>	 E1F3D3CF

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+00126
FPAP ORTHOMETRIC HEIGHT	+00126

CITY AND STATE

LAKEWOOD, NJ

ELEVATION: 42

TDZE: 41

AIRPORT NAME:

LAKEWOOD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 6, AMDT 1

2 MARCH 2017

SUP:

AMDT:

DATED:

 QUALITY
22

CHECKED

ORIG-B

12/20/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																	
<div style="margin-bottom: 10px;">ARINC SUMMARY - N12</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>CYN</td><td>010</td><td>CYN</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>V A</td></tr> <tr><td>CYN</td><td>020</td><td>UZZSR</td><td>TF</td><td>FB</td><td>1.0</td><td>040.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 02000</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>UZZSR</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 02000</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>VERVI</td><td>TF</td><td>FB</td><td>1.0</td><td>060.2</td><td></td><td></td><td></td><td>RW06</td><td></td><td>AA 01700</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>AVUKE</td><td>TF</td><td>FB</td><td>0.3</td><td>060.2</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AA 00600 GS 00624</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW06</td><td>TF</td><td>FO</td><td>0.3</td><td>060.2</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 00081</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>060.2</td><td></td><td></td><td></td><td></td><td></td><td>AA 01000</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>UZZSR</td><td>DF</td><td>FO</td><td>1.0</td><td></td><td></td><td></td><td>R</td><td></td><td></td><td>AA 02000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>UZZSR</td><td>HM</td><td>FO</td><td></td><td>060.2</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 02000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>CYN</td><td>N394902.42</td><td>W0742553.85</td></tr> <tr><td>AVUKE</td><td>N400243.16</td><td>W0741228.32</td></tr> <tr><td>UZZSR</td><td>N395656.32</td><td>W0742035.16</td></tr> <tr><td>VERVI</td><td>N400025.33</td><td>W0741541.84</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr><td>RW06</td><td>N400352.50</td><td>W0741050.84</td><td>00041</td><td>40</td></tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	CYN	010	CYN	IF	FB										V A	CYN	020	UZZSR	TF	FB	1.0	040.4						AA 02000		EE B		010	UZZSR	IF	FB								AA 02000		E I		020	VERVI	TF	FB	1.0	060.2				RW06		AA 01700		E F		021	AVUKE	TF	FB	0.3	060.2		3.00				AA 00600 GS 00624		E S		030	RW06	TF	FO	0.3	060.2		3.00				AT 00081		GY M		040		CA	FB		060.2						AA 01000		M		050	UZZSR	DF	FO	1.0				R			AA 02000		EY		060	UZZSR	HM	FO		060.2			R			AA 02000		EE	POINT NAME	LATITUDE	LONGITUDE	CYN	N394902.42	W0742553.85	AVUKE	N400243.16	W0741228.32	UZZSR	N395656.32	W0742035.16	VERVI	N400025.33	W0741541.84	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW06	N400352.50	W0741050.84	00041	40
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																															
CYN	010	CYN	IF	FB										V A																																																																																																																																																																															
CYN	020	UZZSR	TF	FB	1.0	040.4						AA 02000		EE B																																																																																																																																																																															
	010	UZZSR	IF	FB								AA 02000		E I																																																																																																																																																																															
	020	VERVI	TF	FB	1.0	060.2				RW06		AA 01700		E F																																																																																																																																																																															
	021	AVUKE	TF	FB	0.3	060.2		3.00				AA 00600 GS 00624		E S																																																																																																																																																																															
	030	RW06	TF	FO	0.3	060.2		3.00				AT 00081		GY M																																																																																																																																																																															
	040		CA	FB		060.2						AA 01000		M																																																																																																																																																																															
	050	UZZSR	DF	FO	1.0				R			AA 02000		EY																																																																																																																																																																															
	060	UZZSR	HM	FO		060.2			R			AA 02000		EE																																																																																																																																																																															
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																											
CYN	N394902.42	W0742553.85																																																																																																																																																																																											
AVUKE	N400243.16	W0741228.32																																																																																																																																																																																											
UZZSR	N395656.32	W0742035.16																																																																																																																																																																																											
VERVI	N400025.33	W0741541.84																																																																																																																																																																																											
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																									
RW06	N400352.50	W0741050.84	00041	40																																																																																																																																																																																									
CITY AND STATE <div style="text-align: center;">LAKEWOOD, NJ</div>					ELEVATION: 42 TDZE: 41 AIRPORT NAME: <div style="text-align: center;">LAKEWOOD</div>					FACILITY IDENTIFIER: <div style="text-align: center;">RNAV</div>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center;">RNAV (GPS) RWY 6, AMDT 1 2 MARCH 2017</div>			SUP: <div style="text-align: center;">ORIG-B</div>																																																																																																																																																																														
										DATED: 12/20/2007																																																																																																																																																																																			

QUALITY
 22
 CHECKED