

<b>US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION</b>		<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
<b>TERMINAL ROUTES</b>				<b>MISSED APPROACH</b>											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW08  CLIMB TO 5000 THEN CLIMBING LEFT TURN TO 6000 DIRECT UYEME AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD NW, LT, 118.06 INBOUND. CHART FAS OBST: 4289 TREE 422819N/1143034W OBST: 4699 AAO 422724N/1143816W DISTANCE TO THLD FROM 250 HATH: 0.60 NM. CHART VDP AT 1.31 MILES TO RW08* *LNAV ONLY. WAAS CHANNEL # 40211 REFERENCE PATH ID: W08A CHART CIRCLING ICON. LTP HAE: 1247.8 M											
KINZE	UYEME (FB)	200.01 / 30.36	9500												
YIKUK	JEDBU (FB)	355.16 / 20.33	10000												
TWF VORTAC	WIDUG (FO)	258.64 / 12.31	6900												
UYEME (IAF)	WIDUG (NOPT) (FB)	168.10 / 10.24	6900												
JEDBU (IAF)	WIDUG (NOPT) (FB)	355.20 / 10.00	6900												
WIDUG (IF/IAF)	YEGUR (FB)	078.12 / 6.05	6000												
YEGUR (FAF)	ZOSIL/2.90 NM TO RW08 (FB)	078.21 / 2.75													
(SEE FORM 8260-10)															
1. PT <u>      </u> SIDE OF COURSE <u>      </u> OUTBOUND <u>      </u> FT WITHIN <u>      </u> MILES OF <u>      </u> (IAF) 2. HOLD W WIDUG, RT, 078.12 INBOUND, 6900 FT. IN LIEU OF PT (IAF) 3. FAC: <u>078.21</u> FAF: <u>YEGUR</u> DIST FAF TO MAP: <u>5.65</u> THLD: <u>5.65</u> 4. MIN. ALT: <u>WIDUG 6900, YEGUR 6000, ZOSIL/2.90 NM TO RW08 6120*</u> 5. DIST TO THLD FROM OM: <u>      </u> MM: <u>      </u> IM: <u>      </u> 150 HAT: <u>      </u> 100 HAT: <u>      </u> GS ANT: <u>      </u> 6. MIN GS INCPT: <u>6000</u> GS ALT AT: <u>YEGUR 6000</u> OM: <u>      </u> MM: <u>      </u> IM: <u>      </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>57.5</u> 34:1 IS CLEAR 8. MSA FROM: <u>RW08 9300</u>															
				MAG VAR: 13E EPOCH YEAR: 2015											
<b>MINIMUMS</b>															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A		STANDARD @										
CATEGORY =====>	A		B		C	D	E								
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	4394	3/4	250	4394	3/4	250	4394	3/4	250	4394	3/4	250			
LNAV/VNAV DA	4668	1 3/4	524	4668	1 3/4	524	4668	1 3/4	524	4668	1 3/4	524			
LNAV MDA	4620	1	476	4620	1	476	4620	1 3/8	476	4620	1 3/8	476			
CIRCLING	4700	1	546	4780	1	628	5100	2 3/4	946	5100	3	946			
NOTES: CHART NOTE: CIRCLING TO RWY 30 NA AT NIGHT. CHART NOTE: BARO-VNAV NA WHEN USING JEROME ALTIMETER SETTING. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 48C (120F). CHART NOTE: DME/DME RNP-0.3 NA. (SEE FORM 8260-10)															
CITY AND STATE  TWIN FALLS, ID		ELEVATION: 4154 THRE: 4144 AIRPORT NAME:  JOSLIN FIELD - MAGIC VALLEY RGNL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1  17 OCTOBER 2013				SUP: RNAV (GPS) RWY 7 AMDT: ORIG DATED 05/07/2009					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
ZOSIL/2.90 NM TO RW08	RW08 (MAP) (FO)	078.21 / 2.90	
RW08 (MAP)	5000 MSL	078.21	5000
5000 MSL	UYEME (FO)		6000

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT KINZE ON V484 NORTHBOUND, V330 EASTBOUND, AND V444 NORTHWEST BOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON TWF VORTAC AIRWAY RADIALS 177 CW 314.

CHART NOTE: VDP NA WITH JEROME ALTIMETER SETTING.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JEROME ALTIMETER SETTING AND INCREASE ALL DA 49 FEET AND ALL MDA 60 FEET, AND INCREASE LPV AND LNAV/VNAV ALL CATS VISIBILITY 1/8 MILE, AND LNAV CATS C AND D VISIBILITY 1/8 MILE, AND CIRCLING CAT C VISIBILITY 1/4 MILE.

CITY AND STATE  
TWIN FALLS, ID

ELEVATION: 4154 THRE: 4144  
AIRPORT NAME:  
JOSLIN FIELD - MAGIC VALLEY RGNL

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 8, AMDT 1  
17 OCTOBER 2013

SUP: RNAV (GPS) RWY 7  
AMDT: ORIG  
DATED: 05/07/2009

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KTWF
RUNWAY	RW08
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W08A
LTP/FTP LATITUDE	422852.5430N
LTP/FTP LONGITUDE	1143011.5985W
LTP/FTP ELLIPSOIDAL HEIGHT	+12478
FPAP LATITUDE	422850.5030N
FPAP LONGITUDE	1142811.2185W
THRESHOLD CROSSING HEIGHT (TCH)	00057.5
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0096
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

21528301

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K1
LTP ORTHOMETRIC HEIGHT	+12631
FPAP ORTHOMETRIC HEIGHT	+12631

CITY AND STATE TWIN FALLS, ID	ELEVATION: 4154      THRE: 4144 AIRPORT NAME: JOSLIN FIELD - MAGIC VALLEY RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 17 OCTOBER 2013	SUP: RNAV (GPS) RWY 7
				AMDT: ORIG
				DATED: 05/07/2009

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KTWFK1FR08	AKINZE	010KINZEK1EAOE	IF						18000		A JS	
SUSAP	KTWFK1FR08	AKINZE	020UYEMEK1EAOE	A 020TF			20000304	+ 09500				A JS	
SUSAP	KTWFK1FR08	AKINZE	030WIDUGK1EAOEE	B 010TF			16810102	+ 06900				A JS	
SUSAP	KTWFK1FR08	ATWF	010TWF K1D 0V	IF						18000		A JS	
SUSAP	KTWFK1FR08	ATWF	020WIDUGK1EAOEY	020TF			25860123	+ 06900				A JS	
SUSAP	KTWFK1FR08	ATWF	030WIDUGK1EAOEE	AR HF			07810070	+ 06900				A JS	
SUSAP	KTWFK1FR08	AYIKUK	010YIKUKK2EAOE	IF						18000		A JS	
SUSAP	KTWFK1FR08	AYIKUK	020JEDBUK1EAOE	A 020TF			35520203	+ 10000				A JS	
SUSAP	KTWFK1FR08	AYIKUK	030WIDUGK1EAOEE	B 010TF			35520100	+ 06900				A JS	
SUSAP	KTWFK1FR08	R	010WIDUGK1EAOE	I IF				+ 06900		18000		A JS	
SUSAP	KTWFK1FR08	R	020YEGURK1EAE	F 051TF			07810061	+ 06000			RW08	K1PGA JS	
SUSAP	KTWFK1FR08	R	020YEGURK1EA2WALPV		ALNAV/VNAV	ALNAV						JS	
SUSAP	KTWFK1FR08	R	021ZOSILK1EAOE	S 031TF			07820028	V 0512005125		-300		A JS	
SUSAP	KTWFK1FR08	R	030RW08 K1PGOGY	M 031TF			07820029	04201		-300		A JS	
SUSAP	KTWFK1FR08	R	040	O M CA			0782	+ 05000				A JS	
SUSAP	KTWFK1FR08	R	050UYEMEK1EAOEY	L DF				+ 06000				A JS	
SUSAP	KTWFK1FR08	R	060UYEMEK1EAOEE	L HM			11810050	+ 06000				A JS	

[illegible]

CITY AND STATE TWIN FALLS, ID	ELEVATION: 4154	THRE: 4144	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1  17 OCTOBER 2013	SUP: RNAV (GPS) RWY 7
	AIRPORT NAME:  JOSLIN FIELD - MAGIC VALLEY RGNL				AMDT: ORIG
					DATED: 05/07/2009

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KTWFK1GRW08 0087030783 N42285254W114301160+0100 +1247804144000058150R

	1	2	3	4	5	6	7	8	9	0	1	2	3
PP	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP KTWFK1PR08	RW08 001 0000W08A0N4228525430W11430115985+124780300N4228505030W11428112185106750096000575F40050021528301												
SUSAP KTWFK1PR08	RW08 002E +12631+12631LPV 40211												

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP KTWFK1SRW08	K1PG 0 18018009325 M												

CITY AND STATE TWIN FALLS, ID	ELEVATION: 4154	THRE: 4144	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 17 OCTOBER 2013	SUP: RNAV (GPS) RWY 7
	AIRPORT NAME: JOSLIN FIELD - MAGIC VALLEY RGNL				AMDT: ORIG
					DATED: 05/07/2009

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**ARINC SUMMARY - 424-18 - RNAV (GPS)**

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	KINZE	KINZE	010		IF		FB					
	KINZE	UYEME	020	IAF	TF		FB	2.0	200.0 (213.0T)	030.4	AA 09500	
	KINZE	WIDUG	030		TF		FB	1.0	168.1 (181.1T)	010.2	AA 06900	
	TWF	TWF	010		IF		FB					
	TWF	WIDUG	020		TF		FO	2.0	258.6 (271.6T)	012.3	AA 06900	
	TWF	WIDUG	030	IAF	HF	R	FO		078.1 (091.1T)	007.0	AA 06900	
	YIKUK	YIKUK	010		IF		FB					
	YIKUK	JEDBU	020	IAF	TF		FB	2.0	355.2 (008.2T)	020.3	AA 10000	
	YIKUK	WIDUG	030		TF		FB	1.0	355.2 (008.2T)	010.0	AA 06900	
		WIDUG	010	FACF	IF		FB				AA 06900	
		YEGUR	020	FAF	TF		FB	0.5	078.1 (091.1T)	006.1	AA 06000	
		ZOSIL	021	SDF	TF		FB	0.3	078.2 (091.2T)	002.8	AA 05120	GS 05125
		RW08	030	MAP	TF		FO	0.3	078.2 (091.2T)	002.9	AT 04201	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		078.2 (091.2T)		AA 05000	
	UYEME	050		DF	L	FO				AA 06000	
	UYEME	060		HM	L	FO		118.1 (131.1T)	005.0	AA 06000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	TWF	N422847.48	W1142922.03	N4228.791	W11429.367
	JEDBU	N421913.32	W1144755.77	N4219.222	W11447.930
	KINZE	N430451.80	W1142319.23	N4304.863	W11423.321
	UYEME	N423921.61	W1144544.15	N4239.360	W11445.736
	WIDUG	N422907.38	W1144600.13	N4229.123	W11446.002
	YEGUR	N422859.98	W1143749.38	N4229.000	W11437.823
	YIKUK	N415905.16	W1145149.12	N4159.086	W11451.819
	ZOSIL	N422856.43	W1143406.69	N4228.941	W11434.112
	RW08	N422852.54	W1143011.60	N4228.876	W11430.193

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW08	04144	58

CITY AND STATE <b>TWIN FALLS, ID</b>	ELEVATION: <b>4154</b>	THRE: <b>4144</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 8, AMDT 1</b>  <b>17 OCTOBER 2013</b>	SUP: <b>RNAV (GPS) RWY 7</b>
	AIRPORT NAME:  <b>JOSLIN FIELD - MAGIC VALLEY RGNL</b>				AMDT: <b>ORIG</b>
					DATED: <b>05/07/2009</b>